

Apollo 2 Piece Full Port Carbon Steel Ball Valve with SS Ball & Stem, Graphite Packing 2" (2 x FNPT)



this article is part of a product group (7214X24A) that contains a total of 6 items

[view all 6 items](#) 

group: 7214X24A **article:** 7214824A **category:** valves

The Apollo Valves 72-100-A is a full port, threaded carbon steel ball valve for high pressure applications.

- Forged Body Design
- Reinforced Seats
- Zinc Phosphate Corrosion Protection
- Adjustable Packing Gland
- Full Port
- Blowout-Proof Stem Design
- Heavy Duty Lever

applications

natural gas, compressed air

segments

utility , industry

approvals

American Iron & Steel (AIS) , Build America Buy America (BABA) Act , Buy American Act (BAA) , Made in USA

specifications - characteristics

color	black
materials	steel (ASTM A105-CS)
finishing	none
shape	straight
connection type	FPT - female thread conical (NPT)

specifications - general

product group	valves (ball valves)
ETIM class	ECO11343 Ball valve
country of origin	United States
brand	Apollo
series	72 Series Ball Valves
product type	7214X24A
unsps	40141607

specifications - product info

article	Apollo 2 Piece Full Port Carbon Steel Ball Valve with SS Ball & Stem, Graphite Packing 2" (2 x FNPT)
article number with gtin	7214824A (00670750740923)
product number with gtin	7214824A (00670750740923)
manufacturer	Aalberts integrated piping systems Americas, Inc. (Apollo)
item group	7214X24A - Apollo 2 Piece Full Port Carbon Steel Ball Valve with SS Ball & Stem, Graphite Packing (2 x FNPT)
size	2"
weight	14.88 lb
dimensions	7.06x1.18x2.50 "
packaging	Carton (1 pce)

specifications - technical

max operating pressure liquid	3000 psi
min. medium temperature	-20 °F
max medium temperature	500 °F

dimensions

d1	DN1	d2	DN2
2.38	DN50	2.38	DN50

