

HSL

Hydraulic Supplies Ltd.



BRENNAN






**ADAPTOR 5/8" MALE
JIC X 5/8" MALE JIC
STRAIGHT**

SKU: BREN-24031010

PRODUCT DESCRIPTION:

THREAD B1 TYPE MALE JIC SAE 37 DEGREE FLARE
THREAD B1 SIZE 7/8-14
THREAD B1 DRILL IN 0.484
THREAD B1 SPECIFICATION SAE J514
THREAD B2 TYPE MALE JIC SAE 37 DEGREE FLARE
THREAD B2 SIZE 7/8-14
THREAD B2 DRILL IN 0.484
THREAD B2 SPECIFICATION SAE J514
BODY HEX IN 0.938
OVERALL LENGTH L IN 1.880
SHAPE STRAIGHT
BODY MATERIAL STEEL
RAW MATERIAL TYPE STRAIGHT STEEL
PLATING CR3
WEIGHT LBS 0.2
MAXIMUM DYNAMIC PRESSURE PSI 5,000




**ADAPTOR 1 1/2"
MALE JIC X 1 1/2"
MALE JIC STRAIGHT**

SKU: BREN-24032424

PRODUCT DESCRIPTION:

THREAD B1 TYPE MALE JIC SAE 37 DEGREE FLARE
THREAD B1 SIZE 1-7/8-12
THREAD B1 DRILL IN 1.312
THREAD B1 SPECIFICATION SAE J514
THREAD B2 TYPE MALE JIC SAE 37 DEGREE FLARE
THREAD B2 SIZE 1-7/8-12
THREAD B2 DRILL IN 1.312
THREAD B2 SPECIFICATION SAE J514
BODY HEX IN 2.000
OVERALL LENGTH L IN 2.750
SHAPE STRAIGHT
BODY MATERIAL STEEL
RAW MATERIAL TYPE STRAIGHT STEEL
PLATING CR3
WEIGHT LBS 1.02
MAXIMUM DYNAMIC PRESSURE PSI 3,000




**ADAPTOR 1/4" MALE
JIC X 1/4" MALE NPT
STRAIGHT**

SKU: BREN-24040404

PRODUCT DESCRIPTION:

THREAD B1 TYPE MALE JIC SAE 37 DEGREE FLARE
THREAD B1 SIZE 7/16-20
THREAD B1 DRILL IN 0.172
THREAD B1 SPECIFICATION SAE J514
THREAD B2 TYPE MALE NPTF
THREAD B2 SIZE 1/4-18
THREAD B2 DRILL IN 0.281
THREAD B2 SPECIFICATION SAE J476
BODY HEX IN 0.562
OVERALL LENGTH L IN 1.420
SHAPE STRAIGHT
BODY MATERIAL STEEL
RAW MATERIAL TYPE STRAIGHT STEEL
PLATING CR3
WEIGHT LBS 0.0589
MAXIMUM DYNAMIC PRESSURE PSI 6,000




**ADAPTOR 3/8" MALE
JIC X 1/8" MALE NPT**

SKU: BREN-24040602

PRODUCT DESCRIPTION:

THREAD B1 TYPE MALE JIC SAE 37 DEGREE FLARE
THREAD B1 SIZE 9/16-18
THREAD B1 DRILL IN 0.297
THREAD B1 SPECIFICATION SAE J514
THREAD B2 TYPE MALE NPTF
THREAD B2 SIZE 1/8-27
THREAD B2 DRILL IN 0.188
THREAD B2 SPECIFICATION SAE J476
BODY HEX IN 0.625
OVERALL LENGTH L IN 1.240
SHAPE STRAIGHT
BODY MATERIAL STEEL
RAW MATERIAL TYPE STRAIGHT STEEL
PLATING CR3
WEIGHT LBS 0.054
MAXIMUM DYNAMIC PRESSURE PSI 6,000






**ADAPTOR 3/8" MALE
JIC X 3/8" MALE NPT**

SKU: BREN-24040606

PRODUCT DESCRIPTION:

THREAD B1 TYPE MALE JIC SAE 37 DEGREE FLARE
THREAD B1 SIZE 9/16-18
THREAD B1 DRILL IN 0.297
THREAD B1 SPECIFICATION SAE J514
THREAD B2 TYPE MALE NPTF
THREAD B2 SIZE 3/8-18
THREAD B2 DRILL IN 0.297
THREAD B2 SPECIFICATION SAE J476
BODY HEX IN 0.750
OVERALL LENGTH L IN 1.430
SHAPE STRAIGHT
BODY MATERIAL STEEL
RAW MATERIAL TYPE STRAIGHT STEEL
PLATING CR3
WEIGHT LBS 0.0911
MAXIMUM DYNAMIC PRESSURE PSI 6,000




**ADAPTOR 3/8" MALE
JIC X 1/2" MALE NPT**

SKU: BREN-24040608

PRODUCT DESCRIPTION:

THREAD B1 TYPE MALE JIC SAE 37 DEGREE FLARE
THREAD B1 SIZE 9/16-18
THREAD B1 DRILL IN 0.297
THREAD B1 SPECIFICATION SAE J514
THREAD B2 TYPE MALE NPTF
THREAD B2 SIZE 1/2-14
THREAD B2 DRILL IN 0.531
THREAD B2 SPECIFICATION SAE J476
BODY HEX IN 0.875
OVERALL LENGTH L IN 1.690
SHAPE STRAIGHT
BODY MATERIAL STEEL
RAW MATERIAL TYPE STRAIGHT STEEL
PLATING CR3
WEIGHT LBS 0.18
MAXIMUM DYNAMIC PRESSURE PSI 6,000




**ADAPTOR MJ-MP 1/2"
MALE JIC X 1/2"
MALE NPT**

SKU: BREN-24040808

PRODUCT DESCRIPTION:

THREAD B1 TYPE MALE JIC SAE 37 DEGREE FLARE
THREAD B1 SIZE 3/4-16
THREAD B1 DRILL IN 0.391
THREAD B1 SPECIFICATION SAE J514
THREAD B2 TYPE MALE NPTF
THREAD B2 SIZE 1/2-14
THREAD B2 DRILL IN 0.531
THREAD B2 SPECIFICATION SAE J476
BODY HEX IN 0.875
OVERALL LENGTH L IN 1.790
SHAPE STRAIGHT
BODY MATERIAL STEEL
RAW MATERIAL TYPE STRAIGHT STEEL
PLATING CR3
WEIGHT LBS 0.17
MAXIMUM DYNAMIC PRESSURE PSI 6,000




**ADAPTOR 3/4" MALE
JIC X 1/2" MALE NPT**

SKU: BREN-24041208

PRODUCT DESCRIPTION:

THREAD B1 TYPE MALE JIC SAE 37 DEGREE FLARE
THREAD B1 SIZE 1-1/16-12
THREAD B1 DRILL IN 0.609
THREAD B1 SPECIFICATION SAE J514
THREAD B2 TYPE MALE NPTF
THREAD B2 SIZE 1/2-14
THREAD B2 DRILL IN 0.531
THREAD B2 SPECIFICATION SAE J476
BODY HEX IN 1.125
OVERALL LENGTH L IN 2.060
SHAPE STRAIGHT
BODY MATERIAL STEEL
RAW MATERIAL TYPE STRAIGHT STEEL
PLATING CR3
WEIGHT LBS 0.29
MAXIMUM DYNAMIC PRESSURE PSI 5,000






**ADAPTOR 3/4" MALE
JIC X 3/4 MALE NPT**

SKU: BREN-24041212

PRODUCT DESCRIPTION:

THREAD B1 TYPE MALE JIC SAE 37 DEGREE FLARE
THREAD B1 SIZE 1-1/16-12
THREAD B1 DRILL IN 0.609
THREAD B1 SPECIFICATION SAE J514
THREAD B2 TYPE MALE NPTF
THREAD B2 SIZE 1/2-14
THREAD B2 DRILL IN 0.531
THREAD B2 SPECIFICATION SAE J476
BODY HEX IN 1.125
OVERALL LENGTH L IN 2.060
SHAPE STRAIGHT
BODY MATERIAL STEEL
RAW MATERIAL TYPE STRAIGHT STEEL
PLATING CR3
WEIGHT LBS 0.29
MAXIMUM DYNAMIC PRESSURE PSI 5,000




**TEE 1/4" MALE JIC X
1/4" MALE JIC X 1/4"
MALE JIC**

SKU: BREN-260304044

PRODUCT DESCRIPTION:

THREAD B1 TYPE MALE JIC SAE 37 DEGREE FLARE
THREAD B1 SIZE 7/16-20
THREAD B1 DRILL IN 0.172
THREAD B1 SPECIFICATION SAE J514
THREAD B2 TYPE MALE JIC SAE 37 DEGREE FLARE
THREAD B2 SIZE 7/16-20
THREAD B2 DRILL IN 0.172
THREAD B2 SPECIFICATION SAE J514
THREAD 3 TYPE MALE JIC SAE 37 DEGREE FLARE
THREAD 3 SIZE 7/16-20
THREAD 3 DRILL IN 0.172
THREAD 3 SPECIFICATION SAE J514
BODY HEX IN 0.438
OVERALL LENGTH L IN 1.780
OVERALL LENGTH L2 IN 0.890
CENTERLINE LENGTH M IN 0.890
CENTERLINE LENGTH M2 IN 0.890
SHAPE TEE



BODY MATERIAL STEEL
RAW MATERIAL TYPE STEEL FORGING
PLATING CR3 | WEIGHT LBS 0.07
MAXIMUM DYNAMIC PRESSURE PSI
7,500




**COLLAR 1/8" FEMALE
NPT X 1/8" FEMALE
NPT**

SKU: BREN-50000202

PRODUCT DESCRIPTION:

THREAD B1 TYPE FEMALE NPTF
THREAD B1 SIZE 1/8-27
THREAD B1 DRILL IN 0.188
THREAD B1 SPECIFICATION SAE J476
THREAD B2 TYPE FEMALE NPTF
THREAD B2 SIZE 1/8-27
THREAD B2 DRILL IN 0.188
THREAD B2 SPECIFICATION SAE J476
BODY HEX IN 0.625
OVERALL LENGTH L IN 0.750
SHAPE STRAIGHT
BODY MATERIAL STEEL
RAW MATERIAL TYPE STRAIGHT STEEL
PLATING CR3
WEIGHT LBS 0.04
MAXIMUM DYNAMIC PRESSURE PSI 6,000




**COLLAR 3/8" FEMALE
NPT X 3/8" FEMALE
NPT"**

SKU: BREN-50000606

PRODUCT DESCRIPTION:

THREAD B1 TYPE FEMALE NPTF
THREAD B1 SIZE 3/8-18
THREAD B1 DRILL IN 0.406
THREAD B1 SPECIFICATION SAE J476
THREAD B2 TYPE FEMALE NPTF
THREAD B2 SIZE 3/8-18
THREAD B2 DRILL IN 0.406
THREAD B2 SPECIFICATION SAE J476
BODY HEX IN 0.875
OVERALL LENGTH L IN 1.130
SHAPE STRAIGHT
BODY MATERIAL STEEL
RAW MATERIAL TYPE STRAIGHT STEEL
PLATING CR3
WEIGHT LBS 0.1
MAXIMUM DYNAMIC PRESSURE PSI 6,000






**COLLAR 1/2" FE-
MALE NPT X 1/2" FE-
MALE NPT**

SKU: BREN-50000808

PRODUCT DESCRIPTION:

THREAD B1 TYPE FEMALE NPTF
 THREAD B1 SIZE 1/2-14
 THREAD B1 DRILL IN 0.531
 THREAD B1 SPECIFICATION SAE J476
 THREAD B2 TYPE FEMALE NPTF
 THREAD B2 SIZE 1/2-14
 THREAD B2 DRILL IN 0.531
 THREAD B2 SPECIFICATION SAE J476
 BODY HEX IN 1.125
 OVERALL LENGTH L IN 1.500
 SHAPE STRAIGHT
 BODY MATERIAL STEEL
 RAW MATERIAL TYPE STRAIGHT STEEL
 PLATING CR3
 WEIGHT LBS 0.22
 MAXIMUM DYNAMIC PRESSURE PSI 5,000




**COLLAR 3/4" FEMALE
NPT X 3/4" FEMALE
NPT**

SKU: BREN-50001212

PRODUCT DESCRIPTION:

THREAD B1 TYPE FEMALE NPTF
 THREAD B1 SIZE 3/4-14
 THREAD B1 DRILL IN 0.719
 THREAD B1 SPECIFICATION SAE J476
 THREAD B2 TYPE FEMALE NPTF
 THREAD B2 SIZE 3/4-14
 THREAD B2 DRILL IN 0.719
 THREAD B2 SPECIFICATION SAE J476
 BODY HEX IN 1.375
 OVERALL LENGTH L IN 1.530
 SHAPE STRAIGHT
 BODY MATERIAL STEEL
 RAW MATERIAL TYPE STRAIGHT STEEL
 PLATING CR3
 WEIGHT LBS 0.3312
 MAXIMUM DYNAMIC PRESSURE PSI 4,000




**HEX NIPPLE 1/4"
MALE NPT X 1/4"
MALE NPT**

SKU: BREN-54040404

PRODUCT DESCRIPTION:

THREAD B1 TYPE MALE NPTF
 THREAD B1 SIZE 1/4-18
 THREAD B1 DRILL IN 0.281
 THREAD B1 SPECIFICATION SAE J476
 THREAD B2 TYPE MALE NPTF
 THREAD B2 SIZE 1/4-18
 THREAD B2 DRILL IN 0.281
 THREAD B2 SPECIFICATION SAE J476
 BODY HEX IN 0.625
 OVERALL LENGTH L IN 1.450
 SHAPE STRAIGHT
 BODY MATERIAL STEEL
 RAW MATERIAL TYPE STRAIGHT STEEL
 PLATING CR3
 WEIGHT LBS 0.065
 MAXIMUM DYNAMIC PRESSURE PSI 6,000




**HEX NIPPLE 1/2"
MALE NPT X 3/8"
MALE NPT**

SKU: BREN-54040806

PRODUCT DESCRIPTION:

THREAD B1 TYPE MALE NPTF
 THREAD B1 SIZE 1/2-14
 THREAD B1 DRILL IN 0.531
 THREAD B1 SPECIFICATION SAE J476
 THREAD B2 TYPE MALE NPTF
 THREAD B2 SIZE 3/8-18
 THREAD B2 DRILL IN 0.406
 THREAD B2 SPECIFICATION SAE J476
 BODY HEX IN 0.875
 OVERALL LENGTH L IN 1.700
 SHAPE STRAIGHT
 BODY MATERIAL STEEL
 RAW MATERIAL TYPE STRAIGHT STEEL
 PLATING CR3
 WEIGHT LBS 0.14
 MAXIMUM DYNAMIC PRESSURE PSI 6,000






**HEX NIPPLE 1/2"
MALE NPT X 1/2"
MALE NPT**

SKU: BREN-54040808

PRODUCT DESCRIPTION:

THREAD B1 TYPE MALE NPTF
THREAD B1 SIZE 1/2-14
THREAD B1 DRILL IN 0.531
THREAD B1 SPECIFICATION SAE J476
THREAD B2 TYPE MALE NPTF
THREAD B2 SIZE 1/2-14
THREAD B2 DRILL IN 0.531
THREAD B2 SPECIFICATION SAE J476
BODY HEX IN 0.875
OVERALL LENGTH L IN 1.890
SHAPE STRAIGHT
BODY MATERIAL STEEL
RAW MATERIAL TYPE STRAIGHT STEEL
PLATING CR3
WEIGHT LBS 0.2
MAXIMUM DYNAMIC PRESSURE PSI 6,000




**HEX NIPPLE 3/4"
MALE NPT X 1/2"
MALE NPT**

SKU: BREN-54041208

PRODUCT DESCRIPTION:

THREAD B1 TYPE MALE NPTF
THREAD B1 SIZE 3/4-14
THREAD B1 DRILL IN 0.719
THREAD B1 SPECIFICATION SAE J476
THREAD B2 TYPE MALE NPTF
THREAD B2 SIZE 1/2-14
THREAD B2 DRILL IN 0.531
THREAD B2 SPECIFICATION SAE J476
BODY HEX IN 1.125
OVERALL LENGTH L IN 1.960
SHAPE STRAIGHT
BODY MATERIAL STEEL
RAW MATERIAL TYPE STRAIGHT STEEL
PLATING CR3
WEIGHT LBS 0.28
MAXIMUM DYNAMIC PRESSURE PSI 5,500





**HEX NIPPLE 3/4"
MALE NPT X 3/4"
MALE NPT**

SKU: BREN-54041212

PRODUCT DESCRIPTION:

THREAD B1 TYPE MALE NPTF
THREAD B1 SIZE 3/4-14
THREAD B1 DRILL IN 0.719
THREAD B1 SPECIFICATION SAE J476
THREAD B2 TYPE MALE NPTF
THREAD B2 SIZE 3/4-14
THREAD B2 DRILL IN 0.719
THREAD B2 SPECIFICATION SAE J476
BODY HEX IN 1.125
OVERALL LENGTH L IN 1.960
SHAPE STRAIGHT
BODY MATERIAL STEEL
RAW MATERIAL TYPE STRAIGHT STEEL
PLATING CR3
WEIGHT LBS 0.26
MAXIMUM DYNAMIC PRESSURE PSI 5,500




**HEX NIPPLE 1" MALE
NPT X 3/4" MALE NPT**

SKU: BREN-54041612

PRODUCT DESCRIPTION:

THREAD B1 TYPE MALE NPTF
THREAD B1 SIZE 1-11-1/2
THREAD B1 DRILL IN 0.938
THREAD B1 SPECIFICATION SAE J476
THREAD B2 TYPE MALE NPTF
THREAD B2 SIZE 3/4-14
THREAD B2 DRILL IN 0.719
THREAD B2 SPECIFICATION SAE J476
BODY HEX IN 1.375
OVERALL LENGTH L IN 2.150
SHAPE STRAIGHT
BODY MATERIAL STEEL
RAW MATERIAL TYPE STRAIGHT STEEL
PLATING CR3
WEIGHT LBS 0.363
MAXIMUM DYNAMIC PRESSURE PSI 3,000







**REDUCING BUSHING
1" MALE NPT X 1/2"
FEMALE NPT**

SKU: BREN-54061608

PRODUCT DESCRIPTION:

THREAD B1 TYPE MALE NPTF
THREAD B1 SIZE 1-11-1/2
THREAD B1 DRILL IN 0.907
THREAD B1 SPECIFICATION SAE J476
THREAD B2 TYPE FEMALE NPTF
THREAD B2 SIZE 1/2-14
THREAD B2 DRILL IN 0.531
THREAD B2 SPECIFICATION SAE J476
BODY HEX IN 1.375
OVERALL LENGTH L IN 1.360
SHAPE STRAIGHT
BODY MATERIAL STEEL
RAW MATERIAL TYPE STRAIGHT STEEL
PLATING CR3
WEIGHT LBS 0.34
MAXIMUM DYNAMIC PRESSURE PSI 3,000





**PIPE PLUG EXT. HEX
1/8" MALE NPT**

SKU: BREN-5406P02

PRODUCT DESCRIPTION:

THREAD B1 TYPE MALE NPTF
THREAD B1 SIZE 1/8-27
THREAD B1 DRILL IN 0.220
THREAD B1 SPECIFICATION SAE J476
THREAD B2 TYPE HEX HEAD PIPE PLUG
BODY HEX IN 0.438
OVERALL LENGTH L IN 0.562
OVERALL LENGTH L2 IN 0.170
SHAPE STRAIGHT
BODY MATERIAL STEEL
RAW MATERIAL TYPE STRAIGHT STEEL
PLATING CR3





**PIPE PLUG EXT. HEX
1/4" MALE NPT**

SKU: BREN-5406P04

PRODUCT DESCRIPTION:

THREAD B1 TYPE MALE NPTF
THREAD B1 SIZE 1/4-18
THREAD B1 DRILL IN 0.281
THREAD B1 SPECIFICATION SAE J476
THREAD B2 TYPE HEX HEAD PIPE PLUG
BODY HEX IN 0.562
OVERALL LENGTH L IN 0.750
OVERALL LENGTH L2 IN 0.170
SHAPE STRAIGHT
BODY MATERIAL STEEL
RAW MATERIAL TYPE STRAIGHT STEEL
PLATING CR3




**PIPE PLUG EXT. HEX
3/8" MALE NPT**

SKU: BREN-5406P06

PRODUCT DESCRIPTION:

THREAD B1 TYPE MALE NPTF
THREAD B1 SIZE 3/8-18
THREAD B1 DRILL IN 0.406
THREAD B1 SPECIFICATION SAE J476
THREAD B2 TYPE HEX HEAD PIPE PLUG
BODY HEX IN 0.688
OVERALL LENGTH L IN 0.710
OVERALL LENGTH L2 IN 0.220
SHAPE STRAIGHT
BODY MATERIAL STEEL
RAW MATERIAL TYPE STRAIGHT STEEL
PLATING CR3






**TEE 3/8" FEMALE NPT
X 3/8" FEMALE NPT X
3/8" FEMALE NPT**

SKU: BREN-560506066

PRODUCT DESCRIPTION:

THREAD B1 TYPE FEMALE NPTF
 THREAD B1 SIZE 3/8-18
 THREAD B1 DRILL IN 0.406
 THREAD B1 SPECIFICATION SAE J476
 THREAD B2 TYPE FEMALE NPTF
 THREAD B2 SIZE 3/8-18
 THREAD B2 DRILL IN 0.406
 THREAD B2 SPECIFICATION SAE J476
 THREAD 3 TYPE FEMALE NPTF
 THREAD 3 SIZE 3/8-18
 THREAD 3 DRILL IN 0.406
 THREAD 3 SPECIFICATION SAE J476
 BODY HEX IN 0.875
 OVERALL LENGTH L IN 1.020
 CENTERLINE LENGTH M IN 1.020
 CENTERLINE LENGTH M2 IN 1.020
 SHAPE TEE



BODY MATERIAL STEEL
 RAW MATERIAL TYPE STEEL
 FORGING
 PLATING CR3




**TEE 3/4" FEMALE NPT
X 3/4" FEMALE NPT X
3/4" FEMALE NPT**

SKU: BREN-560512121

PRODUCT DESCRIPTION:

THREAD B1 TYPE FEMALE NPTF
 THREAD B1 SIZE 3/4-14
 THREAD B1 DRILL IN 0.719
 THREAD B1 SPECIFICATION SAE J476
 THREAD B2 TYPE FEMALE NPTF
 THREAD B2 SIZE 3/4-14
 THREAD B2 DRILL IN 0.719
 THREAD B2 SPECIFICATION SAE J476
 THREAD 3 TYPE FEMALE NPTF
 THREAD 3 SIZE 3/4-14
 THREAD 3 DRILL IN 0.719
 THREAD 3 SPECIFICATION SAE J476
 BODY HEX IN 1.312
 OVERALL LENGTH L IN 1.360
 CENTERLINE LENGTH M IN 1.360
 CENTERLINE LENGTH M2 IN 1.360
 SHAPE TEE



BODY MATERIAL STEEL
 RAW MATERIAL TYPE STEEL
 FORGING
 PLATING CR3




**ADAPTOR 1/4" MALE
JIC X 1/4" MALE O-
RING BOSS**

SKU: BREN-640004040

PRODUCT DESCRIPTION:

THREAD B1 TYPE MALE JIC SAE 37 DEGREE FLARE
 THREAD B1 SIZE 7/16-20
 THREAD B1 DRILL IN 0.172
 THREAD B1 SPECIFICATION SAE J514
 THREAD B2 TYPE MALE SAE O-RING BOSS
 THREAD B2 SIZE 7/16-20
 THREAD B2 DRILL IN 0.172
 THREAD B2 SPECIFICATION SAE J514
 BODY HEX IN 0.562
 OVERALL LENGTH L IN 1.230
 SHAPE STRAIGHT
 BODY MATERIAL STEEL
 RAW MATERIAL TYPE STRAIGHT STEEL
 PLATING CR3
 O-RING / SEAL MATERIAL NBR



WEIGHT LBS 0.0443
 MAXIMUM DYNAMIC PRESSURE
 PSI 6,000




**ELBOW 90 DEGREE
3/4" MALE JIC X 3/4"
FEMALE JIC**

SKU: BREN-65001212F

PRODUCT DESCRIPTION:

THREAD B1 TYPE MALE JIC SAE 37 DEGREE FLARE
 THREAD B1 SIZE 1-1/16-12
 THREAD B1 DRILL IN 0.609
 THREAD B1 SPECIFICATION SAE J514
 THREAD B2 TYPE FEMALE JIC SWIVEL 37 DEG
 FLARE
 THREAD B2 SIZE 1-1/16-12
 THREAD B2 DRILL IN 0.609
 THREAD B2 SPECIFICATION SAE J514
 BODY HEX IN 1.250
 C HEX 1 IN 1.062
 OVERALL LENGTH L IN 1.750
 OVERALL LENGTH L2 IN 1.180
 CENTERLINE LENGTH M IN 1.660
 SHAPE 90 DEGREE



BODY MATERIAL STEEL
 RAW MATERIAL TYPE STEEL
 FORGING
 PLATING CR3






**ADAPTOR 1/2" MALE
NPT X 1/2" FEMALE
JIC SWIVEL**

SKU: BREN-650508080

PRODUCT DESCRIPTION:

THREAD B1 TYPE MALE NPTF
THREAD B1 SIZE 1/2-14
THREAD B1 DRILL IN 0.531
THREAD B1 SPECIFICATION SAE J476
THREAD B2 TYPE FEMALE JIC SWIVEL 37 DEG
FLARE
THREAD B2 SIZE 3/4-16
THREAD B2 DRILL IN 0.391
THREAD B2 SPECIFICATION SAE J514
BODY HEX IN 0.875
C HEX 1 IN 0.875
OVERALL LENGTH L IN 1.980
OVERALL LENGTH L2 IN 1.560
SHAPE STRAIGHT
BODY MATERIAL STEEL
RAW MATERIAL TYPE STRAIGHT STEEL
PLATING CR3




**METRIC BONDED
WASHER 16MM**

SKU: BREN-8800-16

PRODUCT DESCRIPTION:

THREAD B1 TYPE MALE NPTF
THREAD B1 SIZE 1/2-14
THREAD B1 DRILL IN 0.531
THREAD B1 SPECIFICATION SAE J476
THREAD B2 TYPE FEMALE JIC SWIVEL 37 DEG
FLARE
THREAD B2 SIZE 3/4-16
THREAD B2 DRILL IN 0.391
THREAD B2 SPECIFICATION SAE J514
BODY HEX IN 0.875
C HEX 1 IN 0.875
OVERALL LENGTH L IN 1.980
OVERALL LENGTH L2 IN 1.560
SHAPE STRAIGHT
BODY MATERIAL STEEL
RAW MATERIAL TYPE STRAIGHT STEEL



PLATING CR3
O-RING / SEAL MATERIAL NBR
WEIGHT (LBS) 0.006




**METRIC BONDED
WASHER 18MM**

SKU: BREN-8800-18

PRODUCT DESCRIPTION:

THREAD TYPE B1 BONDED SEAL FOR METRIC
THREAD
THREAD SIZE B1 BONDED SEAL FOR SIZE 18
METRIC
DIAMETER L (MM) 14.76
THREAD SPECIFICATION B1 ISO 9974
WIDTH W (MM) 2.3
DIAMETER M (MM) 26.0
SHAPE STRAIGHT
BODY MATERIAL STEEL
RAW MATERIAL TYPE STRAIGHT STEEL
PLATING CR3
O-RING / SEAL MATERIAL NBR
WEIGHT (LBS) 0.006




**METRIC BONDED
WASHER 22MM**

SKU: BREN-8800-22

PRODUCT DESCRIPTION:

THREAD TYPE B1 BONDED SEAL FOR METRIC
THREAD
THREAD SIZE B1 BONDED SEAL FOR SIZE 22
METRIC
DIAMETER L (MM) 18.74
THREAD SPECIFICATION B1 ISO 9974
WIDTH W (MM) 2.8
DIAMETER M (MM) 30.0
SHAPE STRAIGHT
BODY MATERIAL STEEL
RAW MATERIAL TYPE STRAIGHT STEEL
PLATING CR3
O-RING / SEAL MATERIAL NBR
WEIGHT (LBS) 0.010






**HEX NIPPLE 3/8"
MALE BSP X 3/8"
MALE BSP**

SKU: BREN-9022-0606

PRODUCT DESCRIPTION:

THREAD TYPE B1 MALE BSPP WITH 60 DEGREE SEAT
 THREAD SIZE B1 3/8-19
 THREAD DRILL B1 (MM) 9.5
 THREAD SPECIFICATION B1 60 DEG SEAT SWIVEL CONNECTION
 THREAD TYPE B2 MALE BSPP WITH 60 DEGREE SEAT
 THREAD SIZE B2 3/8-19
 THREAD DRILL B2 (MM) 9.5
 THREAD SPECIFICATION B2 60 DEG SEAT SWIVEL CONNECTION
 BODY HEX (MM) 22.0
 OVERALL LENGTH L (MM) 32.5
 SHAPE STRAIGHT
 BODY MATERIAL STEEL
 RAW MATERIAL TYPE STRAIGHT STEEL



PLATING CR3
 WEIGHT (LBS) 0.093
 MAXIMUM DYNAMIC PRESSURE (PSI) 5,100




**BSP BONDED SEAL
#06**

SKU: BREN-9900-06

PRODUCT DESCRIPTION:

THREAD TYPE B1 BONDED SEAL FOR MBSPP
 THREAD
 THREAD SIZE B1 BONDED SEAL FOR SIZE 06 MBSPP
 DIAMETER L (MM) 14.96
 THREAD SPECIFICATION B1 ISO 1179
 WIDTH W (MM) 2.03
 DIAMETER M (MM) 23.8
 SHAPE STRAIGHT
 BODY MATERIAL STEEL
 RAW MATERIAL TYPE STRAIGHT STEEL
 PLATING CR3
 O-RING / SEAL MATERIAL NBR
 WEIGHT (LBS) 0.012




**3/4" JIC CAP ASSEM-
BLY NUT AND INSERT**

SKU: BREN-FS0304-C12

PRODUCT DESCRIPTION:

THREAD B1 TYPE FEMALE JIC SAE 37 DEGREE FLARE
 THREAD B1 SIZE TUBE OD 3/4
 THREAD B1 DRILL IN 1-1/16-12
 THREAD B1 SPECIFICATION SAE J514
 C HEX 1 IN 1.250
 OVERALL LENGTH L IN 0.910
 SHAPE STRAIGHT
 BODY MATERIAL STEEL
 RAW MATERIAL TYPE STRAIGHT STEEL
 PLATING CR3
 WEIGHT LBS 0.1838
 MAXIMUM DYNAMIC PRESSURE PSI 5,000




PLUG 1/4" MALE JIC

SKU: BREN-FS2408-04

PRODUCT DESCRIPTION:

THREAD B1 TYPE MALE JIC SAE 37 DEGREE FLARE
 THREAD B1 SIZE 7/16-20
 THREAD B1 DRILL IN 0.172
 THREAD B1 SPECIFICATION SAE J514
 BODY HEX IN 0.500
 OVERALL LENGTH L IN 0.800
 OVERALL LENGTH L2 IN 0.220
 SHAPE STRAIGHT
 BODY MATERIAL STEEL
 RAW MATERIAL TYPE STRAIGHT STEEL
 PLATING CR3
 WEIGHT LBS 0.0281
 MAXIMUM DYNAMIC PRESSURE PSI 7,500





15 Gomez Street
San Fernando,
Trinidad and Tobago

Tel: 1-868-235-4475
WhatsApp: 1-868-298-2964
sales@hsltt.com

www.HSLtt.com



facebook.com/southernsupplieslimited/



instagram.com/hsltrinidad/



youtube.com/user/SouthernSuppliesLtd