



Fleetguard®



AIR FILTRATION



AIR FILTRATION



88365A WINSLOW ELEMENT

SKU: FLEET-88365A

PRODUCT DESCRIPTION:
88365A WINSLOW ELEMENT



SPECIFICATIONS:

88365A WINSLOW ELEMENT



AIR FILTRATION



88465A WINSLOW ELEMENT

SKU: FLEET-88465A

PRODUCT DESCRIPTION:

Power generating stations, pipelines, and marine engines worldwide work hard, for long hours. Run times of 98+% are a standard in many industries. 88465A Winslow lube oil filters provide your engine with contaminant protection and an extended service life



SPECIFICATIONS:

Power generating stations, pipelines, and marine engines worldwide work hard, for long hours. Run times of 98+% are a standard in many industries. 88465A Winslow lube oil filters provide your engine with contaminant protection



AIR FILTRATION



AA2948 AIR KIT DUAL PACK

SKU: FLEET-AA2948

PRODUCT DESCRIPTION:
AA2948 dual pack air kit provide a convenient all-in-one solution by including all required filters in one package to speed up a filter change to save time and money. Kit containing (1) AF25277 and (1) AF25276.



SPECIFICATIONS:

AA2948 dual pack air kit provide a convenient all-in-one solution by including all required filters in one package to speed up a filter change to save time and money. Kit containing (1) AF25277 and (1) AF25276.



AIR FILTRATION



AA2956 AIR KIT DUAL PACK

SKU: FLEET-AA2956

PRODUCT DESCRIPTION:
AA2956 dual pack air kit provide a convenient all-in-one solution by including all required filters in one package to speed up a filter change to save time and money. This pack contains: AF25270-1 and AF25271-1



SPECIFICATIONS:

AA2956 dual pack air kit provide a convenient all-in-one solution by including all required filters in one package to speed up a filter change to save time and money. This pack contains: AF25270-1 and AF25271-1



AIR FILTRATION



AIR FILTRATION



AA2957 AIR KIT DUAL PACK

SKU: FLEET-AA2957

PRODUCT DESCRIPTION:

AA2957 dual pack air kit provide a convenient all-in-one solution by including all required filters in one package to speed up a filter change to save time and money. This pack contains: AF25452-1 and AF25453-1



SPECIFICATIONS:

AA2957 dual pack air kit provide a convenient all-in-one solution by including all required filters in one package to speed up a filter change to save time and money. This pack contains: AF25452-1 and AF25453-1



AIR FILTRATION



AA2958 AIR KIT DUAL PACK

SKU: FLEET-AA2958

PRODUCT DESCRIPTION:

AA2958 dual pack air kit provide a convenient all-in-one solution by including all required filters in one package to speed up a filter change to save time and money. This pack contains: AF25813-1 and AF25812-1



SPECIFICATIONS:

AA2958 dual pack air kit provide a convenient all-in-one solution by including all required filters in one package to speed up a filter change to save time and money. This pack contains: AF25813-1 and AF25812-1



AIR FILTRATION



AA90141 AIR KIT, DUAL PACK

SKU: FLEET-AA90141

PRODUCT DESCRIPTION:

AA90141 dual pack air kit provide a convenient all-in-one solution by including all required filters in one package to speed up a filter change to save time and money. This pack contains: AF26597-1 and AF26598-1



SPECIFICATIONS:

AA90141 dual pack air kit provide a convenient all-in-one solution by including all required filters in one package to speed up a filter change to save time and money. This pack contains: AF26597-1 and AF26598-1



AIR FILTRATION



AF1733K AIR, PRIMARY

SKU: FLEET-AF1733K

PRODUCT DESCRIPTION:

AF1733K axial seal primary air filter ensures a proper seal and prevent leaks to prevent airborne contaminants from reaching the combustion chamber.



SPECIFICATIONS:

Largest ID: 3.48 inch
Fin Diameter: 7.85 inch
Flame Resistant Media: No
Type Seal: Axial
Height: 15.48 inch
Largest OD: 6.08 inch
Flow Direction: Outside In



AIR FILTRATION



AIR FILTRATION



AF1867 AIR FILTER

SKU: FLEET-AF1867

PRODUCT DESCRIPTION:

AF1867 premium axial seal primary air filter ensures a proper seal and prevent leaks to prevent airborne contaminants from reaching the combustion chamber.



SPECIFICATIONS:

Largest OD: 9.96 inch
Height: 19.24 inch
Flame Resistant Media: No
Type Seal: Axial
Largest ID: 6.30 inch
Smallest OD: 8.50 inch
Flow Direction: Outside In



AIR FILTRATION



AF1869 AIR FILTER PANEL

SKU: FLEET-AF1869

PRODUCT DESCRIPTION:

AF1869 panel air filter provides optimized airflow designed with OEM requirements. Protect your investment and extend the life of your equipment with a filter that delivers superior protection



SPECIFICATIONS:

AF1869 panel air filter provides optimized airflow designed with OEM requirements. Protect your investment and extend the life of your equipment with a filter that delivers superior protection



AIR FILTRATION



AF1934M AIR, PRIMARY

SKU: FLEET-AF1934M

PRODUCT DESCRIPTION:

AF1934M premium axial seal primary air filter ensures a proper seal and prevent leaks to prevent airborne contaminants from reaching the combustion chamber.



SPECIFICATIONS:

End 2 ID: 0.89 inch
Length: 18.47 inch
End 1 ID: 5.87 inch
Largest OD: 9.14 inch
End 2 OD: 9.14 inch
Shipping Weight: 1 lb.



AIR FILTRATION



AF1966 AIR, SECONDARY

SKU: FLEET-AF1966

PRODUCT DESCRIPTION:

AF1966 axial seal secondary air filter ensures a proper seal and prevent leaks to prevent airborne contaminants from reaching the combustion chamber.



SPECIFICATIONS:

Outside Seal Diameter: 3.05 inch
Largest ID: 2.15 inch
Largest OD: 2.59 inch
Height: 10.07 inch
Shipping Weight: 1 lb.



AIR FILTRATION



AIR FILTRATION



AF1968 AIR, PRIMARY

SKU: FLEET-AF1968

PRODUCT DESCRIPTION:

AF1968 axial seal primary air filter ensures a proper seal and prevent leaks to prevent airborne contaminants from reaching the combustion chamber.



SPECIFICATIONS:

End 2 ID: 6.71 inch
Length: 22.40 inch
Largest OD: 11.67 inch
End 2 OD: 10.59 inch
Shipping Weight: 1 lb.



AIR FILTRATION



AF1969 AIR, PRIMARY

SKU: FLEET-AF1969

PRODUCT DESCRIPTION:

AF1969 axial seal primary air filter ensures a proper seal and prevent leaks to prevent airborne contaminants from reaching the combustion chamber.



SPECIFICATIONS:

End 2 ID: 6.71 inch
Length: 28.40 inch
End 2 OD: 10.59 inch
Cover Diameter: 11.67 in
Shipping Weight: 1 lb.



AIR FILTRATION



AF25062 AIR FILTER

SKU: FLEET-AF25062

PRODUCT DESCRIPTION:

AF25062 axial seal primary air filter ensures a proper seal and prevent leaks to prevent airborne contaminants from reaching the combustion chamber.



SPECIFICATIONS:

Largest OD 12.91 inch
Largest ID 8.56 inch
Flow Direction Outside In
Height 24.35 inch
Flame Resistant Media No
Type Seal Axial



AIR FILTRATION



AF25065 AIR, PRIMARY

SKU: FLEET-AF25065

PRODUCT DESCRIPTION:

AF25065 premium axial seal primary air filter ensures a proper seal and prevent leaks to prevent airborne contaminants from reaching the combustion chamber.



SPECIFICATIONS:

Height: 15.03 inch
Largest OD: 8.96 inch
Flow Direction: Outside In
Largest ID: 4.61 inch
Flame Resistant Media: No
Type Seal: Axial
Shipping Weight: 1 lb.



AIR FILTRATION



AIR FILTRATION



AF25111M AIR, PRIMARY MAGNUM

SKU: FLEET-AF25111M



PRODUCT DESCRIPTION:

AF25111M premium Magnum RS radial seal primary air element is designed to meet the rugged demands of equipment operating in the harshest environments. The Magnum RS offers unique features that provide significant benefits for longer service life and optim

SPECIFICATIONS:

Largest ID: 4.67 inch
Largest OD: 9.15 inch
Flow Direction: Outside In
Height: 12.32 inch
Flame Resistant Media: No
Type Seal: Axial
Shipping Weight: 1 lb.



AIR FILTRATION



AF25129M AIR, PRIMARY MAGNUM

SKU: FLEET-AF25129M



PRODUCT DESCRIPTION:

AF25129M premium axial seal primary air filter ensures a proper seal and prevent leaks to prevent airborne contaminants from reaching the combustion chamber.

SPECIFICATIONS:

Height: 16.28 inch
Largest ID: 5.91 inch
Flow Direction: Outside In
Largest OD: 11.06 inch
Flame Resistant Media: No
Shipping Weight: 1 lb.



AIR FILTRATION



AF25131M AIR, PRIMARY MAGNUM

SKU: FLEET-AF25131M



PRODUCT DESCRIPTION:

AF25131M premium axial seal primary air filter ensures a proper seal and prevent leaks to prevent airborne contaminants from reaching the combustion chamber.

SPECIFICATIONS:

End 1 ID: 7.19 inch
End 2 OD: 11.34 inch
Largest OD: 11.48 inch
Length: 13.33 inch
Shipping Weight: 1 lb.



AIR FILTRATION



AF25132M AIR, SECONDARY

SKU: FLEET-AF25132M



PRODUCT DESCRIPTION:

AF25132M Magnum RS radial seal secondary air elements is designed to meet the rugged demands of equipment operating in the harshest environments. The Magnum RS offers unique features that provide significant benefits for longer service life and optimum pe

SPECIFICATIONS:

End 1 ID: 5.20 inch
Largest OD: 7.26 inch
Length: 13.15 inch
End 2 OD: 6.89 inch
Shipping Weight: 1 lb.



AIR FILTRATION



AIR FILTRATION



AF25139M AIR, PRIMARY MAGNUM

SKU: FLEET-AF25139M



PRODUCT DESCRIPTION:
AF25139M premium axial seal primary air filter ensures a proper seal and prevent leaks to prevent airborne contaminants from reaching the combustion chamber.

SPECIFICATIONS:

Length: 15.35 inch
End 2 OD: 13.06 inch
Largest OD: 13.13 inch
End 1 ID: 6.81 inch
Shipping Weight: 1 lb.



AIR FILTRATION



AF25345 AIR, SECONDARY

SKU: FLEET-AF25345



PRODUCT DESCRIPTION:
AF25345 Magnum RS radial seal secondary air elements is designed to meet the rugged demands of equipment operating in the harshest environments. The Magnum RS offers unique features that provide significant benefits for longer service life and optimum per

SPECIFICATIONS:

Largest OD: 6.89 inch
End 1 ID: 5.28 inch
Length: 14.45 inch
End 2 OD: 6.50 inch
Shipping Weight: 1 lb.



AIR FILTRATION



AF25359 AIR, PRIMARY MAGNUM

SKU: FLEET-AF25359



PRODUCT DESCRIPTION:
AF25359 Magnum RS radial seal primary air element is designed to meet the rugged demands of equipment operating in the harshest environments. The Magnum RS offers unique features that provide significant benefits for longer service life and optimum perfor

SPECIFICATIONS:

Largest ID: 5.91 inch
Largest OD: 11.06 inch
Flow Direction: Outside In
Height: 15.75 inch
Flame Resistant Media: No
Shipping Weight: 1 lb.



AIR FILTRATION



AF25384 AIR, PRIMARY MAGNUM

SKU: FLEET-AF25384



PRODUCT DESCRIPTION:
AF25384 Magnum RS radial seal primary air element is designed to meet the rugged demands of equipment operating in the harshest environments. The Magnum RS offers unique features that provide significant benefits for longer service life and optimum perfor

SPECIFICATIONS:

End 2 OD: 8.09 inch
End 1 ID: 4.95 inch
Largest OD: 8.21 inch
Length: 14.56 inch
Shipping Weight: 1 lb.



AIR FILTRATION



AIR FILTRATION



AF25412 AIR, SECONDARY

SKU: FLEET-AF25412

PRODUCT DESCRIPTION:

AF25412 Magnum RS radial seal secondary air elements is designed to meet the rugged demands of equipment operating in the harshest environments. The Magnum RS offers unique features that provide significant benefits for longer service life and optimum per



SPECIFICATIONS:

End 2 OD 4.98 inch
Length 13.65 inch
End 1 ID 4.43 inch
Largest OD 5.30 inch



AIR FILTRATION



AF25414 AIR, PRIMARY MAGNUM

SKU: FLEET-AF25414

PRODUCT DESCRIPTION:

AF25414 axial seal primary air filter ensures a proper seal and prevent leaks to prevent airborne contaminants from reaching the combustion chamber.



SPECIFICATIONS:

End 2 OD 9.29 inch
End 1 ID 5.20 inch
Largest OD 9.29 inch
Length 14.69 inch



AIR FILTRATION



AF25437 AIR PRIMARY MAGNUM

SKU: FLEET-AF25437

PRODUCT DESCRIPTION:

AF25437 Magnum RS radial seal primary air element is designed to meet the rugged demands of equipment operating in the harshest environments. The Magnum RS offers unique features that provide significant benefits for longer service life and optimum perfor



SPECIFICATIONS:

AF25437 Magnum RS radial seal primary air element is designed to meet the rugged demands of equipment operating in the harshest environments. The Magnum RS offers unique features that provide significant



AIR FILTRATION



AF25454 AIR, PRIMARY MAGNUM

SKU: FLEET-AF25454

PRODUCT DESCRIPTION:

AF25454 Magnum RS radial seal primary air element is designed to meet the rugged demands of equipment operating in the harshest environments. The Magnum RS offers unique features that provide significant benefits for longer service life and optimum perfor



SPECIFICATIONS:

Largest OD: 12.20 inch
End 2 OD: 12.20 inch
End 1 ID: 7.07 inch
Length: 20.63 inch
Shipping Weight: 1 lb.



AIR FILTRATION



AIR FILTRATION



AF25460M AIR, PRIMARY MAGNUM

SKU: FLEET-AF25460M



PRODUCT DESCRIPTION:
AF25460M Magnum RS radial seal primary air element is designed to meet the rugged demands of equipment operating in the harshest environments. The Magnum RS offers unique features that provide significant benefits for longer service life and optimum perfo

SPECIFICATIONS:

Length: 21.36 inch
Largest OD: 10.94 inch
End 1 ID: 5.83 inch
End 2 OD: 10.94 inch
Shipping Weight: 1 lb.



AIR FILTRATION



AF25473 AIR FILTER

SKU: FLEET-AF25473



PRODUCT DESCRIPTION:
AF25473 axial seal primary air filter ensures a proper seal and prevent leaks to prevent airborne contaminants from reaching the combustion chamber

SPECIFICATIONS:

End 1 ID 0.87 inch
Length 3.07 inch



AIR FILTRATION



AF25478 AIR, PRIMARY MAGNUM

SKU: FLEET-AF25478



PRODUCT DESCRIPTION:
AF25478 Magnum RS radial seal secondary air elements is designed to meet the rugged demands of equipment operating in the harshest environments. The Magnum RS offers unique features that provide significant benefits for longer service life and optimum per

SPECIFICATIONS:

Height: 20.75 inch
Largest ID: 4.17 inch
Flow Direction: Outside In
Largest OD: 8.19 inch
Flame Resistant Media: No
Shipping Weight: 1 lb.



AIR FILTRATION



AF255 AIR FILTER

SKU: FLEET-AF255



PRODUCT DESCRIPTION:
AF255 air filter offers more filtering surface than standard air filters, is located above the engine to draw cool, clean air, needs less maintenance time and cost, and has easy filter removal.

SPECIFICATIONS:

Height: 3.67 inch
Largest OD: 3.30 inch
Largest ID: 1.97 inch
Shipping Weight: 1 lb.



AIR FILTRATION



AIR FILTRATION



AF25523 AIR SECONDARY



SKU: FLEET-AF25523

PRODUCT DESCRIPTION:
AF25523 Magnum RS radial seal secondary air elements is designed to meet the rugged demands of equipment operating in the harshest environments. The Magnum RS offers unique features that provide significant benefits for longer service life and optimum per

SPECIFICATIONS:

Length 19.72 inch
End 2 OD 5.59 inch
End 1 ID 4.27 inch
Largest OD 5.93 inch



AIR FILTRATION



AF25528K AIR, PRIMARY



SKU: FLEET-AF25528K

PRODUCT DESCRIPTION:
AF25528K axial seal primary air filter ensures a proper seal and prevent leaks to prevent airborne contaminants from reaching the combustion chamber.

SPECIFICATIONS:

Fin Diameter: 5.16 inch
Height: 8.39 inch
Flame Resistant Media: No
Type Seal: Axial
Largest OD: 4.06 inch
Largest ID: 2.48 inch
Flow Direction: Outside In



AIR FILTRATION



AF25544 AIR FILTER



SKU: FLEET-AF25544

PRODUCT DESCRIPTION:
AF25544 axial seal primary air filter ensures a proper seal and prevent leaks to prevent airborne contaminants from reaching the combustion chamber.

SPECIFICATIONS:

Largest ID 10.00 inch
Largest OD 15.12 inch
Height 24.50 inch



AIR FILTRATION



AF25550 AIR, PRIMARY MAGNUM



SKU: FLEET-AF25550

PRODUCT DESCRIPTION:
AF25550 premium Magnum RS radial seal primary air element is designed to meet the rugged demands of equipment operating in the harshest environments. The Magnum RS offers unique features that provide significant benefits for longer service life and optimu

SPECIFICATIONS:

Height: 7.33 inch
Largest ID: 1.87 inch
Largest OD: 3.50 inch
Shipping Weight: 1 lb.



AIR FILTRATION



AIR FILTRATION



AF25551 AIR, PRIMARY MAGNUM

SKU: FLEET-AF25551

PRODUCT DESCRIPTION:

AF25551 premium axial seal primary air filter ensures a proper seal and prevent leaks to prevent airborne contaminants from reaching the combustion chamber.



SPECIFICATIONS:

Largest OD: 4.13 inch
Height: 10.80 inch
Largest ID: 2.50 inch
Shipping Weight: 1 lb.



AIR FILTRATION



AF25553 AIR PRIMARY MAGNUM

SKU: FLEET-AF25553

PRODUCT DESCRIPTION:

AF25553 premium Magnum RS radial seal primary air element is designed to meet the rugged demands of equipment operating in the harshest environments. The Magnum RS offers unique features that provide significant benefits for longer service life and optimum



SPECIFICATIONS:

AF25553 premium Magnum RS radial seal primary air element is designed to meet the rugged demands of equipment operating in the harshest environments. The Magnum RS offers unique features that provide significant



AIR FILTRATION



AF25556 AIR, SECONDARY

SKU: FLEET-AF25556

PRODUCT DESCRIPTION:

AF25556 Magnum RS radial seal secondary air elements is designed to meet the rugged demands of equipment operating in the harshest environments. The Magnum RS offers unique features that provide significant benefits for longer service life and optimum per



SPECIFICATIONS:

Largest ID: 2.59 inch
Outside Seal Diameter: 3.32 inch
Height: 12.60 inch
Largest OD: 2.99 inch
Shipping Weight: 1 lb.



AIR FILTRATION



AF25557 AIR, PRIMARY MAGNUM

SKU: FLEET-AF25557

PRODUCT DESCRIPTION:

AF25557 premium Magnum RS radial seal primary air element is designed to meet the rugged demands of equipment operating in the harshest environments. The Magnum RS offers unique features that provide significant benefits for longer service life and optimum



SPECIFICATIONS:

Largest ID 3.74 inch
Height 13.99 inch
Largest OD 6.42 inch



AIR FILTRATION



AIR FILTRATION



AF25558 AIR, SECONDARY



SKU: FLEET-AF25558

PRODUCT DESCRIPTION:

AF25558 premium Magnum RS radial seal secondary air elements is designed to meet the rugged demands of equipment operating in the harshest environments. The Magnum RS offers unique features that provide significant benefits for longer service life and opt

SPECIFICATIONS:

Largest ID: 2.81 inch
Largest OD: 3.56 inch
Height: 13.16 inch
Shipping Weight: 1 lb.



AIR FILTRATION



AF25732 AIR, SECONDARY FILTER



SKU: FLEET-AF25732

PRODUCT DESCRIPTION:

OptiAir AF25732 secondary air element addresses key design requirements of all equipment manufacturers while outperforming conventional radial seal designs. Resulting in extended service intervals, reduced downtime, and lower maintenance costs.

SPECIFICATIONS:

Height 15.39 inch
Outside Seal Diameter 8.09 inch
Largest ID 5.28 inch
Largest OD 8.09 inch



AIR FILTRATION



AF25830 AIR, PRIMARY MAGNUM



SKU: FLEET-AF25830

PRODUCT DESCRIPTION:

AF25830 Magnum RS radial seal primary air element is designed to meet the rugged demands of equipment operating in the harshest environments. The Magnum RS offers unique features that provide significant benefits for longer service life and optimum perfor

SPECIFICATIONS:

AF25830 Magnum RS radial seal primary air element is designed to meet the rugged demands of equipment operating in the harshest environments. The Magnum RS offers unique features that provide significant



AIR FILTRATION



AF26208 AIR, SECONDARY



SKU: FLEET-AF26208

PRODUCT DESCRIPTION:

AF26208 Magnum RS radial seal secondary air elements is designed to meet the rugged demands of equipment operating in the harshest environments. The Magnum RS offers unique features that provide significant benefits for longer service life and optimum per

SPECIFICATIONS:

Largest ID: 7.01 inch
Largest OD: 9.06 inch
Flame Resistant Media: No
Type Seal: Radial
Outside Seal Diameter: 9.06 inch
Height: 24.61 inch
Flow Direction: Outside In



AIR FILTRATION



AIR FILTRATION



AF26249 AIR, CARTRIDGE

SKU: FLEET-AF26249



PRODUCT DESCRIPTION:

AF26249 radial seal primary air filter ensures a proper seal and prevent leaks to prevent airborne contaminants from reaching the combustion chamber.

SPECIFICATIONS:

End 1 ID: 7.24 inch
Length: 19.11 inch
Largest OD: 11.93 inch
End 2 OD: 11.93 inch



AIR FILTRATION



AF26363 AIR, AIR

SKU: FLEET-AF26363



PRODUCT DESCRIPTION:

AF26363 Magnum RS radial seal primary air element is designed to meet the rugged demands of equipment operating in the harshest environments. The Magnum RS offers unique features that provide significant benefits for longer service life and optimum perfo

SPECIFICATIONS:

Largest OD: 9.33 inch
Height: 25.06 inch
Largest ID: 5.80 inch



AIR FILTRATION



AF26394 AIR, SECONDARY

SKU: FLEET-AF26394



PRODUCT DESCRIPTION:

AF26394 premium Magnum RS radial seal secondary air elements is designed to meet the rugged demands of equipment operating in the harshest environments. The Magnum RS offers unique features that provide significant benefits for longer service life and op

SPECIFICATIONS:

Largest OD: 3.48 inch
Height: 14.15 inch
Flow Direction: Outside In
Outside Seal Diameter: 3.33 inch
Flame Resistant Media: No
Type Seal: Axial



AIR FILTRATION



AF26395 AIR, PRIMARY

SKU: FLEET-AF26395



PRODUCT DESCRIPTION:

AF26395 premium Magnum RS radial seal primary air element is designed to meet the rugged demands of equipment operating in the harshest environments. The Magnum RS offers unique features that provide significant benefits for longer service life and optimu

SPECIFICATIONS:

Largest OD: 7.69 inch
Largest ID: 4.49 inch
Flow Direction: Outside In
Height: 15.79 inch
Flame Resistant Media: No



AIR FILTRATION



AIR FILTRATION



AF26398 AIR, SECONDARY



SKU: FLEET-AF26398

PRODUCT DESCRIPTION:
AF26398 premium Magnum RS radial seal secondary air elements is designed to meet the rugged demands of equipment operating in the harshest environments. The Magnum RS offers unique features that provide significant benefits for longer service life and opt

SPECIFICATIONS:

Outside Seal Diameter 4.51 inch
Largest OD 4.67 inch
Flow Direction Outside In
Height 15.22 inch
Flame Resistant Media No
Type Seal Axial



AIR FILTRATION



AF27693 AIR, AIR



SKU: FLEET-AF27693

PRODUCT DESCRIPTION:
AF27693 axial seal primary air filter ensures a proper seal and prevent leaks to prevent airborne contaminants from reaching the combustion chamber.

SPECIFICATIONS:

Length: 11.43 inch
End 2 OD: 9.26 inch
Largest OD: 9.26 inch
End 1 ID: 5.26 inch



AIR FILTRATION



AF27827 AIR FILTER



SKU: FLEET-AF27827

PRODUCT DESCRIPTION:
AF27827 axial seal primary air filter ensures a proper seal and prevent leaks to prevent airborne contaminants from reaching the combustion chamber.

SPECIFICATIONS:

Height 6.77 inch
Flow Direction Outside In
Flame Resistant Media No



AIR FILTRATION



AF27875 AIR FILTER



SKU: FLEET-AF27875

PRODUCT DESCRIPTION:
AF27875 axial seal primary air filter ensures a proper seal and prevent leaks to prevent airborne contaminants from reaching the combustion chamber.

SPECIFICATIONS:

AF27875 axial seal primary air filter ensures a proper seal and prevent leaks to prevent airborne contaminants from reaching the combustion chamber.



AIR FILTRATION



AIR FILTRATION



AF331 AIR, PRIMARY

SKU: FLEET-AF331

PRODUCT DESCRIPTION:

AF331 axial seal primary air filter ensures a proper seal and prevent leaks to prevent airborne contaminants from reaching the combustion chamber.



SPECIFICATIONS:

End 2 OD: 10.40 inch
Length: 8.31 inch
Largest OD: 10.40 inch
End 1 ID: 6.05 inch



AIR FILTRATION



AF422 AIR FILTER

SKU: FLEET-AF422

PRODUCT DESCRIPTION:

AF422 axial seal primary air filter ensures a proper seal and prevent leaks to prevent airborne contaminants from reaching the combustion chamber.



SPECIFICATIONS:

End 2 ID 0.54 inch
Largest OD 12.08 inch
End 2 OD 12.08 inch
End 1 ID 7.73 inch
Length 12.37 inch



AIR FILTRATION



AF424 AIR FILTER

SKU: FLEET-AF424

PRODUCT DESCRIPTION:

AF424 axial seal primary air filter ensures a proper seal and prevent leaks to prevent airborne contaminants from reaching the combustion chamber.



SPECIFICATIONS:

Height 16.58 inch
Largest ID 6.73 inch
Largest OD 11.08 inch



AIR FILTRATION



AF434KM AIR, PRIMARY

SKU: FLEET-AF434KM

PRODUCT DESCRIPTION:

AF434KM premium axial seal primary air filter ensures a proper seal and prevent leaks to prevent airborne contaminants from reaching the combustion chamber.



SPECIFICATIONS:

Fin Diameter: 10.08 inch
Largest ID: 5.33 inch
Flame Resistant Media: No
Type Seal: Axial
Height: 16.58 inch
Largest OD: 7.93 inch
Flow Direction: Outside In



AIR FILTRATION



AIR FILTRATION



AF437K AIR, PRIMARY

SKU: FLEET-AF437K

PRODUCT DESCRIPTION:

AF437K axial seal primary air filter ensures a proper seal and prevent leaks to prevent airborne contaminants from reaching the combustion chamber.



SPECIFICATIONS:

Largest OD: 5.24 inch
Height :11.43 inch
Flame Resistant Media: No
Type Seal: Axial
Fin Diameter: 6.34 inch
Largest ID: 2.71 inch
Flow Direction: Outside In



AIR FILTRATION



AF4553M AIR, PRIMARY

SKU: FLEET-AF4553M

PRODUCT DESCRIPTION:

AF4553M axial seal primary air filter ensures a proper seal and prevent leaks to prevent airborne contaminants from reaching the combustion chamber.



SPECIFICATIONS:

End 2 ID: 9.48 inch
End 2 OD: 13.83 inch
End 1 ID: 0.90 inch
Length: 20.71 inch
Largest OD: 14.60 inch



AIR FILTRATION



AF4581 AIR FILTER

SKU: FLEET-AF4581

PRODUCT DESCRIPTION:

AF4581 air filter is installed in front of the carburetor or intake pipe to remove dust and sand in the air and ensure sufficient and clean air in the cylinder.



SPECIFICATIONS:

Largest ID 3.98 inch
Height 12.40 inch
Flow Direction Outside In
Largest OD 7.72 inch
Flame Resistant Media No



AIR FILTRATION



AF4586 AIR, PRIMARY

SKU: FLEET-AF4586

PRODUCT DESCRIPTION:

AF4586 axial seal primary air filter ensures a proper seal and prevent leaks to prevent airborne contaminants from reaching the combustion chamber.



SPECIFICATIONS:

Largest ID: 6.54 inch
Height: 19.61 inch
Flame Resistant Media: No
Type Seal: Axial
Largest OD: 11.50 inch
Smallest OD: 10.39 inch
Flow Direction: Outside In



AIR FILTRATION



AIR FILTRATION



AF460 AIR FILTER PANEL

SKU: FLEET-AF460



PRODUCT DESCRIPTION:

AF460 panel air filter provides optimized airflow designed with OEM requirements. Protect your investment and extend the life of your equipment with a filter that delivers superior protection.

SPECIFICATIONS:

Height 19.81 inch
Side Connection Height 19.812 in
Length 8.18 inch



AIR FILTRATION



AF4609 AIR, PRIMARY

SKU: FLEET-AF4609



PRODUCT DESCRIPTION:

AF4609 axial seal primary air filter ensures a proper seal and prevent leaks to prevent airborne contaminants from reaching the combustion chamber.

SPECIFICATIONS:

Height: 10.34 inch
Largest OD: 19.25 inch
Length: 10.34 inch
End 2 OD: 19.35 inch
Largest ID: 12.89 inch
End 1 ID: 12.93 inch



AIR FILTRATION



AF4720 PRIMARY AIR FILTER

SKU: FLEET-AF4720



PRODUCT DESCRIPTION:

AF4720 axial seal primary air filter ensures a proper seal and prevent leaks to prevent airborne contaminants from reaching the combustion chamber.

SPECIFICATIONS:

Largest ID 7.89 inch
Height 14.50 inch
Flow Direction Outside In
Largest OD 12.19 inch
Flame Resistant Media No
Type Seal Axial



AIR FILTRATION



AF4733 AIR, PRIMARY

SKU: FLEET-AF4733



PRODUCT DESCRIPTION:

AF4733 premium axial seal primary air filter ensures a proper seal and prevent leaks to prevent airborne contaminants from reaching the combustion chamber.

SPECIFICATIONS:

End 2 ID: 0.86 inch
Largest OD: 7.93 inch
End 1 ID: 5.33 inch
Length: 10.57 inch
End 2 OD: 7.93 inch



AIR FILTRATION



AIR FILTRATION



AF4754 AIR, PRIMARY

SKU: FLEET-AF4754

PRODUCT DESCRIPTION:

AF4754 axial seal primary air filter ensures a proper seal and prevent leaks to prevent airborne contaminants from reaching the combustion chamber.



SPECIFICATIONS:

End 2 ID: 5.87 inch
End 1 ID: 0.66 inch
End 2 OD: 9.14 inch
Length: 17.54 inch
Largest OD: 9.21 inch



AIR FILTRATION



AF4878, PRIMARY MAGNUM RS

SKU: FLEET-AF4878

PRODUCT DESCRIPTION:

AF4878 Magnum RS radial seal primary air element is designed to meet the rugged demands of equipment operating in the harshest environments. The Magnum RS offers unique features that provide significant benefits for longer service life and optimum perform



SPECIFICATIONS:

End 2 OD: 9.29 inch
End 1 ID: 5.20 inch
Length: 12.80 inch
Largest OD: 9.29 inch



AIR FILTRATION



AF817K, PRIMARY

SKU: FLEET-AF817K

PRODUCT DESCRIPTION:

AF817K axial seal primary air filter ensures a proper seal and prevent leaks to prevent airborne contaminants from reaching the combustion chamber.



SPECIFICATIONS:

End 2 ID: 0.66 inch
End 2 OD: 5.24 inch
Fin Diameter: 6.40 inch
Length: 9.25 inch
End 1 ID: 2.71 inch
Largest OD: 6.40 inch



AIR FILTRATION



AF820M, SECONDARY

SKU: FLEET-AF820M

PRODUCT DESCRIPTION:

AF820M premium axial seal secondary air filter ensures a proper seal and prevent leaks to prevent airborne contaminants from reaching the combustion chamber.



SPECIFICATIONS:

End 2 ID: 0.67 inch
End 1 ID: 5.28 inch
End 2 OD: 6.40 inch
Length: 16.11 inch
Largest OD: 7.59 inch



AIR FILTRATION



AIR FILTRATION



AF899 AIR FILTER

SKU: FLEET-AF899



PRODUCT DESCRIPTION:
AF899 axial seal primary air filter ensures a proper seal and prevent leaks to prevent airborne contaminants from reaching the combustion chamber.

SPECIFICATIONS:

End 2 ID 12.22 inch
Length 23.62 inch
End 2 OD 17.60 inch
End 1 ID 0.90 inch
Largest OD 18.60 inch



AIR FILTRATION



AF921M, PRIMARY

SKU: FLEET-AF921M



PRODUCT DESCRIPTION:
AF921M premium axial seal primary air filter ensures a proper seal and prevent leaks to prevent airborne contaminants from reaching the combustion chamber.

SPECIFICATIONS:

End 2 ID: 3.48 inch
Length: 12.48 inch
End 2 OD: 6.83 inch
End 1 ID: 0.66 inch
Largest OD: 6.85 inch



AIR FILTRATION



AF922, SECONDARY

SKU: FLEET-AF922



PRODUCT DESCRIPTION:
AF922 axial seal secondary air filter ensures a proper seal and prevent leaks to prevent airborne contaminants from reaching the combustion chamber.

SPECIFICATIONS:

Outside Seal Diameter: 3.10 inch
Height: 10.37 inch
Flame Resistant Media: No
Type Seal: Axial
Largest ID: 2.24 inch
Largest OD: 3.37 inch
Flow Direction: Outside In



AIR FILTRATION



AF979N AIR FILTER

SKU: FLEET-AF979M



PRODUCT DESCRIPTION:
AF979M axial seal primary air filter ensures a proper seal and prevent leaks to prevent airborne contaminants from reaching the combustion chamber.

SPECIFICATIONS:

AF979M axial seal primary air filter ensures a proper seal and prevent leaks to prevent airborne contaminants from reaching the combustion chamber.



AIR FILTRATION



AIR FILTRATION



AF987 SIR SECONDARY FILTER

SKU: FLEET-AF987

PRODUCT DESCRIPTION:

AF987 axial seal secondary air filter ensures a proper seal and prevent leaks to prevent airborne contaminants from reaching the combustion chamber.



SPECIFICATIONS:

End 2 ID 5.97 inch
End 2 OD 5.91 inch
Length 13.77 inch
Largest OD 4.89 inch
End 1 ID 4.81 inch



AIR FILTRATION



AH1107 AIR, SECONDARY

SKU: FLEET-AH1107

PRODUCT DESCRIPTION:

With over 1,500 different air filtration products, from clamps to air housings to advanced air filters, provides peace of mind for your air filtration needs. Our Fleetguard AH1107 premium air housing is part of the heavy-duty air filtration line, covering



SPECIFICATIONS:

Length: 10.88 inch



AIR FILTRATION



AH1135M AIR HOUSING

SKU: FLEET-AH1135M

PRODUCT DESCRIPTION:

With over 1,500 different air filtration products, from clamps to air housings to advanced air filters, provides peace of mind for your air filtration needs. Our AH1135M premium air housing is part of the heavy-duty air filtration line, covering your sopp



SPECIFICATIONS:

With over 1,500 different air filtration products, from clamps to air housings to advanced air filters, provides peace of mind for your air filtration needs. Our AH1135M premium air housing is part of the heavy-duty air filtra-



AIR FILTRATION



AH1138 AIR, DISPOSABLE

SKU: FLEET-AH1138

PRODUCT DESCRIPTION:

With over 1,500 different air filtration products, from clamps to air housings to advanced air filters, provides peace of mind for your air filtration needs. Our Fleetguard AH1138 air housing is part of the heavy-duty air filtration line, covering your sop



SPECIFICATIONS:

Length: 6.38 inch
Largest housing OD: 8.50 inch



AIR FILTRATION



AIR FILTRATION



AH1193 AIR HOUSING

SKU: FLEET-AH1193

PRODUCT DESCRIPTION:

With over 1,500 different air filtration products, from clamps to air housings to advanced air filters, provides peace of mind for your air filtration needs. Our Fleetguard AH1193 air housing is part of the heavy-duty air filtration line, covering your sop

SPECIFICATIONS:

With over 1,500 different air filtration products, from clamps to air housings to advanced air filters, provides peace of mind for your air filtration needs. Our Fleetguard AH1193 air housing is part of the heavy-duty air



AIR FILTRATION



AH1196 AIR, HOUSING

SKU: FLEET-AH1196

PRODUCT DESCRIPTION:

With over 1,500 different air filtration products, from clamps to air housings to advanced air filters, provides peace of mind for your air filtration needs. Our Fleetguard AH1196 air housing is part of the heavy-duty air filtration line, covering your sop

SPECIFICATIONS:



AIR FILTRATION



AH19083 AIR, HOUSING

SKU: FLEET-AH19083

PRODUCT DESCRIPTION:

With over 1,500 different air filtration products, from clamps to air housings to advanced air filters, provides peace of mind for your air filtration needs. Our AH19083 air housing is part of the heavy-duty air filtration line, covering your sophisticated

SPECIFICATIONS:

Length



AIR FILTRATION



AIR HOUSING #19220

SKU: FLEET-AH19220

PRODUCT DESCRIPTION:

With over 1,500 different air filtration products, from clamps to air housings to advanced air filters, provides peace of mind for your air filtration needs. Our Fleetguard AH19220 air housing is part of the heavy-duty air filtration line, covering your so

SPECIFICATIONS:

Length 12.38 inch
Largest housing OD 12.50 inch



AIR FILTRATION



AIR FILTRATION



CS41005 AIR, LUBE CENTRIFUGAL BY-

SKU: FLEET-CS41005



PRODUCT DESCRIPTION:

CS41005 uses the drop-in disposable rotor solution for centrifuges in Fleetguard remote centrifuge housings and Eliminators on Cummins engines ranging from 19L to 95L. These Fleetguard rotors replace the current assembly with a single drop-in option, reduc

SPECIFICATIONS:

Length: 4.98 inch
Hydrostatic Burst Minimum:
2068.5 kPa



FUEL FILTRATION



FUEL FILTRATION



FF127 FULE, CARTRIDGE

SKU: FLEET-FF127

PRODUCT DESCRIPTION:

FF127 fuel filter cartridge reduces contamination, trapping dirt particles and preventing them from reaching the moving parts in your engine supporting longer service intervals.



SPECIFICATIONS:

End 2 ID: 0.68 inch
Largest OD: 4.33 inch
Length: 8.69 inch
MICRON RATING BY SAE J 1858:
20 micron
End 2 OD: 4.33 inch
End 1 ID: 0.68 inch



FUEL FILTRATION



FF106 FUEL, CARTRIDGE

SKU: FLEET-FF106

PRODUCT DESCRIPTION:

FF106 fuel filter cartridge reduces contamination, trapping dirt particles and preventing them from reaching the moving parts in your engine supporting longer service intervals.



SPECIFICATIONS:

End 2 ID: 1.04 inch
Largest OD: 3.01 inch
End 2 OD: 3.01 inch
MICRON RATING BY SAE J 1858:
20 micron
Length: 5.71 inch
End 1 ID: 1.04 inch



FUEL FILTRATION



FF109 FUEL, CARTRIDGE

SKU: FLEET-FF109

PRODUCT DESCRIPTION:

FF109 premium fuel filter cartridge reduces contamination, trapping dirt particles and preventing them from reaching the moving parts in your engine supporting longer service intervals.



SPECIFICATIONS:

End 2 ID: 1.04 inch
End 2 OD: 3.01 inch
Largest OD: 3.01 inch
MICRON RATING BY SAE J 1858:
20 micron
Length: 3.64 inch
End 1 ID: 1.04 inch



FUEL FILTRATION



FF116 FUEL, CARTRIDGE

SKU: FLEET-FF116

PRODUCT DESCRIPTION:

FF116 fuel filter cartridge reduces contamination, trapping dirt particles and preventing them from reaching the moving parts in your engine supporting longer service intervals.



SPECIFICATIONS:

End 2 ID: 1.06 inch
Largest OD: 3.35 inch
End 1 ID: 1.06 inch
MICRON RATING BY SAE J 1985: 8 micron
End 2 OD: 3.35 inch
Length: 6.45 inch



FUEL FILTRATION



FUEL FILTRATION



FF147 FULE, CARTRIDGE

SKU: FLEET-FF147



PRODUCT DESCRIPTION:

FF147 fuel filter cartridge reduces contamination, trapping dirt particles and preventing them from reaching the moving parts in your engine supporting longer service intervals.

SPECIFICATIONS:

Largest OD: 3.29 inch
Length: 5.71 inch
Flow Direction: Outside In
Largest End ID: 0.54 inch
Gasket Inside Diameter: 0.54 inch



FUEL FILTRATION



FF146 FULE, CARTRIDGE

SKU: FLEET-FF146



PRODUCT DESCRIPTION:

FF146 fuel filter cartridge reduces contamination, trapping dirt particles and preventing them from reaching the moving parts in your engine supporting longer service intervals.

SPECIFICATIONS:

End 2 ID: 0.54 inch
End 2 OD: 2.55 inch
End 1 ID: 0.54 inch
MICRON RATING BY SAE J 1858:
18 micron
Largest OD: 2.55 inch
Length: 4.53 inch



FUEL FILTRATION



FF149 FULE, IN-LINE

SKU: FLEET-FF149



PRODUCT DESCRIPTION:

FF149 in-line fuel filter ensures optimal fuel system protection from contaminants.

SPECIFICATIONS:

Length: 3.96 inch
Outlet Connection: 0.386 IN.
MICRON RATING BY SAE J 1985:
11 micron
Inlet Connection: 0.386 IN.
Largest housing OD: 1.998 in



FUEL FILTRATION



FS20009 FUEL/WATER SEPARATOR

SKU: FLEET-FS20009



PRODUCT DESCRIPTION:

FS20009 fuel water separator spin-on works to remove water and other particulates and ensures clean fuel is delivered to your engine.

SPECIFICATIONS:

Length 8.01 inch
Largest OD 3.43 inch



FUEL FILTRATION



FUEL FILTRATION



FF182 FULE, SPIN-ON

SKU: FLEET-FF182



PRODUCT DESCRIPTION:
FF182 spin-on fuel filter delivers superior performance using proven media technology, removing harmful contaminants. Fleetguard fuel filters ensure optimal fuel system protection to meet or exceed OEM s.

SPECIFICATIONS:

Gasket Inside Diameter: 2.46 inch
Largest OD: 3.67 inch
Seam OD: 3.692 in
EFFICIENCY, TWA BY SAE J 1858:
97%
Gasket OD: 2.83 inch
Length: 6.91 inch



FUEL FILTRATION



FF183 FULE, SPIN-ON

SKU: FLEET-FF183



PRODUCT DESCRIPTION:
FF183 spin-on fuel filter delivers superior performance using proven media technology, removing harmful contaminants. Fleetguard fuel filters ensure optimal fuel system protection to meet or exceed OEM s.

SPECIFICATIONS:

Gasket OD: 2.83 inch
Length: 5.42 inch
Seam OD: 3.692 in
EFFICIENCY, TWA BY SAE J 1858:
97%
Gasket Inside Diameter: 2.46 inch
Largest OD: 3.67 inch



FUEL FILTRATION



FF185 FUEL SPIN ON FILTER

SKU: FLEET-FF185



PRODUCT DESCRIPTION:
FF185 spin-on fuel filter delivers superior performance using proven media technology, removing harmful contaminants. Fleetguard fuel filters ensure optimal fuel system protection to meet or exceed OEM s.

SPECIFICATIONS:

Gasket Inside Diameter 2.46 inch
Length 6.94 inch
Seam OD 3.67 in
EFFICIENCY, TWA BY SAE J 1985
97%
Gasket OD 2.83 inch
Largest OD 3.68 inch



FUEL FILTRATION



FF196 FULE, SPIN-ON

SKU: FLEET-FF196



PRODUCT DESCRIPTION:
FF196 spin-on fuel filter delivers superior performance using proven media technology, removing harmful contaminants. Fleetguard fuel filters ensure optimal fuel system protection to meet or exceed OEM s.

SPECIFICATIONS:

Gasket Inside Diameter : 2.46 inch
Largest OD: 3.68 inch
Seam OD: 3.72 in
EFFICIENCY, TWA BY SAE J 1858:
99%
Gasket OD: 2.83 inch



FUEL FILTRATION



FUEL FILTRATION



FF205 FULE, CARTRIDGE

SKU: FLEET-FF205

PRODUCT DESCRIPTION:

FF205 fuel filter cartridge reduces contamination, trapping dirt particles and preventing them from reaching the moving parts in your engine supporting longer service intervals..



SPECIFICATIONS:

End 2 ID: 0.99 inch
Length: 9.72 inch
End 1 ID: 0.99 inch
MICRON RATING BY SAE J 1858:
20 micron
End 2 OD: 5.00 inch
Largest OD: 5.00 inch



FUEL FILTRATION



FF214 FULE, SPIN-ON

SKU: FLEET-FF214

PRODUCT DESCRIPTION:

FF214 spin-on fuel filter delivers superior performance using proven media technology, removing harmful contaminants. Fleetguard fuel filters ensure optimal fuel system protection to meet or exceed OEM s.



SPECIFICATIONS:

Gasket OD: 2.83 inch
Largest OD: 3.01 inch
Seam OD: 3.05 in
EFFICIENCY, TWA BY SAE J 1858:
99%
Gasket Inside Diameter: 2.46 inch
Length: 6.75 inch



FUEL FILTRATION



FF215 FULE, SPIN-ON

SKU: FLEET-FF215

PRODUCT DESCRIPTION:

FF215 spin-on fuel filter delivers superior performance using proven media technology, removing harmful contaminants. Fleetguard fuel filters ensure optimal fuel system protection to meet or exceed OEM s.



SPECIFICATIONS:

Largest OD: 3.01 inch
Gasket Inside Diameter: 2.46 inch
Seam OD: 3.05 in
EFFICIENCY, TWA BY SAE J 1858:
97%
Length: 6.75 inch
Gasket OD: 2.83 inch



FUEL FILTRATION



FF216 FULE, SPIN-ON

SKU: FLEET-FF216

PRODUCT DESCRIPTION:

FF216 spin-on fuel filter delivers superior performance using proven media technology, removing harmful contaminants. Fleetguard fuel filters ensure optimal fuel system protection to meet or exceed OEM s.



SPECIFICATIONS:

Gasket Inside Diameter: 2.46 inch
Largest OD: 3.67 inch
Seam OD: 3.69 in
EFFICIENCY, TWA BY SAE J 1858:
97%
MICRON RATING BY SAE J 1858:
20 micron



FUEL FILTRATION



FUEL FILTRATION



FF234 FULE, CARTRIDGE

SKU: FLEET-FF234

PRODUCT DESCRIPTION:

FF234 fuel filter cartridge reduces contamination, trapping dirt particles and preventing them from reaching the moving parts in your engine supporting longer service intervals.



SPECIFICATIONS:

Largest End ID: 0.39 inch
Largest OD: 2.25 inch
Length: 3.00 inch



FUEL FILTRATION



FF235 FULE, SPIN-ON

SKU: FLEET-FF235

PRODUCT DESCRIPTION:

FF235 spin-on fuel filter delivers superior performance using proven media technology, removing harmful contaminants. Fleetguard fuel filters ensure optimal fuel system protection to meet or exceed OEM s.



SPECIFICATIONS:

Gasket Inside Diameter: 3.11 inch
Length: 4.16 inch
Seam OD: 3.686 in
EFFICIENCY, TWA BY SAE J 1858: 97%
Gasket OD: 3.49 inch
Largest OD: 3.67 inch



FUEL FILTRATION



FF246 FULE, CARTRIDGE

SKU: FLEET-FF246

PRODUCT DESCRIPTION:

FF246 fuel filter cartridge reduces contamination, trapping dirt particles and preventing them from reaching the moving parts in your engine supporting longer service intervals.



SPECIFICATIONS:

End 1 ID: 0.86 inch
End 2 OD: 2.90 inch
EFFICIENCY, TWA BY SAE J 1985: 97%
Length: 5.23 inch
Largest OD: 2.96 inch
MICRON RATING BY SAE J 1985:



FUEL FILTRATION



FF261 FUEL FILTER

SKU: FLEET-FF261

PRODUCT DESCRIPTION:

FF261 spin-on fuel filter delivers superior performance using proven media technology, removing harmful contaminants. Fleetguard fuel filters ensure optimal fuel system protection to meet or exceed OEM s.



SPECIFICATIONS:

Thread Pitch 0.06 inch
Thread Form Metric
Gasket OD 2.81 inch
Length 5.51 inch
Hydrostatic Burst Minimum 200 PSI
Thread Class 6H



FUEL FILTRATION



FUEL FILTRATION



FF42003 FLEETGUARDÂ®

SKU: FLEET-FF42003



PRODUCT DESCRIPTION:
FUEL FILTER REDUCES CONTAMINATION, TRAPPING DIRT PARTICLES AND PREVENTING THEM FROM REACHING THE MOVING PARTS IN YOUR ENGINE SUPPORTING LONGER SERVICE INTERVALS.

SPECIFICATIONS:

Length / Overall Height 3.37 inch
Length 3.37 inch
Gasket OD 2.81 inch
Standpipe NO
MICRON RATING BY SAE J 1985
20 micron
Largest OD 3.24 inch



FUEL FILTRATION



FF5011 FULE, SPIN-ON

SKU: FLEET-FF5011



PRODUCT DESCRIPTION:
FF5011 spin-on fuel filter delivers superior performance using proven media technology, removing harmful contaminants. Fleetguard fuel filters ensure optimal fuel system protection to meet or exceed OEM s.

SPECIFICATIONS:

Gasket Inside Diameter: 2.46 inch
Length: 7.70 inch
Seam OD: 3.692 in
EFFICIENCY, TWA BY SAE J 1858:
97%
Gasket OD: 2.83 inch
Largest OD: 3.67 inch



FUEL FILTRATION



FF5018 FULE, SPIN-ON

SKU: FLEET-FF5018



PRODUCT DESCRIPTION:
FF5018 spin-on fuel filter delivers superior performance using proven media technology, removing harmful contaminants. Fleetguard fuel filters ensure optimal fuel system protection to meet or exceed OEM s.

SPECIFICATIONS:

Gasket Inside Diameter: 2.44 inch
Length: 4.92 inch
Seam OD: 3.051 in
EFFICIENCY, TWA BY SAE J 1858:
98%
Gasket OD: 2.76 inch
Largest OD: 3.05 inch



FUEL FILTRATION



FF5019 FUEL SPIN-ON FILTER

SKU: FLEET-FF5019



PRODUCT DESCRIPTION:
FF5019 premium spin-on fuel filter delivers superior performance using proven media technology, removing harmful contaminants. Fleetguard fuel filters ensure optimal fuel system protection to meet or exceed OEM s.

SPECIFICATIONS:

Gasket OD 2.81 inch
Length 7.14 inch
Seam OD 4.26 in
EFFICIENCY, TWA BY SAE J 1858
99%
MICRON RATING BY SAE J 1858
20 micron



FUEL FILTRATION



FUEL FILTRATION



FF5036 FULE, SPIN-ON

SKU: FLEET-FF5036



PRODUCT DESCRIPTION:

FF5036 spin-on fuel filter delivers superior performance using proven media technology, removing harmful contaminants. Fleetguard fuel filters ensure optimal fuel system protection to meet or exceed OEM s.

SPECIFICATIONS:

Gasket OD: 4.36 inch
Length: 8.97 inch
Seam OD: 4.735 in
EFFICIENCY, TWA BY SAE J 1858:
97%
Gasket Inside Diameter: 3.86 inch
Largest OD: 4.66 inch



FUEL FILTRATION



FF5037 FULE, SPIN-ON

SKU: FLEET-FF5037



PRODUCT DESCRIPTION:

FF5037 spin-on fuel filter delivers superior performance using proven media technology, removing harmful contaminants. Fleetguard fuel filters ensure optimal fuel system protection to meet or exceed OEM s.

SPECIFICATIONS:

Gasket OD: 4.36 inch
Length: 8.97 inch
Seam OD: 4.735 in
MICRON RATING BY SAE J 1858:
20 micron
Gasket Inside Diameter: 3.86 inch
Largest OD: 4.66 inch



FUEL FILTRATION



FF5040 FULE, SPIN-ON

SKU: FLEET-FF5040



PRODUCT DESCRIPTION:

FF5040 premium spin-on fuel filter delivers superior performance using proven media technology, removing harmful contaminants. Fleetguard fuel filters ensure optimal fuel system protection to meet or exceed OEM s.

SPECIFICATIONS:

Thread Pitch: 0.06 inch
Gasket OD: 2.74 inch
Length: 3.40 inch
Largest OD: 2.94 inch
Thread Form: Unified National
Gasket Inside Diameter: 2.43 inch
Thread Diameter: 0.63 inch



FUEL FILTRATION



FF5058 FULE, SPIN-ON

SKU: FLEET-FF5058



PRODUCT DESCRIPTION:

FF5058 spin-on fuel filter delivers superior performance using proven media technology, removing harmful contaminants. Fleetguard fuel filters ensure optimal fuel system protection to meet or exceed OEM s.

SPECIFICATIONS:

Gasket Inside Diameter: 2.46 inch
Length: 5.91 inch
Seam OD: 3.064 in
EFFICIENCY, TWA BY SAE J 1858:
97%
Gasket OD: 2.83 inch
Largest OD: 3.01 inch



FUEL FILTRATION



FUEL FILTRATION



FF5087 FULE, SPIN-ON

SKU: FLEET-FF5087



PRODUCT DESCRIPTION:
FF5087 spin-on fuel filter delivers superior performance using proven media technology, removing harmful contaminants. Fleetguard fuel filters ensure optimal fuel system protection to meet or exceed OEM s.

SPECIFICATIONS:

Gasket Inside Diameter: 2.46 inch
Largest OD: 3.67 inch
Seam OD: 3.69 in
EFFICIENCY, TWA BY SAE J 1858:
98%
Gasket OD: 2.83 inch
Length: 3.31 inch



FUEL FILTRATION



FF5089 FUEL, SPING ON

SKU: FLEET-FF5089



PRODUCT DESCRIPTION:
FF5089 spin-on fuel filter delivers superior performance using proven media technology, removing harmful contaminants. Fleetguard fuel filters ensure optimal fuel system protection to meet or exceed OEM s.

SPECIFICATIONS:

Gasket Inside Diameter: 2.46 inch
Length: 4.31 inch
Seam OD: 3.73 in
EFFICIENCY, TWA BY SAE J 1858:
97%
Gasket OD: 2.83 inch
Largest OD: 3.69 inch



FUEL FILTRATION



FF5103 FUEL, CARTRIDGE

SKU: FLEET-FF5103



PRODUCT DESCRIPTION:
FF5103 fuel filter cartridge reduces contamination, trapping dirt particles and preventing them from reaching the moving parts in your engine supporting longer service intervals.

SPECIFICATIONS:

Largest OD: 1.97 inch
End 1 ID: 0.80 inch
EFFICIENCY, TWA BY SAE J 1858:
97%
Length: 3.50 inch
End 2 OD: 1.97 inch
MICRON RATING BY SAE J 1858:



FUEL FILTRATION



FF5108 FUEL, SPIN-ON

SKU: FLEET-FF5108



PRODUCT DESCRIPTION:
FF5108 spin-on fuel filter delivers superior performance using proven media technology, removing harmful contaminants. Fleetguard fuel filters ensure optimal fuel system protection to meet or exceed OEM s.

SPECIFICATIONS:

Thread Pitch 16 threads Per Inch
Gasket OD 2.48 inch
Largest OD 3.66 inch
Thread Form Unified National
Length 4.96 inch
Thread Class 2B



FUEL FILTRATION



FUEL FILTRATION



FF5114 FUEL, SPIN-ON

SKU: FLEET-FF5114



PRODUCT DESCRIPTION:

FF5114 spin-on fuel filter delivers superior performance using proven media technology, removing harmful contaminants. Fleetguard fuel filters ensure optimal fuel system protection to meet or exceed OEM s.

SPECIFICATIONS:

Gasket Inside Diameter: 2.26 inch
Largest OD: 3.17 inch
Seam OD: 3.31 in
EFFICIENCY, TWA BY SAE J 1985:
97%
Gasket OD: 2.52 inch
Length: 3.22 inch



FUEL FILTRATION



FF5119 FUEL, CARTRIDGE

SKU: FLEET-FF5119



PRODUCT DESCRIPTION:

FF5119 fuel filter cartridge reduces contamination, trapping dirt particles and preventing them from reaching the moving parts in your engine supporting longer service intervals.

SPECIFICATIONS:

Length-8.35 inch Largest OD-4.34 inch Largest end ID 0.60 inch



FUEL FILTRATION



FF5119 FUEL, CARTRIDGE

SKU: FLEET-FF5119



PRODUCT DESCRIPTION:

FF5119 fuel filter cartridge reduces contamination, trapping dirt particles and preventing them from reaching the moving parts in your engine supporting longer service intervals.

SPECIFICATIONS:

Length: 8.35 inch
Largest End ID: 0.60 inch
Largest OD: 4.34 inch



FUEL FILTRATION



FF5159 FUEL FILTER

SKU: FLEET-FF5159



PRODUCT DESCRIPTION:

FF5159 spin-on fuel filter delivers superior performance using proven media technology, removing harmful contaminants. Fleetguard fuel filters ensure optimal fuel system protection to meet or exceed OEM s.

SPECIFICATIONS:

Thread Pitch 16.0
Gasket Inside Diameter 2.22 inch
Largest OD 3.67 inch
Length 5.51 inch
Thread Form Unified National
Gasket OD 2.46 inch
Thread Diameter 0.75 inch



FUEL FILTRATION



FUEL FILTRATION



FF5206 FUEL, SPIN ON

SKU: FLEET-FF5206

PRODUCT DESCRIPTION:

FF5206 spin-on fuel filter delivers superior performance using proven media technology, removing harmful contaminants. Fleetguard fuel filters ensure optimal fuel system protection to meet or exceed OEM specifications.



SPECIFICATIONS:

Gasket OD-3.49 inch length-6.91 inch Seam OD 3.686-in EFFICIENCY,TWA BY SAE J 1858 99% Gasket Inside Diameter 3.11 inch Largest OD 3.67-inch Standpipe NO MICRON RATING BY SAE J 1858 20 micron



FUEL FILTRATION



FF5207 FUEL, SPIN ON

SKU: FLEET-FF5207

PRODUCT DESCRIPTION:

FF5207 spin-on fuel filter delivers superior performance using proven media technology, removing harmful contaminants. Fleetguard fuel filters ensure optimal fuel system protection to meet or exceed OEM specifications.



SPECIFICATIONS:

Gasket OD-3.49 inch length-8.09 inch Seam OD 3.69-in EFFICIENCY,TWA BY SAE J 1858 98.7% Gasket Inside Diameter 3.11 inch Largest OD 3.67-inch Standpipe NO MICRON RATING BY SAE J 50 micron



FUEL FILTRATION



FF5269 FUEL, SPIN ON

SKU: FLEET-FF5269

PRODUCT DESCRIPTION:

FF5269 spin-on fuel filter delivers superior performance using proven media technology, removing harmful contaminants. Fleetguard fuel filters ensure optimal fuel system protection to meet or exceed OEM s.



SPECIFICATIONS:

Gasket OD 2.81 inch Length 6.64 inch Seam OD 4.236 in EFFICIENCY, TWA BY SAE J 1985 98.7% Gasket Inside Diameter 2.45 inch Largest OD 4.24 inch



FUEL FILTRATION



FF5269 FUEL, SPIN ON

SKU: FLEET-FF5269

PRODUCT DESCRIPTION:

FF5269 spin-on fuel filter delivers superior performance using proven media technology, removing harmful contaminants. Fleetguard fuel filters ensure optimal fuel system protection to meet or exceed OEM specifications.



SPECIFICATIONS:

Gasket OD-2.81 inch length-6.64 inch Seam OD 4.236-in EFFICIENCY,TWA BY SAE J 1858 98.7% Gasket Inside Diameter 2.45 inch Largest OD 4.24-inch Standpipe NO MICRON RATING BY SAE J 8 micron



FUEL FILTRATION



FUEL FILTRATION



★★★★★
FF5272 FUEL, SPIN ON

SKU: FLEET-FF5272

PRODUCT DESCRIPTION:

FF5272 spin-on fuel filter delivers superior performance using proven media technology, removing harmful contaminants. Fleetguard fuel filters ensure optimal fuel system protection to meet or exceed OEM specifications.

SPECIFICATIONS:

Gasket OD-2.76 inch Largest OD-3.68 inch Seam OD-3.681-in EFFICIENCY, TWA BY SAE J 1858 98% Gasket Inside Diameter 2.44 inch Length-8.27 inch Standpipe NO MICRON RATING BY SAE J 5 micron



FUEL FILTRATION



★★★★★
FF5297 FUEL, SPIN ON

SKU: FLEET-FF5297

PRODUCT DESCRIPTION:

FF5297 spin-on fuel filter delivers superior performance using proven media technology, removing harmful contaminants. Fleetguard fuel filters ensure optimal fuel system protection to meet or exceed OEM specifications.

SPECIFICATIONS:

Gasket Inside Diameter-2.44 inch Largest OD-3.68 inch Seam OD-3.681-in EFFICIENCY, TWA BY SAE J 1858 98% Gasket OD-2.76 inch Length-5.59 inch Standpipe NO MICRON RATING BY SAE J 18micron



FUEL FILTRATION



★★★★★
FF5300 FUEL, SPIN ON

SKU: FLEET-FF5300

PRODUCT DESCRIPTION:

FF5300 spin-on fuel filter delivers superior performance using proven media technology, removing harmful contaminants. Fleetguard fuel filters ensure optimal fuel system protection to meet or exceed OEM specifications.

SPECIFICATIONS:

Thread Pitch-0.06 inch Gasket OD -2.50 inch Largest OD-3.29 inch Thread Class-6H Thread Form-Metric Length-4.07 inch Thread Diameter-0.79 inch



FUEL FILTRATION



★★★★★
FF5319 FUEL, SPIN ON

SKU: FLEET-FF5319

PRODUCT DESCRIPTION:

FF5319 spin-on fuel filter delivers superior performance using proven media technology, removing harmful contaminants. Fleetguard fuel filters ensure optimal fuel system protection to meet or exceed OEM specifications.

SPECIFICATIONS:

Gasket OD-2.83 inch Length-9.47 inch Seam OD-3.67 inch MICRON RATING BY SAE J 1985-5 micron Gasket Inside Diameter-2.46 inch Largest OD-3.68 inch EFFICIENCY, TWA BY SAE J 1985-98.7%



FUEL FILTRATION



FUEL FILTRATION



FF5320 FUEL, SPIN ON

SKU: FLEET-FF5320

PRODUCT DESCRIPTION:

FF5320 spin-on fuel filter delivers superior performance using proven media technology, removing harmful contaminants. Fleetguard fuel filters ensure optimal fuel system protection to meet or exceed OEM specifications.



SPECIFICATIONS:

Gasket OD-2.83 inch Largest OD-3.68 inch Seam OD-3.67 in EFFICIENCY, TWA BY SAE J 1985-98.7% Gasket Inside Diameter-2.46 inch Length-6.94 inch Standpipe-NO MICRON RATING BY SAE J 1985-5 micron



FUEL FILTRATION



FF5321 FUEL, SPIN ON

SKU: FLEET-FF5321

PRODUCT DESCRIPTION:

FF5321 spin-on fuel filter delivers superior performance using proven media technology, removing harmful contaminants. Fleetguard fuel filters ensure optimal fuel system protection to meet or exceed OEM specifications.



SPECIFICATIONS:

Gasket OD- 2.83 inch Largest OD-3.68 inch Seam OD-3.67 in EFFICIENCY, TWA BY SAE J 1985-98.7% Gasket Inside Diameter 2.46 inch Length-6.92 inch Standpipe-NO MICRON RATING BY SAE J 1985-5 micron



FUEL FILTRATION



FF5322 FUEL, SPIN ON

SKU: FLEET-FF5322

PRODUCT DESCRIPTION:

FF5322 spin-on fuel filter delivers superior performance using proven media technology, removing harmful contaminants. Fleetguard fuel filters ensure optimal fuel system protection to meet or exceed OEM specifications.



SPECIFICATIONS:

Gasket OD-2.83 inch Length-9.47 inch Seam OD-3.67 in EFFICIENCY, TWA BY SAE J 1985-98.7% Gasket Inside Diameter-2.46 inch Largest OD-3.68 inch Standpipe-NO MICRON RATING BY SAE J 1985-5 micron



FUEL FILTRATION



FF5323 FUEL CARTIRIDGE

SKU: FLEET-FF5323

PRODUCT DESCRIPTION:

FF5323 fuel filter cartridge reduces contamination, trapping dirt particles and preventing them from reaching the moving parts in your engine supporting longer service intervals.



SPECIFICATIONS:

FF5323 fuel filter cartridge reduces contamination, trapping dirt particles and preventing them from reaching the moving parts in your engine supporting longer service intervals.



FUEL FILTRATION



FUEL FILTRATION



FF5324 FUEL, SPIN ON

SKU: FLEET-FF5324

PRODUCT DESCRIPTION:

FF5324 spin-on fuel filter delivers superior performance using proven media technology, removing harmful contaminants. Fleetguard fuel filters ensure optimal fuel system protection to meet or exceed OEM specifications.

SPECIFICATIONS:

Gasket OD-2.52 inch Length-7.09 inch Seam OD-3.34 in EFFICIENCY, TWA BY SAE J 1985-98.7% Gasket Inside Diameter-2.26 inch Largest OD-3.18 inch Standpipe-NO MICRON RATING BY SAE J 1985-5 micron



FUEL FILTRATION



FF5381 FUEL, PRIMARY SPIN

SKU: FLEET-FF5381

PRODUCT DESCRIPTION:

FF5381 spin-on fuel filter delivers superior performance using proven media technology, removing harmful contaminants. Fleetguard fuel filters ensure optimal fuel system protection to meet or exceed OEM specifications.

SPECIFICATIONS:

Gasket OD-3.95 inch Length- 7.09 inch Seam OD- 4.26 in EFFICIENCY, TWA BY SAE J 1985-66% Gasket Inside Diameter-3.59 inch Largest OD-4.24 inch Standpipe-NO MICRON RATING BY SAE J 1985-20 micron



FUEL FILTRATION



FF5382 FUEL, SECONDARY

SKU: FLEET-FF5382

PRODUCT DESCRIPTION:

FF5382 spin-on fuel filter delivers superior performance using proven media technology, removing harmful contaminants. Fleetguard fuel filters ensure optimal fuel system protection to meet or exceed OEM specifications.

SPECIFICATIONS:

Gasket OD-3.95 inch Length-10.39 inch Seam OD-4.26 in EFFICIENCY, TWA BY SAE J 1985-98.7% Gasket Inside Diameter-3.59 inch Largest OD-4.24 inch Standpipe-NO MICRON RATING BY SAE J 1985-8 micron



FUEL FILTRATION



FILTER FUEL IND #5418

SKU: FLEET-FF5418

PRODUCT DESCRIPTION:

FF5418 fuel filter cartridge reduces contamination, trapping dirt particles and preventing them from reaching the moving parts in your engine supporting longer service intervals.

SPECIFICATIONS:

FF5418 fuel filter cartridge reduces contamination, trapping dirt particles and preventing them from reaching the moving parts in your engine supporting longer service intervals.



FUEL FILTRATION



FUEL FILTRATION



FF5421 FUEL FILTER

SKU: FLEET-FF5421

PRODUCT DESCRIPTION:

FF5421 premium spin-on fuel filter delivers superior performance using proven media technology, removing harmful contaminants. Fleetguard fuel filters ensure optimal fuel system protection to meet or exceed OEM s.



SPECIFICATIONS:

Gasket OD 2.78 inch
Largest OD 3.72 inch
Seam OD 3.72 in
EFFICIENCY, TWA BY SAE J 1858
98%
Gasket Inside Diameter 2.46 inch
Length 7.58 inch



FUEL FILTRATION



FF5465 FUEL CARTRIDGE

SKU: FLEET-FF5465

PRODUCT DESCRIPTION:

FF5465 fuel filter cartridge reduces contamination, trapping dirt particles and preventing them from reaching the moving parts in your engine supporting longer service intervals.



SPECIFICATIONS:

FF5465 fuel filter cartridge reduces contamination, trapping dirt particles and preventing them from reaching the moving parts in your engine supporting longer service intervals.



FUEL FILTRATION



FF5468 FUEL

SKU: FLEET-FF5468

PRODUCT DESCRIPTION:

FF5468 fuel filter cartridge reduces contamination, trapping dirt particles and preventing them from reaching the moving parts in your engine supporting longer service intervals.



SPECIFICATIONS:

Length-2.76 inch Largest End ID-
0.49 inch Flow Direction Outside-
In Largest OD-1.38 inch Gasket
Inside Diameter-0.45 inch



FUEL FILTRATION



FF5485 FUEL

SKU: FLEET-FF5485

PRODUCT DESCRIPTION:

FF5485 spin-on fuel filter delivers superior performance using proven media technology, removing harmful contaminants. Fleetguard fuel filters ensure optimal fuel system protection to meet or exceed OEM specifications.



SPECIFICATIONS:



FUEL FILTRATION



FUEL FILTRATION



FF5624 FUEL, PRIMARY SPIN-ON

SKU: FLEET-FF5624

PRODUCT DESCRIPTION:

FF5624 spin-on fuel filter delivers superior performance using proven media technology, removing harmful contaminants. Fleetguard fuel filters ensure optimal fuel system protection to meet or exceed OEM s.

SPECIFICATIONS:

Thread Form Unified National
Gasket OD 3.59 inch
Thread Diameter 1.00 inch
Thread Class 2B
Thread Pitch 14 threads Per Inch
Largest OD 3.70 inch
Length 10.61 inch



FUEL FILTRATION



FF5624 FUEL, PRIMARY SPIN

SKU: FLEET-FF5624

PRODUCT DESCRIPTION:

FF5624 spin-on fuel filter delivers superior performance using proven media technology, removing harmful contaminants. Fleetguard fuel filters ensure optimal fuel system protection to meet or exceed OEM specifications.

SPECIFICATIONS:

Thread Form-Unified National
Gasket OD-3.59 inch Thread
Diameter-1.00 inch Thread Class-
2B Thread Pitch-14 threads Per
Inch Largest OD-3.70 inch Length
-10.61 inch



FUEL FILTRATION



FF5629 FUEL CARTRIDGE

SKU: FLEET-FF5629

PRODUCT DESCRIPTION:

FF5629 fuel filter cartridge reduces contamination, trapping dirt particles and preventing them from reaching the moving parts in your engine supporting longer service intervals.

SPECIFICATIONS:

End 2 ID 0.50 inch
Length 6.84 inch
Largest OD 3.71 inch
End 2 OD 3.71 inch
End 1 ID 1.81 inch



FUEL FILTRATION



FF5644 FUEL FILTER

SKU: FLEET-FF5644

PRODUCT DESCRIPTION:

FF5644 spin-on fuel filter delivers superior performance using proven media technology, removing harmful contaminants. Fleetguard fuel filters ensure optimal fuel system protection to meet or exceed OEM s.

SPECIFICATIONS:

FF5644 spin-on fuel filter delivers superior performance using proven media technology, removing harmful contaminants. Fleetguard fuel filters ensure optimal fuel system protection to meet or exceed OEM s.



FUEL FILTRATION



FUEL FILTRATION



FF5733 FUEL FILTER

SKU: FLEET-FF5733

PRODUCT DESCRIPTION:

FF5733 fuel filter cartridge reduces contamination, trapping dirt particles and preventing them from reaching the moving parts in your engine supporting longer service intervals.



SPECIFICATIONS:

Largest OD 3.58 inch
Length 5.14 inch



FUEL FILTRATION



FF5769 FUEL, CARTRIDGE

SKU: FLEET-FF5769

PRODUCT DESCRIPTION:

FF5769 fuel filter cartridge reduces contamination, trapping dirt particles and preventing them from reaching the moving parts in your engine supporting longer service intervals.



SPECIFICATIONS:

Largest OD-3.73 inch Gasket
Inside Diameter-1.83 inch Length
-0.53 inch Flow Direction-Outside In



FUEL FILTRATION



FF5795 FUEL

SKU: FLEET-FF5795

PRODUCT DESCRIPTION:

FF5795 fuel filter cartridge reduces contamination, trapping dirt particles and preventing them from reaching the moving parts in your engine supporting longer service intervals.



SPECIFICATIONS:

Largest OD-3.72 inch Length-5.48 inch
Largest End ID- 1.03 inch
Flow Direction-Outside In



FUEL FILTRATION



FF5895 FUEL CARTRIDGE

SKU: FLEET-FF5895

PRODUCT DESCRIPTION:

FF5895 fuel filter cartridge reduces contamination, trapping dirt particles and preventing them from reaching the moving parts in your engine supporting longer service intervals.



SPECIFICATIONS:

Largest End ID 0.31 inch
Largest OD 1.56 inch
Length 7.81 inch



FUEL FILTRATION



FUEL FILTRATION



FK48001 FUEL KIT

SKU: FLEET-FK48001

PRODUCT DESCRIPTION:

FK48001 fuel filter kit provide a convenient all-in-one solution by including all needed fuel filter products in one package. The kit contains: FS19956 (spin-on)-1 and FS19957 (cartridge)-1.



SPECIFICATIONS:

FK48001 fuel filter kit provide a convenient all-in-one solution by including all needed fuel filter products in one package. The kit contains: FS19956 (spin-on)-1 and FS19957 (cartridge)-1.



FUEL FILTRATION



FS1000 FUEL/ WATER SEP SPIN

SKU: FLEET-FS1000

PRODUCT DESCRIPTION:

FS1000 premium fuel water separator spin-on works to remove water and other particulates and ensures clean fuel is delivered to your engine.



SPECIFICATIONS:

Media Type-StrataPore Largest OD-3.67 inch Gasket OD-2.83 inch EFFICIENCY, TWA BY SAE J 1985-98.7% Length-9.81 inch Gasket Inside Diameter-2.46 inch Seam OD-3.66 inch MICRON RATING BY SAE J 1985-10 micron



FUEL FILTRATION



FS1003 FUEL/ WATER SEPARATOR

SKU: FLEET-FS1003

PRODUCT DESCRIPTION:

FS1003 fuel water separator spin-on works to remove water and other particulates and ensures clean fuel is delivered to your engine.



SPECIFICATIONS:

FS1003 fuel water separator spin-on works to remove water and other particulates and ensures clean fuel is delivered to your engine.



FUEL FILTRATION



FS1006 FUEL/ WATER SEP SPIN-

SKU: FLEET-FS1006

PRODUCT DESCRIPTION:

FS1006 fuel water separator spin-on works to remove water and other particulates and ensures clean fuel is delivered to your engine.



SPECIFICATIONS:

Length-12.32 inch Gasket Inside Diameter-3.87 inch Seam OD-4.74 inch MICRON RATING BY SAE J 1985-10 micron Largest OD -4.57 inch Gasket OD-4.39 inch EFFICIENCY, TWA BY SAE J 1985-98.7%



FUEL FILTRATION



FUEL FILTRATION



FS1015 FUEL/ WATER SEP SPIN-

SKU: FLEET-FS1015

PRODUCT DESCRIPTION:

FS1015 premium fuel water separator spin-on works to remove water and other particulates and ensures clean fuel is delivered to your engine.



SPECIFICATIONS:

Largest OD-3.66 inch Gasket Inside Diameter-2.46 inch Seam OD-3.66 in EFFICIENCY, TWA BY SAE J 1985-98.7% FREE WATER SEPARATION-95% Length-7.51 inch Gasket OD-2.83 inch Stand-pipe-NO EMULSIFIED WATER



FUEL FILTRATION



FS1040 FUEL/ WATER SEPARATOR

SKU: FLEET-FS1040

PRODUCT DESCRIPTION:

FS1040 fuel water separator spin-on works to remove water and other particulates and ensures clean fuel is delivered to your engine.



SPECIFICATIONS:

FS1040 fuel water separator spin-on works to remove water and other particulates and ensures clean fuel is delivered to your engine.



FUEL FILTRATION



FS1212 FUEL/ WATER SEP SPIN-

SKU: FLEET-FS1212

PRODUCT DESCRIPTION:

FS1212 premium fuel water separator spin-on works to remove water and other particulates and ensures clean fuel is delivered to your engine.



SPECIFICATIONS:

Length-7.92 inch Gasket Inside Diameter-2.46 inch Seam OD-3.69 inch MICRON RATING BY SAE J 1985-20 micron Largest OD -3.67 inch Gasket OD-2.83 inch EFFICIENCY, TWA BY SAE J 1985-96%



FUEL FILTRATION



FS1216 FUEL/ WATER SEP SPIN-

SKU: FLEET-FS1216

PRODUCT DESCRIPTION:

FS1216 fuel water separator spin-on works to remove water and other particulates and ensures clean fuel is delivered to your engine.



SPECIFICATIONS:

Largest OD-4.57 inch Gasket Inside Diameter-3.80 inch Seam OD-4.665 in EFFICIENCY, TWA BY SAE J 1985-96% FREE WATER SEPARATION-90% Length-12.37 inch Gasket OD-4.32 inch Stand-pipe-NO EMULSIFIED WATER



FUEL FILTRATION



FUEL FILTRATION



FS1240 FUEL/ WATER SEP SPIN-

SKU: FLEET-FS1240

PRODUCT DESCRIPTION:

FS1240 fuel water separator spin-on works to remove water and other particulates and ensures clean fuel is delivered to your engine.



SPECIFICATIONS:

Largest OD-3.66 inch Gasket OD-2.83 inch Seam OD-3.66 inch MICRON RATING BY SAE J 1985-20 micron Length-3.86 inch Gasket Inside Diameter-2.46 inch EFFICIENCY, TWA BY SAE J 1985-96%



FUEL FILTRATION



FS1251 FUEL/ WATER SEP SPIN-

SKU: FLEET-FS1251

PRODUCT DESCRIPTION:

FS1251 premium fuel water separator spin-on works to remove water and other particulates and ensures clean fuel is delivered to your engine.



SPECIFICATIONS:

DOWNLOAD SPECS Length 5.63 inch Gasket Inside Diameter 2.46 inch Seam OD 3.01 in EFFICIENCY, TWA BY SAE J 1985



FUEL FILTRATION



FS1251 FUEL/ WATER SEP SPIN-

SKU: FLEET-FS1251

PRODUCT DESCRIPTION:

FS1251 premium fuel water separator spin-on works to remove water and other particulates and ensures clean fuel is delivered to your engine.



SPECIFICATIONS:

Length-5.63 inch Gasket Inside Diameter-2.46 inch Seam OD-3.01 in EFFICIENCY, TWA BY SAE J 1985-96% FREE WATER SEPARATION-90% Largest OD-3.02 inch Gasket OD-2.72 inch Standpipe-YES EMULSIFIED WATER SEPARA-



FUEL FILTRATION



FS1280 FUEL/ WATER SEPARATOR

SKU: FLEET-FS1280

PRODUCT DESCRIPTION:

FS1280 premium fuel water separator spin-on works to remove water and other particulates and ensures clean fuel is delivered to your engine.



SPECIFICATIONS:

Largest OD 3.69 inch Gasket Inside Diameter 2.46 inch Seam OD 3.68 inch MICRON RATING BY SAE J 1985 20 micron Length 6.49 inch Gasket OD 2.83 inch



FUEL FILTRATION



FUEL FILTRATION



FS1281 FUEL/ WATER SEPARATOR

SKU: FLEET-FS1281

PRODUCT DESCRIPTION:

FS1281 fuel water separator spin-on works to remove water and other particulates and ensures clean fuel is delivered to your engine.



SPECIFICATIONS:

Largest OD 4.35 inch
FREE WATER SEPARATION 99%
Length 4.02 inch



FUEL FILTRATION



FS1285 FUEL/ WATER SEP SPIN-

SKU: FLEET-FS1285

PRODUCT DESCRIPTION:

FS1285 premium fuel water separator spin-on works to remove water and other particulates and ensures clean fuel is delivered to your engine.



SPECIFICATIONS:

Largest OD 5.05 inch
FREE WATER SEPARATION 98%
Length 10.97 inch



FUEL FILTRATION



FS1287 FUEL/ WATER SEP SPIN-

SKU: FLEET-FS1287

PRODUCT DESCRIPTION:

FS1287 fuel water separator spin-on works to remove water and other particulates and ensures clean fuel is delivered to your engine.



SPECIFICATIONS:

Length 5.04 inch
Gasket Inside Diameter 3.20 inch
Seam OD 4.282 in
Largest OD 4.24 inch
Gasket OD 3.60 inch
Standpipe NO



FUEL FILTRATION



FS19520 FUEL/ WATER SEP SPIN-

SKU: FLEET-FS19520

PRODUCT DESCRIPTION:

FS19520 fuel water separator spin-on works to remove water and other particulates and ensures clean fuel is delivered to your engine.



SPECIFICATIONS:

Largest End ID 0.99 inch
Largest OD 3.62 inch
Length 7.40 inch



FUEL FILTRATION



FUEL FILTRATION



FS19532 FUEL/ WATER SEPARATOR

SKU: FLEET-FS19532

PRODUCT DESCRIPTION:

FS19532 fuel water separator cartridge filter works to remove water and other particulates and ensures clean fuel is delivered to your engine.



SPECIFICATIONS:

FS19532 fuel water separator cartridge filter works to remove water and other particulates and ensures clean fuel is delivered to your engine.



FUEL FILTRATION



FS19551 FUEL/ WATER SEPARATOR

SKU: FLEET-FS19551

PRODUCT DESCRIPTION:

FS19551 fuel water separator spin-on works to remove water and other particulates and ensures clean fuel is delivered to your engine.



SPECIFICATIONS:

FS19551 fuel water separator spin-on works to remove water and other particulates and ensures clean fuel is delivered to your engine.



FUEL FILTRATION



FS19554 FUEL/ WATER SEPARATOR

SKU: FLEET-FS19554

PRODUCT DESCRIPTION:

FS19554 fuel water separator spin-on works to remove water and other particulates and ensures clean fuel is delivered to your engine.



SPECIFICATIONS:

Length / Overall Height 5.77 inch
Largest OD 3.27 inch
Length 5.77 inch
FREE WATER SEPARATION 98%



FUEL FILTRATION



FS19591 FUEL/ WATER SEPARATOR

SKU: FLEET-FS19591

PRODUCT DESCRIPTION:

FS19591 fuel water separator spin-on works to remove water and other particulates and ensures clean fuel is delivered to your engine. Bottom of shell has internal threads to attach bowl. Bowl has external threads.



SPECIFICATIONS:

Length 8.50 inch
End 2 OD 4.25 inch
EMULSIFIED WATER SEPARATION 96%
MICRON RATING BY SAE J 1985 20 micron
Largest OD 4.37 inch



FUEL FILTRATION



FUEL FILTRATION



FS19594 FUEL/ WATER SEPARATOR

SKU: FLEET-FS19594

PRODUCT DESCRIPTION:

FS19594 fuel water separator spin-on works to remove water and other particulates and ensures clean fuel is delivered to your engine.



SPECIFICATIONS:

Media Type StrataPore
Length 5.58 inch
Gasket OD 2.72 inch
Standpipe NO
EMULSIFIED WATER SEPARATION
90%
MICRON RATING BY SAE J 1985



FUEL FILTRATION



FS19627 FUEL/ WATER

SKU: FLEET-FS19627

PRODUCT DESCRIPTION:

FS19627 fuel water separator spin-on works to remove water and other particulates and ensures clean fuel is delivered to your engine.



SPECIFICATIONS:

Largest OD 3.00 inch
Length 2.37 inch



FUEL FILTRATION



FS19729 FUEL/ WATER SEPARATOR

SKU: FLEET-FS19729

PRODUCT DESCRIPTION:

FS19729 standard size EleMax fuel filter protects vital fuel system components. Its patented control valve provides full use of the filter, fits Fuel Pro[®] and many Diesel Pro[®] models, has multiple micron ratings for OEM compliance, and is biodiesel com



SPECIFICATIONS:

Media Type StrataPore
End 2 OD 3.82 inch
End 1 ID 0.66 inch
FREE WATER SEPARATION 95%
Length 7.04 inch
Largest OD 3.82 inch
EFFICIENCY, TWA BY SAE J 1985



FUEL FILTRATION



FS19732 FUEL/ WATER SEPARATOR

SKU: FLEET-FS19732

PRODUCT DESCRIPTION:

FS19732 fuel water separator spin-on works to remove water and other particulates and ensures clean fuel is delivered to your engine.



SPECIFICATIONS:

Media Type StrataPore
Largest OD 3.69 inch
EMULSIFIED WATER SEPARATION
0.95
Standpipe NO
Gasket OD 2.83 inch
Seam OD 3.668 in



FUEL FILTRATION



FUEL FILTRATION



FS19735 FUEL/ WATER SEPARATOR

SKU: FLEET-FS19735

PRODUCT DESCRIPTION:

FS19735 fuel water separator spin-on works to remove water and other particulates and ensures clean fuel is delivered to your engine.



SPECIFICATIONS:

Thread Form Unified National
Largest OD 3.80 inch
Thread Diameter 1.00 inch
Gasket OD 3.58 inch
Thread Type Internal
Drain Valve No
Thread Seal Type Internal



FUEL FILTRATION



FS19737 FUEL/ WATER SEPARATOR

SKU: FLEET-FS19737

PRODUCT DESCRIPTION:

FS19737 fuel water separator spin-on works to remove water and other particulates and ensures clean fuel is delivered to your engine.



SPECIFICATIONS:

FS19737 fuel water separator spin-on works to remove water and other particulates and ensures clean fuel is delivered to your engine.



FUEL FILTRATION



FS19754 FUEL/ WATER SEPARATOR

SKU: FLEET-FS19754

PRODUCT DESCRIPTION:

FS19754 premium fuel water separator spin-on works to remove water and other particulates and ensures clean fuel is delivered to your engine.



SPECIFICATIONS:

Thread Form Unified National
Length 8.60 inch
Largest OD 4.35 inch
Gasket OD 3.58 inch
Thread Type Internal
Drain Valve No
Thread Seal Type Internal



FUEL FILTRATION



FS19769 FUEL/ WATER SEPARATOR

SKU: FLEET-FS19769

PRODUCT DESCRIPTION:

FS19769 fuel water separator spin-on works to remove water and other particulates and ensures clean fuel is delivered to your engine.



SPECIFICATIONS:

FS19769 fuel water separator spin-on works to remove water and other particulates and ensures clean fuel is delivered to your engine.



FUEL FILTRATION



FUEL FILTRATION



FS19810 FUEL/ WATER SEP. CART.

SKU: FLEET-FS19810

PRODUCT DESCRIPTION:

FS19810 fuel water separator cartridge filter works to remove water and other particulates and ensures clean fuel is delivered to your engine.



SPECIFICATIONS:

BPV OPENING DP No
Largest End ID 0.61 inch
Gasket Inside Diameter 0.67 inch
Length 6.81 inch
Largest OD 3.31 inch
Flow Direction Inside Out



FUEL FILTRATION



FS19811 FUEL/ WATER SEP. CART

SKU: FLEET-FS19811

PRODUCT DESCRIPTION:

FS19811 fuel water separator cartridge filter works to remove water and other particulates and ensures clean fuel is delivered to your engine.



SPECIFICATIONS:

Largest End ID 0.61 inch
Length 5.31 inch
Largest OD 3.31 inch



FUEL FILTRATION



FS19814 FUEL/ WATER SEPARATOR

SKU: FLEET-FS19814

PRODUCT DESCRIPTION:

FS19814 fuel water separator cartridge filter works to remove water and other particulates and ensures clean fuel is delivered to your engine.



SPECIFICATIONS:

BPV OPENING DP No
Largest End ID 0.61 inch
Gasket Inside Diameter 0.67 inch
Length 6.08 inch
Largest OD 3.31 inch
Flow Direction Inside Out



FUEL FILTRATION



FS19839 FUEL/ WATER SEP. CART.

SKU: FLEET-FS19839

PRODUCT DESCRIPTION:

FS19839 fuel water separator cartridge filter works to remove water and other particulates and ensures clean fuel is delivered to your engine.



ADD TO LIST
FIND A DEALER

SPECIFICATIONS:

BPV OPENING DP No
Largest OD 3.31 inch
Gasket Inside Diameter 0.67 inch
Largest End ID 0.51 inch
Length 6.08 inch
Flow Direction Outside In



FUEL FILTRATION



FUEL FILTRATION



FS19895 FUEL/ WATER SEPARATOR

SKU: FLEET-FS19895



PRODUCT DESCRIPTION:

FS19895 fuel water separator spin-on works to remove water and other particulates and ensures clean fuel is delivered to your engine.

SPECIFICATIONS:

FS19895 fuel water separator spin-on works to remove water and other particulates and ensures clean fuel is delivered to your engine.



FUEL FILTRATION



FS19907 FUEL/ WATER SEPARATOR

SKU: FLEET-FS19907



PRODUCT DESCRIPTION:

FS19907 fuel water separator spin-on works to remove water and other particulates and ensures clean fuel is delivered to your engine.

SPECIFICATIONS:

Thread Form Unified National
Largest OD 4.35 inch
Thread Diameter 1.00 inch
Gasket OD 4.07 inch
Thread Type Internal
Drain Valve No
Thread Seal Type Internal



FUEL FILTRATION



FS19914 FUEL/ WATER SEPARATOR

SKU: FLEET-FS19914



PRODUCT DESCRIPTION:

FS19914 fuel water separator spin-on works to remove water and other particulates and ensures clean fuel is delivered to your engine.

SPECIFICATIONS:

Thread Pitch 14 threads Per Inch
Thread Diameter 1.00 inch
Length 8.52 inch
Gasket OD 4.06 inch
Thread Type Internal
Drain Valve No
Thread Seal Type Internal



FUEL FILTRATION



FS19975 FUEL/ WATER SEP. CART.

SKU: FLEET-FS19975



PRODUCT DESCRIPTION:

FS19975 fuel filter cartridge reduces contamination, trapping dirt particles and preventing them from reaching the moving parts in your engine supporting longer service intervals.

SPECIFICATIONS:

Length 7.70 inch
EMULSIFIED WATER SEPARATION 93%
FREE WATER SEPARATION 93%
Largest OD 3.27 inch
Flow Direction Inside Out



FUEL FILTRATION



FUEL FILTRATION



LF19976 FUEL/ WATER SEP. CART.

SKU: FLEET-FS19976

PRODUCT DESCRIPTION:

FS19976 fuel filter cartridge reduces contamination, trapping dirt particles and preventing them from reaching the moving parts in your engine supporting longer service intervals.



SPECIFICATIONS:

Length 7.70 inch
EMULSIFIED WATER SEPARATION
93%
FREE WATER SEPARATION 93%
Largest OD 3.27 inch
Flow Direction Inside Out



FUEL FILTRATION



FS20007 FUEL/ WATER SEPARATOR

SKU: FLEET-FS20007

PRODUCT DESCRIPTION:

FS20007 premium fuel water separator spin-on works to remove water and other particulates and ensures clean fuel is delivered to your engine.



SPECIFICATIONS:

Thread Pitch 14.0 threads Per
Inch
Largest OD 4.25 inch
Length 9.33 inch
Thread Class 2B
Thread Form Unified National



FUEL FILTRATION



FS20403 FUEL/ WATER SEPARATOR

SKU: FLEET-FS20403

PRODUCT DESCRIPTION:

FS20403 fuel water separator cartridge filter works to remove water and other particulates and ensures clean fuel is delivered to your engine.



SPECIFICATIONS:

End 2 ID 0.65 inch
Largest OD 4.35 inch
End 2 OD 5.04 inch
MICRON RATING BY SAE J 1985
30 micron
Length 4.63 inch
End 1 ID 0.83 inch



FUEL FILTRATION



FS20201 FUEL/ WATER SEPARATOR

SKU: FLEET-FS20201

PRODUCT DESCRIPTION:

FS20201 fuel water separator cartridge filter works to remove water and other particulates and ensures clean fuel is delivered to your engine.

ADD TO LIST
FIND A DEALER



SPECIFICATIONS:

End 2 ID 0.65 inch
End 1 ID 0.83 inch
Length 9.63 inch
MICRON RATING BY SAE J 1858
2 micron
End 2 OD 5.04 inch



FUEL FILTRATION



FUEL FILTRATION



FS20202 FUEL/ WATER SEPARATOR

SKU: FLEET-FS20202

PRODUCT DESCRIPTION:

FS20202 premium fuel water separator cartridge filter works to remove water and other particulates and ensures clean fuel is delivered to your engine.



SPECIFICATIONS:

FS20202 premium fuel water separator cartridge filter works to remove water and other particulates and ensures clean fuel is delivered to your engine.



FUEL FILTRATION



FS20203 FUEL/ WATER SEPARATOR

SKU: FLEET-FS20203

PRODUCT DESCRIPTION:

FS20203 fuel water separator cartridge filter works to remove water and other particulates and ensures clean fuel is delivered to your engine.



SPECIFICATIONS:

End 2 ID 0.65 inch
Largest OD 4.35 inch
Length 9.60 inch
MICRON RATING BY SAE J 1858
30 micron
End 1 ID 0.83 inch
End 2 OD 5.04 inch



HYDRAULIC FILTRATION



HF28836 HYDRAULIC,

SKU: FLEET-HF28836

PRODUCT DESCRIPTION:

HF28836 hydraulic cartridge filter is designed to help keep your precision hydraulic systems running as intended, providing a solution for various applications. This filter meets or exceeds the equipment OEM quality and performance and is the first after



SPECIFICATIONS:

BPV OPENING DP No
Length 3.44 inch
Gasket Inside Diameter 0.86 inch
Largest OD 1.65 inch
Largest End ID 0.91 inch
Flow Direction Outside In



HYDRAULIC FILTRATION



HYDRAULIC FILTRATION



HF28909 HYDRAULIC,

SKU: FLEET-HF28909

PRODUCT DESCRIPTION:
Power steering products include HF28909, hydraulic cartridge filter.



SPECIFICATIONS:

BPV OPENING DP No
Largest End ID 4.34 inch
Length 17.91 inch
Largest OD 5.91 inch



HYDRAULIC FILTRATION



HF28910 HYDRAULIC

SKU: FLEET-HF28910

PRODUCT DESCRIPTION:
HF28910 hydraulic cartridge filter is designed to help keep your precision hydraulic systems running as intended, providing a solution for various applications. This filter meets or exceeds the equipment OEM quality and performance and is the first after



SPECIFICATIONS:

End 2 ID 4.33 inch
Length 17.95 inch
Largest OD 7.01 inch
TWA MICRON @ BETA=20 25 micron
End 1 ID 4.33 inch
End 2 OD 7.01 inch



HYDRAULIC FILTRATION



HF289928 HYDRAULIC

SKU: FLEET-HF28928

PRODUCT DESCRIPTION:
Power steering products include HF28928, hydraulic cartridge filter.



SPECIFICATIONS:

Largest End ID 2.00 inch
Length 2.00 inch



HYDRAULIC FILTRATION



HF28943 TRANSMISSION

SKU: FLEET-HF28943

PRODUCT DESCRIPTION:
HF28943 transmission filtration product provides excellent quality filtration for optimal performance of automatic transmission systems.



SPECIFICATIONS:

HF28943 transmission filtration product provides excellent quality filtration for optimal performance of automatic transmission systems.



HYDRAULIC FILTRATION



HYDRAULIC FILTRATION



HF28948 HYDRAULIC,

SKU: FLEET-HF28948

PRODUCT DESCRIPTION:

HF28948 premium hydraulic cartridge filter with synthetic media is designed to help keep your precision hydraulic systems running as intended, providing a solution for various applications. This filter meets or exceeds the equipment OEM quality and performance

SPECIFICATIONS:

BPV OPENING DP No
Length / Overall Height 8.96 inch
Largest End ID 0.77 inch
Particle Size at Beta 200 12.0 micron
Flow Direction Outside In
Pressure Valve Yes



HYDRAULIC FILTRATION



HF28994 HYDRAULIC, SPIN-

SKU: FLEET-HF28994

PRODUCT DESCRIPTION:

HF28994 hydraulic cartridge filter is designed to help keep your precision hydraulic systems running as intended, providing a solution for various applications. This filter meets or exceeds the equipment OEM quality and performance and is the first after

SPECIFICATIONS:

Largest OD 4.77 inch
Gasket OD 3.39 inch
Length 11.63 inch
Hydrostatic Burst Minimum 2758 kPa



HYDRAULIC FILTRATION



HF30187 HYDRAULIC,

SKU: FLEET-HF30187

PRODUCT DESCRIPTION:

HF30187 hydraulic cartridge filter with synthetic media is designed to help keep your precision hydraulic systems running as intended, providing a solution for various applications. This filter meets or exceeds the equipment OEM quality and performance

SPECIFICATIONS:

End 2 ID 0.87 inch
Length 3.31 inch
TWA MICRON @ BETA=2 3 micron
TWA MICRON @ BETA=200 12 micron



HYDRAULIC FILTRATION



HF30244 HYDRAULIC,

SKU: FLEET-HF30244

PRODUCT DESCRIPTION:

HF30244 hydraulic cartridge filter with synthetic media is designed to help keep your precision hydraulic systems running as intended, providing a solution for various applications. This filter meets or exceeds the equipment OEM quality and performance

SPECIFICATIONS:

Largest OD 1.98 inch
Length 8.21 inch
TWA MICRON @ BETA=2 3 micron
TWA MICRON @ BETA=200 12 micron
End 2 OD 1.98 inch



HYDRAULIC FILTRATION



HYDRAULIC FILTRATION



HF30262 HYDRAULIC

SKU: FLEET-HF30262

PRODUCT DESCRIPTION:

HF30262 premium hydraulic cartridge filter with synthetic media is designed to help keep your precision hydraulic systems running as intended, providing a solution for various applications. This filter meets or exceeds the equipment OEM quality and performance.



SPECIFICATIONS:

End 2 ID 1.67 inch
Largest OD 3.12 inch
TWA MICRON @ BETA=2 3 micron
TWA MICRON @ BETA=200 12 micron
Length 8.21 inch



HYDRAULIC FILTRATION



HF30282 HYDRAULIC

SKU: FLEET-HF30282

PRODUCT DESCRIPTION:

HF30282 premium hydraulic cartridge filter with synthetic media is designed to help keep your precision hydraulic systems running as intended, providing a solution for various applications. This filter meets or exceeds the equipment OEM quality and performance.



SPECIFICATIONS:

End 2 OD 3.79 inch
Largest OD 3.79 inch
TWA MICRON @ BETA=2 3 micron
TWA MICRON @ BETA=200 12 micron
Length 12.96 inch



HYDRAULIC FILTRATION



HF35018 HYDRAULIC, SPIN-

SKU: FLEET-HF35018

PRODUCT DESCRIPTION:

HF35018 hydraulic spin-on filter with cellulose media is designed to help keep your precision hydraulic systems running as intended, providing a solution for various applications. This filter meets or exceeds the equipment OEM quality and performance and



SPECIFICATIONS:

Length 6.99 inch
Hydrostatic Burst Minimum
2068.5 kPa



HYDRAULIC FILTRATION



HF35101 HYDRAULIC

SKU: FLEET-HF35101

PRODUCT DESCRIPTION:

HF35101 hydraulic cartridge filter with synthetic media is designed to help keep your precision hydraulic systems running as intended, providing a solution for various applications. This filter meets or exceeds the equipment OEM quality and performance.



SPECIFICATIONS:

End 2 ID 3.35 inch
End 2 OD 5.10 inch
End 1 ID 3.35 inch
TWA MICRON @ BETA=20 9 micron
Largest OD 5.10 inch



HYDRAULIC FILTRATION



HYDRAULIC FILTRATION



HF35109 HYDRAULIC

SKU: FLEET-HF35109

PRODUCT DESCRIPTION:

HF35109 hydraulic cartridge filter with wire mesh media is designed to help keep your precision hydraulic systems running as intended, providing a solution for various applications. This filter meets or exceeds the equipment OEM quality and performance a



SPECIFICATIONS:

BPV OPENING DP No
Largest OD 6.13 inch
Largest End ID 3.17 inch
Flow Direction Inside Out



HYDRAULIC FILTRATION



HF35153 HYDRAULIC FILTER

SKU: FLEET-HF35153

PRODUCT DESCRIPTION:

HF35153 premium hydraulic cartridge filter is designed to help keep your precision hydraulic systems running as intended, providing a solution for various applications. This filter meets or exceeds the equipment OEM quality and performance and is the fir



SPECIFICATIONS:

HF35153 premium hydraulic cartridge filter is designed to help keep your precision hydraulic systems running as intended, providing a solution for various applications. This filter meets or exceeds the equipment OEM



HYDRAULIC FILTRATION



HF35195 HYDRAULIC,

SKU: FLEET-HF35195

PRODUCT DESCRIPTION:

HF35195 hydraulic cartridge filter is designed to help keep your precision hydraulic systems running as intended, providing a solution for various applications. This filter meets or exceeds the equipment OEM quality and performance and is the first after



SPECIFICATIONS:

BPV OPENING DP No
Largest OD 5.59 inch
Gasket Inside Diameter 3.86 inch
Length 16.73 inch
Largest End ID 3.86 inch
Flow Direction Outside In



HYDRAULIC FILTRATION



HF35220 HYDRAULIC

SKU: FLEET-HF35220

PRODUCT DESCRIPTION:

HF35220 hydraulic cartridge filter with wire mesh media is designed to help keep your precision hydraulic systems running as intended, providing a solution for various applications. This filter meets or exceeds the equipment OEM quality and performance a



SPECIFICATIONS:

BPV OPENING DP No
Largest End ID 2.54 inch
Gasket Inside Diameter 2.48 inch
Largest OD 5.12 inch
Length 16.22 inch
Flow Direction Outside In



HYDRAULIC FILTRATION



HYDRAULIC FILTRATION



HF35255 HYDRAULIC,

SKU: FLEET-HF35255

PRODUCT DESCRIPTION:

HF35255 premium hydraulic cartridge filter is designed to help keep your precision hydraulic systems running as intended, providing a solution for various applications. This filter meets or exceeds the equipment OEM quality and performance and is the fir

SPECIFICATIONS:

End 2 ID 1.77 inch
End 1 ID 1.77 inch
Largest OD 4.03 inch
TWA MICRON @ BETA=20 22 micron
TWA MICRON @ BETA=75 26 micron



HYDRAULIC FILTRATION



HF35357 HYDRAULIC

SKU: FLEET-HF35357

PRODUCT DESCRIPTION:

HF35357 hydraulic cartridge filter with synthetic media is designed to help keep your precision hydraulic systems running as intended, providing a solution for various applications. This filter meets or exceeds the equipment OEM quality and performance a

SPECIFICATIONS:

BPV OPENING DP No
Largest End ID 4.33 inch
Flow Direction Outside In
Length 17.72 inch
Largest OD 5.91 inch



HYDRAULIC FILTRATION



HF35526 HYDRAULIC FILTER

SKU: FLEET-HF35526

PRODUCT DESCRIPTION:

HF35526 hydraulic cartridge filter with wire mesh media is designed to help keep your precision hydraulic systems running as intended, providing a solution for various applications. This filter meets or exceeds the equipment OEM quality and performance a

SPECIFICATIONS:

HF35526 hydraulic cartridge filter with wire mesh media is designed to help keep your precision hydraulic systems running as intended, providing a solution for various applications. This filter meets or exceeds the equipment



HYDRAULIC FILTRATION



HF6097 HYDRAULIC, CARTRIDGE

SKU: FLEET-HF6097

PRODUCT DESCRIPTION:

HF6097 hydraulic cartridge filter is designed to help keep your precision hydraulic systems running as intended, providing a solution for various applications. This filter meets or exceeds the equipment OEM quality and performance and is the first afterm

SPECIFICATIONS:

End 2 ID 2.30 inch
Largest OD 3.99 inch
End 2 OD 3.99 inch
TWA MICRON @ BETA=20 35 micron
Length 9.37 inch



HYDRAULIC FILTRATION



HYDRAULIC FILTRATION



HF6123 HYDRAULIC, SPIN-ON

SKU: FLEET-HF6123

PRODUCT DESCRIPTION:

HF6123 hydraulic spin-on filter with cellulose media is designed to help keep your precision hydraulic systems running as intended, providing a solution for various applications. This filter meets or exceeds the equipment OEM quality and performance and

SPECIFICATIONS:

BPV OPENING DP 7.97709 PSI
Length 5.36 inch
Gasket OD 2.834 in
Standpipe NO
TWA MICRON @ BETA=20 41 micron
Largest OD 3.67 inch



HYDRAULIC FILTRATION



HF6135 HYDRAULIC, SPIN-ON

SKU: FLEET-HF6135

PRODUCT DESCRIPTION:

HF6135 hydraulic spin-on filter with cellulose media is designed to help keep your precision hydraulic systems running as intended, providing a solution for various applications. This filter meets or exceeds the equipment OEM quality and performance and

SPECIFICATIONS:

Length 8.96 inch
Seam OD 5.076 in
TWA MICRON @ BETA=2 6 micron
TWA MICRON @ BETA=75 20 micron
Largest OD 5.08 inch



HYDRAULIC FILTRATION



HF6138 HYDRAULIC, SPIN-ON

SKU: FLEET-HF6138

PRODUCT DESCRIPTION:

HF6138 hydraulic spin-on filter with cellulose media is designed to help keep your precision hydraulic systems running as intended, providing a solution for various applications. This filter meets or exceeds the equipment OEM quality and performance and

SPECIFICATIONS:

Length 10.71 inch
Seam OD 5.076 in
TWA MICRON @ BETA=2 22 micron
Largest OD 5.08 inch
Standpipe NO



HYDRAULIC FILTRATION



HF6162 STEERING

SKU: FLEET-HF6162

PRODUCT DESCRIPTION:

HF6162 premium hydraulic cartridge filter is designed to help keep your precision hydraulic systems running as intended, providing a solution for various applications. This filter meets or exceeds the equipment OEM quality and performance and is the first

SPECIFICATIONS:

BPV OPENING DP No
Largest OD 2.33 inch
Flow Direction Inside Out
Length 3.96 inch
Largest End ID 0.71 inch



HYDRAULIC FILTRATION



HYDRAULIC FILTRATION



★★★★★
**HF6163 HYDRAULIC,
SPIN-ON**

SKU: FLEET-HF6163

PRODUCT DESCRIPTION:
HF6163 hydraulic spin-on filter with cellulose media is designed to help keep your precision hydraulic systems running as intended, providing a solution for various applications. This filter meets or exceeds the equipment OEM quality and performance and

SPECIFICATIONS:

Length 6.71 inch
Seam OD 5.076 in
TWA MICRON @ BETA=2 16 micron
TWA MICRON @ BETA=75 47 micron
Largest OD 5.08 inch



HYDRAULIC FILTRATION



★★★★★
**HF6180 HYDRAULIC,
CARTRIDGE**

SKU: FLEET-HF6180

PRODUCT DESCRIPTION:
HF6180 hydraulic cartridge filter is designed to help keep your precision hydraulic systems running as intended, providing a solution for various applications. This filter meets or exceeds the equipment OEM quality and performance and is the first afterm

SPECIFICATIONS:

BPV OPENING DP No
Largest End ID 2.83 inch
Gasket Inside Diameter 0.39 inch
Length 10.24 inch
Largest OD 4.17 inch
Flow Direction Inside Out



HYDRAULIC FILTRATION



★★★★★
**HF6201 HYDRAULIC,
CARTRIDGE**

SKU: FLEET-HF6201

PRODUCT DESCRIPTION:
HF6201 premium hydraulic cartridge filter is designed to help keep your precision hydraulic systems running as intended, providing a solution for various applications. This filter meets or exceeds the equipment OEM quality and performance and is the firs

SPECIFICATIONS:

End 2 ID 1.86 inch
Largest OD 3.12 inch
End 1 ID 1.86 inch
TWA MICRON @ BETA=20 35 micron
Length 9.00 inch
End 2 OD 3.12 inch



HYDRAULIC FILTRATION



★★★★★
**HF6205 HYDRAULIC,
SPIN-ON**

SKU: FLEET-HF6205

PRODUCT DESCRIPTION:
HF6205 hydraulic spin-on filter with cellulose media is designed to help keep your precision hydraulic systems running as intended, providing a solution for various applications. This filter meets or exceeds the equipment OEM quality and performance and

SPECIFICATIONS:

BPV OPENING DP 36.2595 PSI
Length 8.29 inch
Gasket OD 2.756 in
Standpipe NO
TWA MICRON @ BETA=20 40 micron
Largest OD 3.68 inch



HYDRAULIC FILTRATION



HYDRAULIC FILTRATION



★★★★★ HF6243 HYDRAULIC, SPIN-ON

SKU: FLEET-HF6243

PRODUCT DESCRIPTION:

HF6243 hydraulic spin-on filter with cellulose media is designed to help keep your precision hydraulic systems running as intended, providing a solution for various applications. This filter meets or exceeds the equipment OEM quality and performance and

SPECIFICATIONS:

Largest OD 4.67 inch
Gasket Inside Diameter 3.66 inch
Seam OD 4.615 in
TWA MICRON @ BETA=2 12 micron
TWA MICRON @ BETA=200 39 micron



HYDRAULIC FILTRATION



★★★★★ HF6311 HYDRAULIC CARTRIDGE

SKU: FLEET-HF6311

PRODUCT DESCRIPTION:

HF6311 hydraulic cartridge filter with synthetic media is designed to help keep your precision hydraulic systems running as intended, providing a solution for various applications. This filter meets or exceeds the equipment OEM quality and performance and

SPECIFICATIONS:

BPV OPENING DP No
Largest End ID 3.62 inch
Gasket Inside Diameter 0.39 inch
Length 18.90 inch
Largest OD 4.96 inch
Flow Direction Inside Out



HYDRAULIC FILTRATION



★★★★★ HF6342 HYDRAULIC, CARTRIDGE

SKU: FLEET-HF6342

PRODUCT DESCRIPTION:

HF6342 premium hydraulic cartridge filter with synthetic media is designed to help keep your precision hydraulic systems running as intended, providing a solution for various applications. This filter meets or exceeds the equipment OEM quality and perfor

SPECIFICATIONS:

End 2 ID 3.35 inch
End 2 OD 5.10 inch
Length 9.12 inch
TWA MICRON @ BETA=20 9 micron
End 1 ID 3.35 inch
Largest OD 5.10 inch



HYDRAULIC FILTRATION



★★★★★ HF6555 HYDRAULIC, SPIN-ON

SKU: FLEET-HF6555

PRODUCT DESCRIPTION:

HF6555 hydraulic spin-on filter with synthetic media is designed to help keep your precision hydraulic systems running as intended, providing a solution for various applications. This filter meets or exceeds the equipment OEM quality and performance and

SPECIFICATIONS:

Largest OD 3.86 inch
Gasket Inside Diameter 2.51 inch
Seam OD 3.95 in
TWA MICRON @ BETA=2 7 micron
TWA MICRON @ BETA=75 20 micron



HYDRAULIC FILTRATION



HYDRAULIC FILTRATION



★★★★★ HF6560 HYDRAULIC, SPIN-ON

SKU: FLEET-HF6560

PRODUCT DESCRIPTION:

HF6560 hydraulic spin-on filter with cellulose media is designed to help keep your precision hydraulic systems running as intended, providing a solution for various applications. This filter meets or exceeds the equipment OEM quality and performance and

SPECIFICATIONS:

Length 6.05 inch
Gasket Inside Diameter 2.51 inch
Seam OD 3.95 in
TWA MICRON @ BETA=2 3 mi-
cron
TWA MICRON @ BETA=200 19
micron



HYDRAULIC FILTRATION



★★★★★ HF6587 HYDRAULIC SPIN-ON

SKU: FLEET-HF6587

PRODUCT DESCRIPTION:

HF6587 hydraulic spin-on filter with synthetic media is designed to help keep your precision hydraulic systems running as intended, providing a solution for various applications. This filter meets or exceeds the equipment OEM quality and performance and

SPECIFICATIONS:

HF6587 hydraulic spin-on filter with synthetic media is designed to help keep your precision hydraulic systems running as intended, providing a solution for various applications. This filter meets or exceeds the equipment



HYDRAULIC FILTRATION



★★★★★ HF6601 HYDRAULIC, SPIN-ON

SKU: FLEET-HF6601

PRODUCT DESCRIPTION:

HF6601 hydraulic spin-on filter with cellulose media is designed to help keep your precision hydraulic systems running as intended, providing a solution for various applications. This filter meets or exceeds the equipment OEM quality and performance and

SPECIFICATIONS:

Length 8.03 inch
Gasket Inside Diameter 2.96 inch
Seam OD 3.74 in
TWA MICRON @ BETA=2 1 mi-
cron
TWA MICRON @ BETA=75 12
micron



HYDRAULIC FILTRATION



★★★★★ HF6610 HYDRAULIC, SPIN-ON

SKU: FLEET-HF6610

PRODUCT DESCRIPTION:

HF6610 hydraulic spin-on filter with cellulose media is designed to help keep your precision hydraulic systems running as intended, providing a solution for various applications. This filter meets or exceeds the equipment OEM quality and performance and

SPECIFICATIONS:

Length 5.81 inch
Gasket Inside Diameter 2.96 inch
Seam OD 3.72 in
TWA MICRON @ BETA=2 16
micron
TWA MICRON @ BETA=75 47
micron



HYDRAULIC FILTRATION



HYDRAULIC FILTRATION



HF6723 HYDRAULIC, SPIN-ON

SKU: FLEET-HF6723

PRODUCT DESCRIPTION:

HF6723 hydraulic spin-on filter with wire mesh media is designed to help keep your precision hydraulic systems running as intended, providing a solution for various applications. This filter meets or exceeds the equipment OEM quality and performance and

SPECIFICATIONS:

Length 10.71 inch
Seam OD 5.076 in
Largest OD 5.08 inch
Standpipe NO



HYDRAULIC FILTRATION



HF6731 HYDRAULIC, SPIN-ON

SKU: FLEET-HF6731

PRODUCT DESCRIPTION:

HF6731 hydraulic spin-on filter with synthetic media is designed to help keep your precision hydraulic systems running as intended, providing a solution for various applications. This filter meets or exceeds the equipment OEM quality and performance and

SPECIFICATIONS:

Length 10.71 inch
Seam OD 5.076 in
TWA MICRON @ BETA=2 4 micron
TWA MICRON @ BETA=75 12 micron
Largest OD 5.08 inch



HYDRAULIC FILTRATION



HF6777 HYDRAULIC SPIN ON

SKU: FLEET-HF6777

PRODUCT DESCRIPTION:

HF6777 premium hydraulic spin-on filter with synthetic media is designed to help keep your precision hydraulic systems running as intended, providing a solution for various applications. This filter meets or exceeds the equipment OEM quality and performance

SPECIFICATIONS:

HF6777 premium hydraulic spin-on filter with synthetic media is designed to help keep your precision hydraulic systems running as intended, providing a solution for various applications. This filter meets or exceeds the equipment



HYDRAULIC FILTRATION



HF7046 HYDRAULIC, CARTRIDGE

SKU: FLEET-HF7046

PRODUCT DESCRIPTION:

HF7046 hydraulic cartridge filter with synthetic media is designed to help keep your precision hydraulic systems running as intended, providing a solution for various applications. This filter meets or exceeds the equipment OEM quality and performance and

SPECIFICATIONS:

End 2 ID 0.98 inch
End 2 OD 1.75 inch
TWA MICRON @ BETA=2 4 micron
TWA MICRON @ BETA=200 14 micron
Length 8.10 inch



HYDRAULIC FILTRATION



HYDRAULIC FILTRATION



★★★★★ HF7073 HYDRAULIC CARTRIDGE

SKU: FLEET-HF7073

PRODUCT DESCRIPTION:

HF7073 hydraulic cartridge filter with synthetic media is designed to help keep your precision hydraulic systems running as intended, providing a solution for various applications. This filter meets or exceeds the equipment OEM quality and performance an

SPECIFICATIONS:

End 2 ID 1.67 inch
Largest OD 3.12 inch
TWA MICRON @ BETA=20 4 micron
TWA MICRON @ BETA=75 6 micron
End 2 OD 3.11 inch



HYDRAULIC FILTRATION



★★★★★ HF7538 HYDRAULIC, CARTRIDGE

SKU: FLEET-HF7538

PRODUCT DESCRIPTION:

HF7538 hydraulic cartridge filter is designed to help keep your precision hydraulic systems running as intended, providing a solution for various applications. This filter meets or exceeds the equipment OEM quality and performance and is the first afterm

SPECIFICATIONS:

Largest End ID 6.50 inch
Length 15.12 inch



HYDRAULIC FILTRATION



★★★★★ HF7551 HYDRAULIC, SPIN-ON

SKU: FLEET-HF7551

PRODUCT DESCRIPTION:

HF7551 hydraulic spin-on filter with synthetic media is designed to help keep your precision hydraulic systems running as intended, providing a solution for various applications. This filter meets or exceeds the equipment OEM quality and performance and

SPECIFICATIONS:

Thread Pitch 16.0 threads Per Inch
Thread Form Unified National
Length 5.38 inch
Gasket OD 2.81 inch
Thread Class 2B
Flow Direction Outside In



HYDRAULIC FILTRATION



★★★★★ HF7935 HYDRAULIC SPIN-ON

SKU: FLEET-HF7935

PRODUCT DESCRIPTION:

HF7935 hydraulic spin-on filter with cellulose media is designed to help keep your precision hydraulic systems running as intended, providing a solution for various applications. This filter meets or exceeds the equipment OEM quality and performance and

SPECIFICATIONS:

Length 6.89 inch
Gasket Inside Diameter 4.45 inch
Seam OD 5.28 in
Largest OD 5.04 inch
Gasket OD 4.92 in



HYDRAULIC FILTRATION



HYDRAULIC FILTRATION



HF7954 HYDRAULIC, CARTRIDGE

SKU: FLEET-HF7954

PRODUCT DESCRIPTION:

HF7954 hydraulic cartridge filter is designed to help keep your precision hydraulic systems running as intended, providing a solution for various applications. This filter meets or exceeds the equipment OEM quality and performance and is the first afterm



SPECIFICATIONS:

Length 5.90 inch
End 1 ID 0.83 inch
TWA MICRON @ BETA=2 9 micron
End 2 OD 2.06 inch
Largest OD 2.06 inch
TWA MICRON @ BETA=75 22



HYDRAULIC FILTRATION



HF7991 HYDRAULIC CARTRIDGE

SKU: FLEET-HF7991

PRODUCT DESCRIPTION:

HF7991 hydraulic cartridge filter with synthetic media is designed to help keep your precision hydraulic systems running as intended, providing a solution for various applications. This filter meets or exceeds the equipment OEM quality and performance an



SPECIFICATIONS:

BPV OPENING DP No
Largest OD 4.96 inch
Largest End ID 3.62 inch
Length 18.90 inch



HYDRAULIC FILTRATION



HF7999 HYDRAULIC CARTRIDGE

SKU: FLEET-HF7999

PRODUCT DESCRIPTION:

HF7999 hydraulic cartridge filter with wire mesh media is designed to help keep your precision hydraulic systems running as intended, providing a solution for various applications. This filter meets or exceeds the equipment OEM quality and performance an



SPECIFICATIONS:

HF7999 hydraulic cartridge filter with wire mesh media is designed to help keep your precision hydraulic systems running as intended, providing a solution for various applications. This filter meets or exceeds the equipment



HYDRAULIC FILTRATION



HH6946 HYDRAULIC FILTER HEAD

SKU: FLEET-HH6946

PRODUCT DESCRIPTION:

HH6946 filter head is one of multiple inlet and outlet port size options with various by-pass valve settings to meet specific requirements.



SPECIFICATIONS:

Filter head w/ 1" NPTF. For some HF6500 Series



HYDRAULIC FILTRATION



HYDRAULIC FILTRATION



HH6962 HYDRAULIC FILTER HEAD

SKU: FLEET-HH6962

PRODUCT DESCRIPTION:

HH6962 filter head is one of multiple inlet and outlet port size options with various by-pass valve settings to meet specific requirements.



SPECIFICATIONS:

Filter head for HF6700 Series w/1 -1/4" NPTF inlet/outlet. No by-pass valve. May be drilled or tapped for DP gauge



HYDRAULIC FILTRATION



HH6965 HYDRAULIC FILTER HEAD

SKU: FLEET-HH6965

PRODUCT DESCRIPTION:

HH6965 filter head is one of multiple inlet and outlet port size options with various by-pass valve settings to meet specific requirements.



SPECIFICATIONS:



LUBE FILTRATION



LUBE FILTRATION



LF16043 LUBE CARTRIDGE

SKU: FLEET-LF16043

PRODUCT DESCRIPTION:

LF16043 cartridge oil filter is environmentally friendly and features technology advances to achieve the high flow rates required by today's modern engine designs.



SPECIFICATIONS:

End 2 ID 2.22 inch
Length 5.79 inch
End 2 OD 4.76 inch
Largest OD 4.80 inch
End 1 ID 0.56 inch
Efficiency 70%



LUBE FILTRATION



LF16046 LUBE, FULL-FLOW CARTRIDGE

SKU: FLEET-LF16046

PRODUCT DESCRIPTION:

LF16046 spin-on lube filter meets or exceeds OE performance requirements and the new challenges of modern engine technology..



SPECIFICATIONS:

Length 10.45 inch
Largest OD 4.74 inch



LUBE FILTRATION



LF16243 LUBE, SPIN-ON

SKU: FLEET-LF16243

PRODUCT DESCRIPTION:

LF16243 spin-on lube filter meets or exceeds OE performance requirements and the new challenges of modern engine technology.



SPECIFICATIONS:

BPV OPENING DP No
Thread Pitch 0.10 inch
Largest OD 3.91 inch
Length 5.94 inch
Thread Class 6H
Thread Form Metric
Gasket OD 3.66 inch



LUBE FILTRATION



LF16351 LUBE CARTRIDGE

SKU: FLEET-LF16351

PRODUCT DESCRIPTION:

LF16351 cartridge oil filter is environmentally friendly and features technology advances to achieve the high flow rates required by today's modern engine designs.



SPECIFICATIONS:

BPV OPENING DP No
Largest OD 4.76 inch
Length 8.01 inch
Flow Direction Outside In



LUBE FILTRATION



LUBE FILTRATION



LF17556 LUBE FILTER

SKU: FLEET-LF17556

PRODUCT DESCRIPTION:

LF17556 spin-on lube filter meets or exceeds OE performance requirements and the new challenges of modern engine technology.



SPECIFICATIONS:

Gasket OD 3.44 inch
Gasket Inside Diameter 3.10 inch
Largest OD 3.67 inch
Media Type Cellulose
Length / Overall Height 6.53 inch



LUBE FILTRATION



LF3000 LUBE COMBINATION

SKU: FLEET-LF3000

PRODUCT DESCRIPTION:

LF3000 lube combo spin-on filter combines full-flow and by-pass filtration into one single filter developed to meet or exceed engine requirements. This unique arrangement of filtration provides the perfect balance between efficiency and low restriction to



SPECIFICATIONS:

Largest OD 4.68 inch
Gasket Inside Diameter 4.01 inch
Seam OD 4.68 inch
Length / Overall Height 11.88 inch
Length 11.88 inch
Gasket OD 4.68 inch



LUBE FILTRATION



LF3338 LUBE, SPIN-ON

SKU: FLEET-LF3338

PRODUCT DESCRIPTION:

LF3338 spin-on lube filter meets or exceeds OE performance requirements and the new challenges of modern engine technology.



SPECIFICATIONS:

BPV OPENING DP 31.038132 PSI
Gasket OD 2.83 inch
Length 3.48 inch
Efficiency 95%
Anti Drain Back Valve Yes
Gasket Inside Diameter 2.46 inch
Largest OD 3.02 inch



LUBE FILTRATION



LF3345 LUBE, FULL-FLOW SPIN-ON

SKU: FLEET-LF3345

PRODUCT DESCRIPTION:

LF3345 spin-on lube filter meets or exceeds OE performance requirements and the new challenges of modern engine technology.



SPECIFICATIONS:

Gasket Inside Diameter 2.46 inch
Length 5.44 inch
Seam OD 3.692 in
Standpipe NO
Gasket OD 2.83 inch
Largest OD 3.67 inch
Efficiency 95%



LUBE FILTRATION



LUBE FILTRATION



LF3349 LUBE FULL FLOW SPIN ON

SKU: FLEET-LF3349

PRODUCT DESCRIPTION:

LF3349 spin-on lube filter meets or exceeds OE performance requirements and the new challenges of modern engine technology.



SPECIFICATIONS:

Gasket Inside Diameter 2.46 inch
Largest OD 3.69 inch
Seam OD 3.69 in
Standpipe NO
Gasket OD 2.83 inch
Length 6.94 inch
Efficiency 95%



LUBE FILTRATION



LF3356 LUBE, SPIN-ON

SKU: FLEET-LF3356

PRODUCT DESCRIPTION:

LF3356 spin-on lube filter meets or exceeds OE performance requirements and the new challenges of modern engine technology.



SPECIFICATIONS:

BPV OPENING DP 23.20608 PSI
Gasket OD 3.94 inch
Length 7.34 inch
Efficiency 55%
Length / Overall Height 6.59 inch
Gasket Inside Diameter 3.56 inch
Largest OD 4.24 inch



LUBE FILTRATION



LF3367 LUBE, CARTRIDGE

SKU: FLEET-LF3367

PRODUCT DESCRIPTION:

LF3367 cartridge oil filter is environmentally friendly and features technology advances to achieve the high flow rates required by today's modern engine designs.



SPECIFICATIONS:

BPV OPENING DP No
Largest End ID 4.67 inch
Gasket Inside Diameter 4.97 inch
Largest OD 7.64 inch
Length 7.11 inch
Flow Direction Outside In



LUBE FILTRATION



LF3536 LUBE, FULL-FLOW SPIN-ON

SKU: FLEET-LF3536

PRODUCT DESCRIPTION:

LF3536 spin-on lube filter meets or exceeds OE performance requirements and the new challenges of modern engine technology.



SPECIFICATIONS:

BPV OPENING DP 7.97709 PSI
Gasket OD 2.52 inch
Largest OD 3.17 inch
Efficiency 95%
Gasket Inside Diameter 2.26 inch
Length 4.02 inch
Seam OD 3.31 in



LUBE FILTRATION



LUBE FILTRATION



LF3564 LUBE, COMBINATION

SKU: FLEET-LF3564

PRODUCT DESCRIPTION:

LF3564 spin-on lube filter meets or exceeds OE performance requirements and the new challenges of modern engine technology.



SPECIFICATIONS:

Thread Pitch 0.06 inch
Thread Form Metric
Thread Diameter 1.02 inch
Largest OD 4.17 inch
Standpipe Yes
BPV OPENING DP Yes
Gasket OD 2.83 inch



LUBE FILTRATION



LF3586 LUBE, SPIN-ON

SKU: FLEET-LF3586

PRODUCT DESCRIPTION:

LF3586 spin-on lube filter meets or exceeds OE performance requirements and the new challenges of modern engine technology.



SPECIFICATIONS:

Thread Form Other
Gasket OD 4.21 inch
Largest OD 4.92 inch
Thread Class 2B
Thread Pitch 0.06 inch
Length 8.66 inch
Thread Diameter 1.42 inch



LUBE FILTRATION



LF3604 LUBE, SPIN-ON

SKU: FLEET-LF3604

PRODUCT DESCRIPTION:

LF3604 spin-on lube filter meets or exceeds OE performance requirements and the new challenges of modern engine technology.



SPECIFICATIONS:

Gasket OD 2.81 inch
Length 3.20 inch
Media Type Cellulose
Length / Overall Height 3.88 inch
Largest OD 3.68 inch
Anti Drain Back Valve Yes
Gasket Inside Diameter 2.46 inch



LUBE FILTRATION



LF3629 LUBE, BY-PASS CARTRIDGE

SKU: FLEET-LF3629

PRODUCT DESCRIPTION:

LF3629 cartridge oil filter is environmentally friendly and features technology advances to achieve the high flow rates required by today's modern engine designs.



SPECIFICATIONS:

Largest End ID 1.10 inch
Largest OD 5.12 inch
Length 9.57 inch



LUBE FILTRATION



LUBE FILTRATION



LF3654 LUBE, BY-PASS SPIN-ON

SKU: FLEET-LF3654

PRODUCT DESCRIPTION:

LF3654 spin-on lube filter meets or exceeds OE performance requirements and the new challenges of modern engine technology.



SPECIFICATIONS:

Gasket OD 3.94 inch
Largest OD 4.24 inch
Seam OD 4.236 in
Gasket Inside Diameter 3.56 inch
Length 10.39 inch
Standpipe NO



LUBE FILTRATION



LF3665 LUBE, SPIN-ON

SKU: FLEET-LF3665

PRODUCT DESCRIPTION:

LF3665 spin-on lube filter meets or exceeds OE performance requirements and the new challenges of modern engine technology.



SPECIFICATIONS:

Thread Form Unified National
BPV OPENING DP Yes
Thread Diameter 1.00 inch
Largest OD 4.20 inch
Thread Pitch 12.0 threads Per Inch
Gasket OD 3.90 inch



LUBE FILTRATION



LF3687 LUBE SPIN-ON FILTER

SKU: FLEET-LF3687

PRODUCT DESCRIPTION:

LF3687 premium spin-on lube filter meets or exceeds OE performance requirements and the new challenges of modern engine technology.



SPECIFICATIONS:

BPV OPENING DP 36.2595 PSI
Gasket OD 2.77 inch
Length 8.31 inch
Efficiency 90%
Gasket Inside Diameter 2.44 inch
Largest OD 3.68 inch
Seam OD 3.681 in



LUBE FILTRATION



LF3703 LUBE, SPIN-ON

SKU: FLEET-LF3703

PRODUCT DESCRIPTION:

LF3703 spin-on lube filter meets or exceeds OE performance requirements and the new challenges of modern engine technology.



SPECIFICATIONS:

BPV OPENING DP 22.045776 PSI
Media Type Cellulose
Anti Drain Back Valve No
Largest OD 3.77 inch
Seam OD 3.69 in
Standpipe NO
Gasket OD 3.77 inch



LUBE FILTRATION



LUBE FILTRATION



LF3830 LUBE, FULL-FLOW SPIN-ON

SKU: FLEET-LF3830

PRODUCT DESCRIPTION:

LF3830 spin-on lube filter meets or exceeds OE performance requirements and the new challenges of modern engine technology.



SPECIFICATIONS:

Thread Form Metric
BPV OPENING DP Yes
Thread Diameter 1.02 inch
Length 5.92 inch
Thread Pitch 0.06 inch
Gasket OD 2.83 inch
Largest OD 4.28 inch



LUBE FILTRATION



LF3883 LUBE, FULL-FLOW SPIN-ON

SKU: FLEET-LF3883

PRODUCT DESCRIPTION:

LF3883 premium spin-on lube filter meets or exceeds OE performance requirements and the new challenges of modern engine technology.



SPECIFICATIONS:

LF3883 premium spin-on lube filter meets or exceeds OE performance requirements and the new challenges of modern engine technology.



LUBE FILTRATION



LF3914 LUBE, FULL-FLOW CARTRIDGE

SKU: FLEET-LF3914

PRODUCT DESCRIPTION:

LF3914 premium hydraulic cartridge filter with wire mesh media is designed to help keep your precision hydraulic systems running as intended, providing a solution for various applications. This filter meets or exceeds the equipment OEM quality and perfor



SPECIFICATIONS:

Largest End ID 1.10 inch
Largest OD 3.27 inch
Length 8.39 inch



LUBE FILTRATION



LF4118 LUBE CARTRIDGE

SKU: FLEET-LF4118

PRODUCT DESCRIPTION:

LF4118 cartridge oil filter is environmentally friendly and features technology advances to achieve the high flow rates required by today's modern engine designs.



SPECIFICATIONS:

Largest End ID 1.46 inch
Length 33.87 inch
Largest OD 6.40 inch



LUBE FILTRATION



LUBE FILTRATION



LF509N LUBE, FULL-FLOW CARTRIDGE

SKU: FLEET-LF509N

PRODUCT DESCRIPTION:

LF509N premium cartridge oil filter is environmentally friendly and features technology advances to achieve the high flow rates required by today's modern engine designs



SPECIFICATIONS:

End 2 ID 1.44 inch
Length 8.91 inch
End 1 ID 1.44 inch
End 2 OD 4.51 inch
Largest OD 4.51 inch
Efficiency 68%



LUBE FILTRATION



LF654 LUBE, FULL-FLOW SPIN-ON

SKU: FLEET-LF654

PRODUCT DESCRIPTION:

LF654 spin-on lube filter meets or exceeds OE performance requirements and the new challenges of modern engine technology.



SPECIFICATIONS:

BPV OPENING DP 22.0167684 PSI
Gasket OD 2.83 inch
Length 5.42 inch
Efficiency 68%
Length / Overall Height 5.42 inch
Gasket Inside Diameter 2.46 inch
Largest OD 3.69 inch



LUBE FILTRATION



LF667 LUBE, FULL-FLOW SPIN-ON

SKU: FLEET-LF667

PRODUCT DESCRIPTION:

LF667 spin-on lube filter meets or exceeds OE performance requirements and the new challenges of modern engine technology.



SPECIFICATIONS:

Gasket Inside Diameter 3.56 inch
Largest OD 4.24 inch
Seam OD 4.24 inch
Gasket OD 3.94 inch
Length 10.39 inch
Efficiency 95%



LUBE FILTRATION



LF670 LUBE, FULL-FLOW SPIN-ON

SKU: FLEET-LF670

PRODUCT DESCRIPTION:

LF670 spin-on lube filter meets or exceeds OE performance requirements and the new challenges of modern engine technology.



SPECIFICATIONS:

Gasket OD 4.35 inch
Length 9.81 inch
Seam OD 4.67 inch
Anti Drain Back Valve No
Length / Overall Height 9.73 inch
Gasket Inside Diameter 3.84 inch
Largest OD 4.74 inch



LUBE FILTRATION



LUBE FILTRATION



LF673 LUBE FULL FLOW SPIN-ON

SKU: FLEET-LF673

PRODUCT DESCRIPTION:

LF673 spin-on lube filter meets or exceeds OE performance requirements and the new challenges of modern engine technology



SPECIFICATIONS:

BPV OPENING DP 13.488534 PSI
Gasket Inside Diameter 0.10 inch
Largest OD 0.15 inch
Efficiency 68%
Media Type Cellulose
Length / Overall Height 0.28 inch
Gasket OD 0.11 inch



LUBE FILTRATION



LF677 LUBE, CARTRIDGE

SKU: FLEET-LF677

PRODUCT DESCRIPTION:

LF677 cartridge oil filter is environmentally friendly and features technology advances to achieve the high flow rates required by today's modern engine designs



SPECIFICATIONS:

End 2 ID 1.64 inch
Largest OD 4.00 inch
End 1 ID 1.64 inch
Length 9.24 inch
End 2 OD 4.00 inch
Efficiency 68%



LUBE FILTRATION



LF691 LUBE, FULL-FLOW SPIN-ON

SKU: FLEET-LF691

PRODUCT DESCRIPTION:

LF691 spin-on lube filter meets or exceeds OE performance requirements and the new challenges of modern engine technology.



SPECIFICATIONS:

Gasket Inside Diameter 3.86 inch
Largest OD 4.74 inch
Seam OD 4.735 in
Standpipe NO
Length / Overall Height 11.31 inch
Gasket OD 4.36 inch



LUBE FILTRATION



LF691A LUBE, FULL-FLOW SPIN-ON

SKU: FLEET-LF691A

PRODUCT DESCRIPTION:

LF691A spin-on lube filter meets or exceeds OE performance requirements and the new challenges of modern engine technology.



SPECIFICATIONS:

Gasket OD 4.29 inch
Length 12.19 inch
Thread Diameter 1.5 in
Thread Class 2B
Length / Overall Height 12.10 inch
Gasket Inside Diameter 3.72 inch



LUBE FILTRATION



LUBE FILTRATION



LF699 LUBE, FULL-FLOW SPIN-ON

SKU: FLEET-LF699

PRODUCT DESCRIPTION:

LF699 spin-on lube filter meets or exceeds OE performance requirements and the new challenges of modern engine technology.



SPECIFICATIONS:

BPV OPENING DP 11.022888 PSI
Gasket OD 2.83 inch
Largest OD 3.67 inch
Efficiency 68%
Gasket Inside Diameter 2.46 inch
Length 6.86 inch
Seam OD 3.69 in



LUBE FILTRATION



LF9070 LUBE SPIN-ON FILTER

SKU: FLEET-LF9070

PRODUCT DESCRIPTION:

LF9070 premium lube combo spin-on filter combines full-flow and by-pass filtration into one single filter developed to meet or exceed engine requirements. This unique arrangement of filtration provides the perfect balance between efficiency and low restri



SPECIFICATIONS:

LF9070 premium lube combo spin-on filter combines full-flow and by-pass filtration into one single filter developed to meet or exceed engine requirements. This unique arrangement of filtration provides the perfect



LUBE FILTRATION



LF1400NN LUBE FILTER

SKU: FLEET-LF1400NN

PRODUCT DESCRIPTION:

LF1400NN lube spin-on filter features uses 2-in-1 NanoNet[®] and StrataPore[®] media to create a combination filter developed to meet or exceed engine requirements. This media manufacturing technology provides the following advantages for our combination



SPECIFICATIONS:

LF1400NN lube spin-on filter features uses 2-in-1 NanoNet[®] and StrataPore[®] media to create a combination filter developed to meet or exceed engine requirements. This media manufacturing technology provides



LUBE FILTRATION



LF16015 LUBE FILTER

SKU: FLEET-LF16015

PRODUCT DESCRIPTION:

LF16015 spin-on lube filter meets or exceeds OE performance requirements and the new challenges of modern engine technology.



SPECIFICATIONS:

Gasket OD 2.83 inch
Largest OD 3.68 inch
Seam OD 3.67 inch
Gasket Inside Diameter 2.46 inch
Length 6.96 inch
Efficiency 97%



WATER FILTRATION



WATER FILTRATION



WF2074 WATER SPIN-ON FILTER

SKU: FLEET-WF2074

PRODUCT DESCRIPTION:

Choose WF2074 DCA4 water filters with chemicals for coolant system protection that provides filtration and additive reinhibition. DCA4 water filters are designed for use with ES Compleat or similar coolant technology.



SPECIFICATIONS:

Length 5.40 inch
Gasket Inside Diameter 2.46 inch
Seam OD 3.72 in
Largest OD 3.67 inch
Gasket OD 2.83 inch
Chemical Additive DCA4+



WATER FILTRATION



WF2126 WATER FILTER

SKU: FLEET-WF2126

PRODUCT DESCRIPTION:

Choose WF2126 non-chemical water filter for coolant system protection that provides filtration only. Non-chemical water filters are designed for use with OAT technology (which doesn't require DCA's for maintenance) or Hybrid and Conventional systems use



SPECIFICATIONS:

Largest OD 3.77 inch
Additive Base Borate Nitrite
Chemical Additive DCA4+
Gasket Inside Diameter 3.18 inch
Length 5.76 inch
Seam OD 3.62 in
Gasket OD 3.77 inch



WATER FILTRATION



WF2015 WATER, SPIN-ON

SKU: FLEET-WF2015

PRODUCT DESCRIPTION:

Choose WF2015 non-chemical water filter for coolant system protection that provides filtration only. Non-chemical water filters are designed for use with OAT technology (which doesn't require DCA's for maintenance) or Hybrid and Conventional systems use



SPECIFICATIONS:

Largest OD 3.67 inch
Gasket Inside Diameter 2.46 inch
Seam OD 3.686 in
Length 5.40 inch
Gasket OD 2.83 inch
Chemical Additive DCA4+



WATER FILTRATION



WF2073 WATER SPIN-ON FILTER

SKU: FLEET-WF2073

PRODUCT DESCRIPTION:

Choose WF2073 DCA4 water filters with chemicals for coolant system protection that provides filtration and additive reinhibition. DCA4 water filters are designed for use with ES Compleat or similar coolant technology.



SPECIFICATIONS:

Choose WF2073 DCA4 water filters with chemicals for coolant system protection that provides filtration and additive reinhibition. DCA4 water filters are designed for use with ES Compleat or similar coolant technology.





15 Gomez Street
San Fernando,
Trinidad and Tobago

Tel: 1-868-235-4475
WhatsApp: 1-868-298-2964
sales@hsltt.com

www.HSLtt.com



facebook.com/southern-supplies-limited/



instagram.com/hsltrinidad/



youtube.com/user/SouthernSuppliesLtd