



Stanco
SAFETY PRODUCTS™

Full Line
Product Catalog

Protective Clothing Solutions

Gloves
Safety Clothing
Safety Accessories



NEW!

*NFPA 70E ARC Flash
Protective Clothing
with Our New
Fresh Air System Hood!
Pages 13 - 16*



Cat. No. 109R
2009

Dear Valued Customer,


Catalogue No. 109R 2009 marks another year of growth for us at Stanco. There are more of you — our Distributor Customers — and we have new and improved products and programs. So, take a few minutes to review the contents. Here are highlights:

- New products in our Electrical Arc Flash Clothing and Accessory Line — knit shirts and improved designs in jeans and shirts in HCR2 daily wear items. New 'Kits' designed to meet your customer's needs.
- Increased stocking levels in our FR Clothing for the Petrochemical Industries — coveralls, shirts, pants, in a variety of fabrics, sizes and colors.
- The 'flexibility' to offer domestic manufacturing for quick turn custom/specialty products, and efficient offshore manufacturing for volume items.

And that's not all — we now have over twenty-four independent sales representatives throughout the U.S., in addition to six inside sales support staff members to assist you in the marketing and sales of Stanco Safety Products. Call us for a contact list or refer to our website: www.stancomfg.com.

2009 will mark the beginning of our 22nd year in business. THANK YOU for your past favors and support; we pledge to work hard to earn your business every day!

Regards,


Edward R. Stanley
President


Mark E. Stanley
Midwest & Western Region
U.S. Sales Manager


Kevin P. Highland
East Coast & Gulf Region
U.S. Sales Manager



If we
don't have the
product you
need...we'll
make it!

Trademark Acknowledgements

Banox®.....Itex, Inc.
 Banwear®.....Itex, Inc.
 Fiberglass®.....Owens Corning, Corp.
 Gold Band.....Stanco Manufacturing, Inc.
 Indura®.....Westex, Inc.
 Indura Proban®.....Westex, Inc.
 Indura® Ultra Soft®.....Westex, Inc.
 Ironmaster®.....Stanco Manufacturing, Inc.
 Kevlar®.....E.I. DuPont, Company, Inc.
 Kool Bac®.....Stanco Manufacturing, Inc.
 Nomex®.....E.I. DuPont Company, Inc.
 Ol' Blue.....Stanco Manufacturing, Inc.
 P.B.I.®.....Hoeschst Celanese, Inc.
 Seam Gard®.....Stanco Manufacturing, Inc.
 Steelmaster®.....Stanco Manufacturing, Inc.
 Temp Test®.....Stanco Manufacturing, Inc.
 Tuffweld®.....Southern Mills, Inc.
 Valzon®.....Westex, Inc.
 Velcro®.....Velcro USA Companies, Inc.
 Vinex®.....Westex, Inc.
 Welder's Wear®.....Stanco Manufacturing, Inc.
 Zirpro®.....IWS, Wool Fd. Co.-GB

**WELDER'S
WEAR** BY 



Liability Statement and Disclaimer of Warranties

The products described and illustrated in this catalogue are warranted against defects in the manufacturing process only. As all applications vary, a Use Warranty is not implied or intended. The buyer should carefully analyze the environment in which the products are to be used to determine if they provide adequate protection.

All rights reserved. Unauthorized use of part or all of this catalogue is expressly prohibited.

Table of Contents

Page

Accessory & Convenience Products	21
Blankets, Covers & Roll Goods	38
Chain Saw Chaps	18
Clothing:	
Aluminized Fabric	24-25
Arc Flash Protection	13-16
Blue Denim	22
Flame Resistant	11-12
Flame Resistant Sateen Cotton	10
Leather - Welder's	19-20
Special Application	17
Specialized	22
Welder's Wear	9
Winter Lined	26
Finger & Thumb Guards	30
General Information:	
Custom Order Service	8
Delivery / Lead-Time Map	40
Fabric Construction	7
Flame Resistant Protective Apparel	5
High Temperature Hand/Body Protection	23
Material Reference Chart	4
Merchandising	39
Metals Reference Chart	7
Packaging & Private Labeling	39
Return Policy	8
Sizing Chart / Instructions	6
Gloves & Mittens:	
Fiberglass	28
Kevlar	27
Welding, General Purpose	34
Kevlar Terrycloth	29
Special Application	31
Gloves:	
Aluminized & Aluminized Combinations	29
Drivers	37
Linesman's	14
TIG	35
Welding, High Quality	33
Welding, Premium Quality	32
Work	36
Hand Pads & Guards	30
Hoods, Flame Resistant Knit	22
Kick Back Aprons	18
Leggings	20, 21, 25
Respirator Bags	22
Sleeves	9, 10, 17, 18, 19, 20, 22, 24

Leather/Glove Terminology

Leather Attributes

Side Split refers to the portion of the hide that surrounds the rib area. It is the most durable and uniform of the leather cuts.

Shoulder Split is that part of the hide cut from the neck and shoulder. While not as strong and uniform as the side split, the cuts from this section still yield a high-quality product.

Grain Leather is taken from the top portion of the hide and produces products that are soft, smooth and very flexible.

Glove Cuts

Clute Cut: Has a seamless palm area and seams that extend down the entire back.

Gunn Cut: Seamless back and a seam at the base of the middle fingers.

Reversible: Thumb is positioned on the side of the glove so that the glove may be worn on either hand.

Glove Thumbs

Keystone Thumb: Allows for superior movement and overall comfort.

Wing Thumb: Angled thumb position offers great flexibility.

Straight Thumb: A traditional design that offers the user superior gripping.

Glove Cuts




Glove Thumbs



Reversible


Cuff Construction



Knit

Safety

Gauntlet



HAIR SIDE

FLESH SIDE

TOP GRAIN

SPLIT

The **hairside**, or outer layer, is highly prized for its overall appearance and texture.

The **split** portion is highly regarded for its durability and flexibility.

Standard Weight Designations of Side Upper Leather

Weight in Ounces Per Sq. Ft.

LL-	2 to 2½	HM-	4 to 4½
L-	2½ to 3	H-	4½ to 5
LM-	3 to 3½	HH-	5 to 5½
M-	3½ to 4	HHH-	5½ to 6

Material Reference Chart

Listed below is a quick-reference chart for many of the fabrics/materials we use for gloves, clothing and accessories. New fabrics are constantly being tested and introduced. Check with your Customer Service Representative for new and improved styles.

Fabric/Material	Prefix/Abbreviation	Fabric/Material	Prefix/Abbreviation
AL1400	AL14	Kevlar Blend	K
Aluminized		Leather	
Carbon Kevlar	ACK	Capeskin	C
Kevlar	AK	Deersplit	D
Fiberglass	AGL	Grain Cowhide	G
Kevlar Twill	AKT	Split Cowhide	L
Leather	AL	Grain Pigskin	P
PBI	APB	Thermoleather, Brown	TH
Rayon, Standard	AR	Tuffweld	TW
Heavyweight	HAR	Nomex IIIA Aramid, 4.5 oz.	NX4
Carbon Felt	CF	6 oz.	NX6
Cotton		10 oz.	NX10
Banwear	FRB	Nomex, Non-Woven (Glove Linings)	NL
Denim, Blue Non-FR	BD	PBI	PBK
Duck, Non-Durable, FR	FPD	PBI/Kevlar Blend	KP
Duck, Non-FR	CD	PBI/Kevlar Blend, Heavyweight	HKP
Fleece (Glove Linings)	FL	Terrycloth 100%	TK
FR, Durable, Green, 9 oz.	FR	Twill, 8 oz.	KTW
FR, Durable, Heavy, Green, 12 oz.	HFR	Silica, 18 oz.	SI
FR, Durable, Navy, 9 oz.	NBFR	36 oz.	HSI
FR, Durable, Orange, 9 oz.	ORFR	Steel Stitch/Wire Sewn	SS
Indura, 9 oz.	FRI	Velcro (Hook or Loop), Suffix to Style No.	VC
12 oz.	HFRI	Vertex Glass	VG
Indura Ultra Soft, 7 oz.	US7	Vinex for Aluminum Industries	FR9B
9 oz.	US9	Welder's Wear FR Cotton, Russet, 12 oz.	W
12 oz.	US12	Wool Knit (Glove Linings)	WL
Fiberglass, Standard, 28 oz.	FG	Non Woven	BW
Heavyweight, 36 oz.	HG	Zirpro Wool	ZW

Flame Resistant Protective Apparel — Industry Update

Stanco's Flame Resistant Protective Apparel is for Secondary Protection and is designed to be worn continuously in the work place. These products must be comfortable and fit well, not shrink and reflect the image the user wishes to present with regard to style and color. Most importantly, they must retain the flame resistant properties for the useful life of the garments.

What FR fabrics does Stanco use in their garments? We offer, and keep in our inventory, the following:

FABRIC

COMMENTS / CHARACTERISTICS

Proban FR7A by Westex. and Banox FR3 by ITEX

100% Cotton produced with the gaseous ammonia or ammonia cure reaction. An economical product available in 9 or 11.5 oz. fabric weights and a wide range of colors: visual green, yellow, orange, navy blue, red, brown (Welder's Wear). Flame resistant properties usually last 25-50 laundering cycles.

Indura Proban by Westex

A higher grade 100% cotton. Flame resistant properties are guaranteed for the life of the garment if proper laundering instructions are followed. A wide range of colors are available.

Indura Ultra Soft by Westex

The highest level of quality and protection in an FR Cotton fabric. 88% cotton and 12% high tenacity nylon with guaranteed flame resistance for the life of the garment, confirms an excellent value equation. The new softer feel enhances cotton comfort and provides superior protection from electric arc and flash fire exposures.

BANWEAR by ITEX

FR Cotton/Nylon blend fabrics consisting of 88% cotton and 12% nylon designed to increase abrasion resistance. The fabrics are finished with the ammonia cure process. A wide range of colors and weights are available. Garments made from these fabrics usually last 5 times that of standard FR materials.

NOMEX, NOMEX IIIA by Dupont

Manufactured by Dupont. A product that is inherently flame resistant and this property cannot be degraded by laundering. The garment life is usually 3-5 times that of FR cotton. 4.5 oz., 6.0 oz. and 10.0 oz. weights in a wide variety of colors are available.

TUFFWELD by Southern Mills

Flame Resistant fabric designed for Welding Garments. A blend of Kevlar, FR Lenzing Rayon and other FR Materials, affords this fabric to have superior protection in welding applications, excellent durability and exceptional comfort. Available in 8.5 oz. (Shirts, Coveralls, Pants, Capes, Sleeves, Jackets and Aprons); and 10 oz. (Capes, Jackets, Aprons, Coveralls). Medium brown color only, this is a woven product.

VINEX FR9B by Westex

A blend of 85% Vinal and 15% FR Rayon to effect use in resisting molten aluminum splash. The fabric is inherently flame resistant and cannot be degraded by laundering. Available in navy and medium blue shades.

PBI Gold by Celanese

PBI (Polybenzimidazole) and Kevlar effects an inherently flame resistant quality fabric recommended for professional fire fighters and other career apparel. Gas "flash suits" are commonly made from PBI/Kevlar. Available in 4.5 oz. weight in a light gold color.

100% Wool

Flame resistant wool effects excellent insulation qualities, is cost effective and long lasting. Available in several colors and weights.

AL1400 by ITEX

A non-phosphorus containing flame resistant treatment for 100% cotton. Designed for use where there are aluminum splash exposure risks. Fabric finished weight is 14 oz. per square yard, denim (light blue) color, sturdy twill construction.

Carbon Felt

High Temperature Material with protection up to 3000°! Lightweight and durable, scratch resistant. Excellent for automotive applications. Recommended for equipment, area and personal protection. Available in blankets and roll stock. 17 oz. per square yard finished weight. Black color.

It is our responsibility to keep you aware of the need for and function of flame resistant, protective apparel. New and improved fabrics/materials are constantly being introduced into the marketplace, and it is also our responsibility to keep you updated on these developments.

Sizing Chart / Instructions





General Measuring Guidelines

TRY THE GARMENT ON! The best way to insure a proper fit is to try on a sizing sample of the actual garment to be worn. It is better if the garment has been washed to allow for shrinkage, especially with 100% cotton products. If you change suppliers or brands, it is suggested that you repeat this process.

Consider: Upsizing if you intend to wear garments over street clothes (coveralls, jumpsuits).

Important...

- Always have *someone else* take the measurements.
- Hold the tape straight and snug, *but not tight*.
- If the measurement falls between two sizes, *order the larger size*.
- The tape should always be *placed exactly* on those body parts illustrated at right.




For Coveralls and Jumpsuits:


Short:	5'6" and Under
Regular:	5'7" to 6'0"
Tall:	6'½" to 6'3"

Pants:

Waist Sizes:	28" thru 54"
Inseams:	30" thru 36"
Standard Inseam:	32"



Waist Apron Lengths




Bib Lengths


Size Chart (Chest Dimensions)

- Coveralls
- Cape Sleeves
- Jackets
- Shirts
- Lab Coats


X-Small	30 - 32
Small	34 - 36
Medium	38 - 40
Large	42 - 44
X-Large	46 - 48
2XL	50 - 52
3XL	54 - 56
4XL	58 - 60
5XL	62 - 64
6XL	66 - 68



Bib Apron Lengths



Jacket/Coat Lengths



Sleeve Lengths

METALS REFERENCE CHART

<u>ELEMENT</u>	<u>SYMBOL</u>	<u>MELTING °F</u>	<u>ELEMENT</u>	<u>SYMBOL</u>	<u>MELTING °F</u>
Aluminum	Al	1220	Silicon	Si	2588
Antimony	Sb	1168	Sodium	Na	208
Arsenic	As	1503	Sulphur	S	235
Bismuth	Bi	520	Steel		2462
Cadmium	Cd	610	Tantalum	Ta	5425
Chromium	Cr	3375	Tellurium	Te	846
Cobalt	Co	2723	Tin	Sn	449
Copper	Cu	1981	Titanium	Ti	3020
Indium	In	315	Tungsten	W	6170
Iron	Fe	2795	Vanadium	V	3434
Lead	Pb	622	Zinc	Zn	788
Magnesium	Mg	1200	Gold	Au	1947
Manganese	Mn	2171	Silver	Ag	1764
Mercury	Hg	-38	Platinum	Pt	3222
Molybdenum	Mo	4743	Palladium	Pd	2826
Nickel	Ni	2647	Rhodium	Rh	3571
Selenium	Se	423	Ruthenium	Ru	4190

Annealing Temp of 304 Stainless Steel: 1800°F

Annealing Temp of Inconel: 2000°F

FABRIC CONSTRUCTION

Industrial Fabrics are available in three basic constructions:

Woven

Woven fabrics have two or more sets of yarns *interlaced* at right angles to each other.


Advantage: Economical and most widely used method of manufacturing fabrics for both industrial and retail use (example: FR Cotton, Nomex).



Knit

Knit fabrics are composed of intermeshing loops of yarn.


Advantage: Has stretch and elasticity, a good insulator (example: Terrycloth). Some knits are seamless (example: Kevlar Tubing).



Nonwoven

Nonwoven fabrics, or felts, are composed of webs (batts) of fibers that are entangled or layered. The fibers are often bonded with adhesives, thread stitching or other means.

Advantage: Very good insulator (example: Wool Felts, Nomex needle point for glove and mitt linings), economical, has “memory”.



• Above fabric construction/art was reproduced, in part, from the *Library of Congress Cataloging-in-Publication Data*

—Custom Order Service—

We welcome the opportunity to work with you on the design of a custom product. Send us your specifications and together we can probably solve your problem. If possible, send a *worn or discarded* product so that we may examine the wear areas. We will then know how to redesign the product by adding patches, extra plies of material, increase/decrease sizing, or effect other changes.

A sample will then be prepared for approval. This service is performed in-house and not by a third party, or contractor.



Fabric cutting.

Keep In Mind...

Industrial Gloves and Mittens and other Hand Protection Products are **Die Cut**. While we have an extensive assortment of cutting dies in almost all sizes and designs, it might be necessary to have cutting dies made for a custom order.

This service will take additional time and the customer will need to handle the cost of the cutting dies.

The same applies to garments. While we have literally hundreds of patterns and designs in our cutting room, pattern reconstruction and development may be necessary. There may need to be an additional charge for this service as well.

How long does this take? We try to turn around custom product samples promptly - usually within a few days, provided we have materials and patterns on hand. State the urgency of your request to a Customer Service Representative and a ship date will be confirmed.

Minimums Will Apply...

Custom and special products require set up time and special handling in our factory. Therefore minimums will apply, depending on your particular product(s).

Special Order Materials...

If it is necessary to purchase non-stocking special materials, the *customer is expected to utilize all material*. Materials are put-up in specific lengths and widths or other standard lots when purchased. While your order may specify quantities by size, it might be necessary to over/under produce your order. Discuss the details of this policy with your Stanco Customer Service Representative.



Cutting dies may be custom ordered.

—Return Policy—

We discourage the return of products. However, we will consider the return provided:

1. The product(s) are catalogue items,
2. The product(s) are in saleable condition (not soiled or used!), and
3. The product(s) were purchased within a 90-day period of time from the request date.

A *Return Goods Authorization* (RGA) number from a Customer Service Representative must be obtained, and the freight prepaid back to our warehouse. There will also be a 20% re-stocking charge for all authorized returned goods.

Custom and special products may not be returned.

Welder's Wear® Clothing

Durable treated flame resistant 100% cotton fabric, 12 oz. per sq. yd., in an attractive russet (bucktan) color. Lightweight, cool and comfortable. Full cut patterns, metal snap fasteners, all seams safety stitched, and **less than half the cost of leather!** Welder's Wear® is exclusive and available only from Stanco.

- W601** Cape Sleeve with collar.
- W601LS** Same as W601 except has full leather sleeves.
- W14** 14"X19" Bib for W601 cape sleeve.
- W20** 20"X19" Bib for W601 cape sleeve.
- W601-14** Cape Sleeve with collar and 14" bib (Unit).
- W601-20** Cape Sleeve with collar and 20" bib (Unit).
- W630** 30" Coat with collar and inside pocket.
- W630LS** Same as W630 except made with full leather sleeves.
- W645** 45" Shop Coat with 2 outside pockets and 1 breast pocket and snap front closure.
- W24W** 24"X24" Waist Apron.
- W36B** 24"X36" Bib Apron with pencil pocket.
- W36BP** Same as W36B except has a 24"X18" leather patch.
- W48SL** 24"X48" Split Leg Apron with pencil pocket.
- W48SLP** Same as W48SL except has a 24"X28" leather patch.
- W18E** 18" Sleeves with elastic on both ends.
- W23E** Same as W18E except 23" length.
- W23ECEC** 23" Sleeves with blue-grey elastic cuffs on both ends.
- W670** Bib Overalls with front, rear and breast pockets, double knee, elastic shoulder straps and riveted seams.
- W681** Coveralls with front, rear and breast pockets and zipper front closure.




W670



W681



W630



LESS THAN HALF THE COST OF LEATHER!

**Durable!
Flame Resistant!
Lightweight!
Cool & Comfortable!**



W630LS

Welder's Wear® is available only from Stanco!



W48SL



W36BP



W645



W23E



W601LS-14

NEW

See Detailed Sizing Chart, Page 6

Flame Resistant Sateen Cotton Clothing

Stanco's Flame Resistant Clothing is made from 100% 9 oz. per sq. yd. cotton sateen fabric. Excellent for warm weather or indoor use, the flame resistant properties will last for a minimum of 25 and up to 50 laundering cycles when following proper care instructions. Color is visual green.

Other features include:

- Full Cut Patterns
- Anti-flash steel snap fasteners
- Bar-tacked stress points
- Color matched thread
- Five-thread safety stitched

See Detailed Sizing Chart, Page 6

- FR601** Cape Sleeve with collar. Has snaps for bib.
FR14 14" Bib for FR-601.
FR20 20" Bib for FR-601.
FR601-14 Cape Sleeve with collar and 14" bib (Unit).
FR601-20 Cape Sleeve with collar and 20" bib (Unit).
FR660 Cape Sleeve with continuous bib (Sewn On).
FR510 Pants with snap fly closure, 2 rear and front pockets.
FR511 Pants with zipper closure and 2 rear and front pockets.
FR630 30" Coat with collar and inside pocket.
FR645 45" Shop Coat with 2 outside pockets and 1 breast pocket and snap front closure.
FR24W 24"X24" Waist Apron.
FR36B 24"X36" Bib Apron.
FR36BP Same as FR-36B except has a 24"X36" leather patch.
FR48SL 24"X48" Split Leg Apron.
FR18 18" Sleeve.
FR18E 18" Sleeve with elastic on both ends.
FR18ECEC 18" Sleeve with blue-grey elastic cuff on both ends.
FR23 23" Sleeve with adjustable strap.
FR23E 23" Sleeve with elastic on both ends.
FR23ECEC 23" Sleeve with blue-grey elastic cuff on both ends.
FR21TSVC 21" 9 oz. FR Cotton Sleeve with elastic and Velcro adjustment at sleeve opening, and thumb slot at wrist opening.
FR670 Bib Overall with 2 front and rear pockets, breast pocket and riveted seams.
FR681 Standard Coverall with zipper front closure, 2 front and rear pockets with pass-thru breast pocket and elasticized waistband.
FR685 Jumpsuit style Coverall with concealed front snap closure and 2 front and rear pockets.
FR770VC Cap Liner with 8" veil. Fits inside the hard cap suspension with Velcro front closure.
FR1229EB Hard Cap Shroud for neck and shoulder protection, 12"X29" size with expandable elastic band. Fits over most hard hats.

Note: This product line is also available in heavier weight, 'HFR' Series Clothing. Weight is approximately 11.0 ounces per sq.yd. in a twill construction. Pricing is included on our current Distributor Net Schedule, or ask your Customer Service Representative.



FR645 FR630 FR601-20



FR36B FR24W FR48SL



FR511 FR670 FR681

Excellent for warm weather or indoor use!

Flame resistant properties will last up to 50 laundering cycles! Other colors available!



FR1229EB FR770VC



FR18ECEC FR23ECEC FR23E



FR21TSVC

Flame Resistant Protective Clothing

LOOK AT THESE STANDARD FEATURES!



NX4-681

By-Swing Back
Provides comfort and full shoulder and arm movement!

Elastic Waistband
Elastic waist take-up for snugness and comfort!

Side Entry
New facing with concealed snap, easy entry, wider pocket opening!



Optional Zippered Leg

A concealed 16" brass zipper is optional on all coveralls and bib overalls. (non-standard)



NX4-645

NX4-681(back)

NX4-681

Nomex IIIA

Nomex IIIA Aramid is inherently flame resistant for the life of the garment. The flame resistant properties will not wash or wear out.

COVERALLS

NX4-681 4.5 oz. Contractor's Style Coverall. Constructed with two-way brass zipper front closure, by-swing back, two front, rear and breast pockets, concealed snap closures. Coverall has elastic waistband, five-thread safety stitch.
Our most popular coverall!

NX6-681 Same as NX4-681 except 6 oz. weight Nomex.

NX6-681L Same as NX6-681 except Modaquilt lined.

JACKETS/COATS/SURCOATS

NX6-630 Unlined 30" Coat, snap front closure, made of 6.0 oz. Nomex and has an inside pocket.

NX6-624T Banded Waist-Style "Ike" Jacket with two slant front pockets, zipper front closure, 6.0 oz. Nomex with zipper for liner (without liner).

MLQ624 Zip-in Double-Faced Modaquilt Liner for 624T series jackets.

NX6-636T Nomex Surcoat, 36" 6.0 oz. with zipper for liner (without liner).

MLQ636 Zip-in Double-Faced Modaquilt Liner for NX6-636T.

NX4-645 Nomex Lab Coat, 4.5 oz. material, unlined, 45" length with 3 outside pockets.

PANTS/SHIRTS

NX6-511 Pants with zipper front closure made of 6 oz. Nomex.

NX4-411 Classic Style Shirt made of 4.5 oz. Nomex with button closure and two-front flap closure pockets.

Indura Proban

9 oz. 100% Cotton, containing flame resistant properties guaranteed for the life of the garment if proper laundering instructions are followed.

COVERALLS

FRI-681 Contractor's Style Coverall, Constructed with two-way brass zipper front closure, by-swing back, two front, rear and breast pockets, concealed snap closures, Coverall has elastic waistband, five-thread safety stitch.

FRI-681L Same as FRI-681 except Modaquilt lined.

JACKETS/COATS/SURCOATS

FRI-630 Unlined 30" Coat, snap front closure and has an inside pocket.

FRI-624T Banded Waist-Style "Ike" Jacket with two slant front pockets, zipper front closure, with zipper for liner (without liner).

MLQ624 Zip-in Double-Faced Modaquilt Liner for FRI-624T series jackets.

FRI-636T Indura Surcoat, 36" with zipper for liner (without liner).

MLQ636 Zip-in Double-Faced Modaquilt Liner for FRI-636T.

FRI-645 Indura Lab Coat, unlined, 45" length with 3 outside pockets.

PANTS/SHIRTS

FRI-511 Pants with zipper front closure.

FRI-411 Classic Style Shirt with button closure and two-front flap closure pockets.

NOTE: Product stock colors are Navy Blue (NB), Royal Blue (RB), Orange (OR) and Tan (TN). Check with your Stanco Customer Service Representative for custom colors and other fabric details.

Flame Resistant Protective Clothing

Indura Ultra Soft

The highest level of quality and protection in an FR Cotton fabric. 88% Cotton and 12% High Tenacity Nylon, with guaranteed flame resistance for the life of the garment, confirms an excellent value equation. The new, softer feel enhances cotton comfort and provides superior protection from electric arc and flash fire exposures.

- US9-681** Full Featured Coverall with elastic waistband, by-swing back, pass-throughs, concealed brass zipper front closure, concealed snap closures. Made from 9 oz. fabric.
- US9-511** Pants with zipper closure, back patch pockets and front swing pockets. Made from 9 oz. fabric.
- US7-411** Industrial Shirt with two front, open-top pockets, button closures. Made from 7 oz. fabric.
- US9-630** 30" Unlined Coat with inside pocket and collar, metal snap closures. Made from 9 oz. fabric.

Note: We stock 7 oz. (Prefix Code: US7); 9 oz. (US9); and 12 oz. (US12). Above products made from Royal Blue Color, other colors available.

Nomex IIIA

Nomex IIIA Aramid is inherently flame resistant for the life of the garment. The flame resistant properties will not wash or wear out.

- NX4-670RD** Bib Overall. Full featured construction: Elastic take-up shoulder straps, front swing pockets, back patch pockets, side adjustable snaps, and full bib section pockets.
- NX6-630** Unlined 30" Coat, snap front closure, made of 6.0 oz. Nomex and has an inside pocket.
- NX6-624T** Banded Waist-Style "Ike" Jacket with two slant front pockets, zipper front closure, 6.0 oz. Nomex with zipper for liner (without liner).
- NX6-636T** Nomex Surcoat, 36" 6.0 oz. with zipper for liner (without liner).


Extrication Suit

Standard Features Include:

- Brass front zipper with Velcro storm flap
- Elastic waistband with Velcro take-up tabs - each side
- Velcro take-up tabs on collar, sleeve opening
- Large cargo pockets
- 2 each front swing pockets
- 1 each right breast pocket with flap and Velcro closure;
- 1 each left breast radio pocket 4" x 12" with gussets and Velcro closures; and back pockets w/flaps & Velcro closures
- Reflective tape: arms and ankle area
- Two-ply w/padding knee area, and elbow area

- NX6-681EE** Extrication Suit, 6 oz. Navy Blue Nomex.
- FRI-681EE** Same as NX6-681EE, except Indura FR Cotton Fabric .
- US9-681EE** Same as NX6-681EE, except made from Indura Ultra Soft Fabric, 9 oz. ATPV 11.1.

Note: Design of extrication suits varies; let us help you satisfy your needs with a variety of features. Minimum order quantities may apply.



**US7-411
Shirt
and
US9-511
Pants**



**NX4-670RD
Bib Overall**



NX6-630OR

NX6-624TRB

NX6-636T



Extrication Suit
Choose from three different fabrics!

NX6-681EE
Extrication Suit

**See Our New
Reflective Tape and
Sew-On-Labels
on Page 39!**



TEMP TEST™

ELECTRICAL ARC PROTECTION

By **STANCO**

**Protective Apparel
and Accessories that meet:**

NFPA 70E

**ASTM F1506
Specifications**

2178 Certified

**All products available in:
11-cal, 20-cal, 35-cal, 45-cal,
59-cal, and 100-cal.**

Call your Stanco Customer Service
Representative if you have questions:
1-800-348-1148.

**Temp-Test Electrical Arc Protective Clothing is Made from a Variety of
Flame Resistant Fabrics with Certified Ratings to Assure the User Maximum
Protection. All Products are Designed for Worker Comfort and Reliability.
Our Line is Complete, but We Welcome the Opportunity to Work with You
on Custom Products made from Your Particular Fabric Selections.**



**ASTM 2178
Certified**


**Recent testing of 23
Arc Hoods
confirmed our
product passed
33% HIGHER
than recommended
maximum exposure.**

Standard for Electrical Safety Employee Workplaces Table 130.7 (C)(11) Protective Clothing Characteristics (Revised 2009)		
Hazard/Risk Category	CLOTHING DESCRIPTION	Required Minimum Arc Rating of PPE cal/cm ²
0	Non-melting, flammable materials (i.e. untreated cotton, wool, rayon, or silk, or a blend of those materials) with a fabric weight of at least 4.5 oz/lyd ²	N/A
1	Arc-Rated FR shirt and FR Pants or FR coverall	4
2	Arc-rated FR shirt and FR pants or FR coverall	8
3	Arc-rated FR shirt and FR pants or FR coverall, and arc flash suit selected so that the system arc rating meets the required minimum	25
4	Arc-rated FR shirt and FR pants or FR coverall, and arc flash suit selected so that the system arc rating meets the required minimum	40

Note: Arc Rating can be either ATPV (Arc Thermal Performance Value) or Ebt (Energy of breakopen threshold) and is defined in ASTM F 1959. It is reported as either ATPV or Ebt, whichever is the lower value.

NFPA 70E requires workers to be outfitted in Flame Resistant Protective Clothing that meets the requirements of **ASTM F1506** when there is a possible exposure to Electrical Arc Flash. The short duration and intense energy presents a unique safety hazard.

Employers must assess the potential hazard and determine the flash protection boundary distance. Stanco's Protective Clothing has been designed to meet standards, as outlined, for a particular Hazard-Risk Category with a minimum ATPV Rating of the value, noted in the Protective Clothing Characteristics section. It has been confirmed by OSHA that garments which meet the requirements of **ASTM F1506** are in compliance with **OSHA 29 CFR 1910.269**.



**Temp-Test
Hood,
35" Coat,
Gloves and
Bib Overalls**

Temp-Test™ Electrical Arc Protection Wear

All garments constructed with Full Raglan sleeves for maximum upper body movement, Velcro front, leg and sleeve enclosures. 5-Thread Safety Stitch throughout assures minimum seam exposure. Trim items, such as Velcro Fasteners, Elastic Take-Ups, and Thermo Snap Fasteners are **Flame Resistant**.



TEMP-TEST™

ELECTRICAL ARC PROTECTION

By STANCO

All products available in:
11-cal, 20-cal, 35-cal, 45-cal,
59-cal, and 100-cal.

HRC Level 2

11-cal/cm² ATP Value=12.4

1-Ply 9 oz. Royal Blue Indura Ultra Soft.

- TT11635 35" Coat.
- TT11650 50" Coat.
- TT11670 Bib Overalls.
- TT11712 Hood with Window.
- TT11712AF Hood with Fresh Air System.
- TT1125VC 15" Length Leggings.
- TTK11 Arc Clothing "KIT" includes 35" Coat, Bib Overalls, Standard Hood, Hard Cap & Gear Bag.
- TTEK11 Economy Arc Clothing "KIT" includes 50" Coat, 15" Knee Length Leggings, Std. Hood, Hard Cap & Gear Bag.

20-cal/cm² ATP Value=21.0

1-Ply 13 oz. Royal Blue Indura Ultra Soft.

- TT20635 35" Coat.
- TT20650 50" Coat.
- TT20670 Bib Overalls.
- TT20712 Hood with Window.
- TT20712AF Hood with Fresh Air System.
- TT2025VC 15" Length Leggings.
- TTK20 Arc Clothing "KIT" includes 35" Coat, Bib Overalls, Standard Hood, Hard Cap & Gear Bag.
- TTEK20 Economy Arc Clothing "KIT" includes 50" Coat, 15" Knee Length Leggings, Std. Hood, Hard Cap & Gear Bag.

HRC Level 3

35-cal/cm² ATP Value=38.7

2-Plies 9 oz. Royal Blue Indura Ultra Soft.

- TT35635 35" Coat.
- TT35650 50" Coat.
- TT35670 Bib Overalls.
- TT35712 Hood with Window.
- TT35712AF Hood with Fresh Air System.
- TT3525VC 15" Length Leggings.
- TTK35 Arc Clothing "KIT" includes 35" Coat, Bib Overalls, Standard Hood, Hard Cap & Gear Bag.
- TTEK35 Economy Arc Clothing "KIT" includes 50" Coat, 15" Knee Length Leggings, Std. Hood, Hard Cap & Gear Bag.

Leather & Rubber Protective Gloves

Grain Leather Gloves include an Adjustable Take-Up Strap, ASTM F 696-02. Rubber Gloves are ASTM D 120-02 and In Service Care ASTM F 496-02

- RLG0011 Class "00" Glove, 11" Length. Available in Even Sizes 8 - 12.
- RLG014 Class "0" Glove, 14" Length. Available in Even Sizes 8-12.

Note: All Other Lengths and Classifications Available.

LCG10LV Leather Low Voltage Glove, Grain Cowhide, 10" Length.

LCG12 Leather Cover Gloves, Grain Cowhide, Florescent Gauntlet, 12" Length



Temp-Test Hood, 50" Coat, Gloves and Leggings

Adjustable Elastic Shoulder Straps



TT59-670 Bib Overalls

Look! Adjustable Waist Band Adjusts From Sizes 34-54!

Adjustable Leg Take-Ups



RLG0011 & RLG014 Rubber Insulated Gloves



Rubber Gloves Insulation Properties

Class	Proof-Test Voltage A/C	Max Use Voltage A/C
00	2,500	500
0	5,000	1,000
1	10,000	7,500
2	20,000	17,000
3	30,000	26,500
4	40,000	36,000



US214WL Gloves Indura Ultra Soft 14" Full Cut Gloves, 10 oz. Wool Lined, Royal Blue Color. ATPV: 76.2



LCG10LV Low Voltage Gloves



LCG12 Leather Cover Gloves

TEMP TEST™

ELECTRICAL ARC PROTECTION
By STANCO


712AF Hood with Fresh Air System

Includes Fans and Batteries!



TT45712AF Hood

TT45712AF Hood
(Rear View)



TT45712AF Hood
(Rear View Diagram)



TT45712
Hood

(See full descriptions on above items on Page 16)

**All products available in:
11-cal, 20-cal, 35-cal, 45-cal,
59-cal, and 100-cal.**

Call your Stanco Customer Service Representative if you have questions:
1-800-348-1148.



TTK45 Arc Clothing Kit



Temp-Test Logo and cal Rating Embroidered on Garment.



USKHOODNB



USK6HSTN



USK6TSNB



USK11SSOR

Temp-Test™ Electrical Arc Protection Wear

All garments constructed with Full Raglan sleeves for maximum upper body movement, Velcro front, leg and sleeve enclosures. 5-Thread Safety Stitch throughout assures minimum seam exposure. Trim items, such as Velcro Fasteners, Elastic Take-Ups, and Thermo Snap Fasteners are **Flame Resistant**.

HRC Level 4

45-cal/cm² ATP Value=51.3

1-Ply 7 oz. Royal Blue Indura Ultra Soft and, 1-Ply 13 oz. Indura Ultra Soft.

- TT45635 35" Coat.
- TT45650 50" Coat.
- TT45670 Bib Overalls.
- TT45712 Hood with Window.
- TT45712AF Hood with Fresh Air System.
- TT4525VC 15" Length Leggings.
- TTK45 Arc Clothing "KIT" includes 35" Coat, Bib Overalls, Standard Hood, Hard Cap & Gear Bag.
- TTEK45 Economy Arc Clothing "KIT" includes 50" Coat, 15" Knee Length Leggings, Std. Hood, Hard Cap & Gear Bag.

59-cal/cm² ATP Value=62.1

2-Plies 13 oz. Royal Blue Indura Ultra Soft

- TT59635 35" Coat.
- TT59650 50" Coat.
- TT59670 Bib Overalls.
- TT59712 Hood with Window.
- TT59712AF Hood with Fresh Air System.
- TT5925VC 15" Length Leggings.
- TTK59 Arc Clothing "KIT" includes 35" Coat, Bib Overalls, Standard Hood, Hard Cap & Gear Bag.
- TTEK59 Economy Arc Clothing "KIT" includes 50" Coat, 15" Knee Length Leggings, Std. Hood, Hard Cap & Gear Bag.

100-cal/cm² ATP Value=100.3

2-Plies 13 oz. Royal Blue Indura Soft and, 2-Plies 7 oz. Indura Ultra Soft

- TT100635 35" Coat.
- TT100650 50" Coat.
- TT100670 Bib Overalls.
- TT100712 Hood with Window.
- TT100712AF Hood with Fresh Air System.
- TT10025VC 15" Length Leggings.
- TTK100 Arc Clothing "KIT" includes 35" Coat, Bib Overalls, Standard Hood, Hard Cap & Gear Bag.
- TTEK100 Economy Arc Clothing "KIT" includes 50" Coat, 15" Knee Length Leggings, Std. Hood, Hard Cap & Gear Bag.

See Detailed Sizing Chart, Page 6

HRC Knits

Indura Ultra Soft Fabric

- USK6HSTN 6 oz. Knit Henley Shirt, Tan Color, 10.9 cal/cm².
- USK6TSNB 6 oz. Knit Long Sleeve T-Shirt, Navy Blue Color, 10.9 cal/cm².
- USK6STSGRY 6 oz. Knit Short Sleeve T-Shirt, Gray Color, 10.9 cal/cm².
- USK11SSOR 11 oz. Knit Hooded Sweatshirt, Orange Color, 21.8 (Ebt)
- USK6HOODNB 6 oz. Knit Hood, Navy Blue Color, 10.9 cal/cm²

Temp-Test™ Accessories

- NXL778 Knit Sock Hood, Nomex/Lenzing, Double-Ply Face, Single-Ply Drape, 10.1 cal.
- CK778 Hood, Carbon Fiber, 2-Ply Construction, 20.9 cal.
- SL712 Replacement Window: Enhanced Green (Light Green) for 11 cal and 20 cal. Series Arc Hoods.
- DPSL712 Replacement Window: Double-Ply, Shaded, for 35 cal, 45 cal, 59 cal and 100 cal Hoods.
- HF75 Helmet Frame, Universal Size.
- HH75 Hard Cap, Orange Color without Hood or Windows.
- LH75 Replacement Suspension Unit for Window Unit Only. Ratchet Adjustable Sizing Feature, Will Not Accomodate Hard Cap.
- 715CC Face Shield with Chin Cup and Ratched Headgear and 4" Forehead Guard, 10 cal
- 715CCS Face Shield with Chin Cup and Slotted Headgear, 10 cal.
- SL715 Replacement Window for 715CC.
- LH715HG Replacement Ratched Headgear for 715CC.
- CHCP Replacement Chin Cup for 715CC.
- CDSB001 Face Shield Bag, Cotton Duck Fabric, Unlined, Drawstring Top, 15"x20".
- GB50 Gear Bag, Cordora Nylon.
- US214WL Indura Ultra Soft 14" Full Cut Gloves, 10 oz. Wool Lined, Royal Blue Color. ATPV: 76.2 2-Ply, Size XL.
- TT5925VC 15" Leggings with Velcro Closure, Leather Foot Strap.
- US7411 7 oz. Indura Ultra Soft Industrial Shirt; Two Flap Pockets, Sizes S-XL, 8.7 cal.
- US7412TN 7 oz. Tan Indura Ultra Soft Deluxe Shirt, Button Down Collar, HCR2, 8.7 cal.
- NEW!** US9511 9 oz. Indura Ultra Soft Pants, Zipper Fly Closure; Waist Sizes: 28-56, Standard Inseam 32". ATPV: 12.4.
- NEW!** US12512BD 12 oz. Indura Ultra Soft Denim Pants, Jeans Style, Full-Cut, Hammer Loop, Tool Pocket, HRC2 19.5 cal.
- US9681 9 oz. Indura Ultra Soft Full-Featured Coverall; Sizes S-XL ATPV: 12.4.

**All products available in:
11-cal, 20-cal, 35-cal, 45-cal,
59-cal, and 100-cal.**

Call your Stanco Customer Service Representative if you have questions:
1-800-348-1148.



715CC Face Shield with Chin Cup and Ratched Headgear



715CCS Face Shield with Chin Cup and Slotted Headgear



SL712 Shaded Windows



HF75 Helmet Frame Shown with SL712 and CHCP



NXL778 Nomex/Lenzing Knit Hood



US7411 and US12512

Tool Pocket

Hammer Loop



TT5925VC 15" Leggings



GB50 Gear Bag

**US7411 Indura Ultra Soft Shirt
US9511 Indura Ultra Soft Pants**

TEMP TEST™
ELECTRICAL ARC PROTECTION
By STANCO

Special Application Protective Clothing



See Detailed Sizing Chart, Page 6

PBK4-681 FR1681ORRT W20-630



NEW

TW8-630 TW8-18E TW8-36B

- W20-630** 100% FR Wool Coat, 30" with inside pocket and collar. Navy blue and sewn with Kevlar Thread.
- FR1681ORRT** Flame Resistant Cotton Coveralls with reflective tape.
- PBK4-681** Lightweight Coverall "Flashsuit". High quality and flame resistant. 4 oz. Kevlar/PBI fabric.
- KTW630** 100% Kevlar Aramid Twill 30" Coat. Unlined, lightweight fabric; weight of 8.0 oz. per sq. yd.
- KTW36B** 100% Kevlar Twill 24"x36" Bib Style Apron.
- KTW23E** 23" Sleeve with elastic on both ends.
- KTW31GR** Single Ply 100% Kevlar Twill, 8.5 oz Sleeve.
- FR2P31GR** Double Ply 9 oz. FR green cotton Sleeve.
- CD2P31GR** Double Ply 9 oz. Canvas (Jeans) fabric, non-FR Sleeve.

Note: "Cap" (Over Shoulder) Construction, Standard Length is 31", Other Lengths Available, Ask Your Customer Service Representative.

- KTW9VC** Two-Ply Kevlar Twill Wristlet with Thumbslot and Velcro Closure. Size 9.
- KTW10VC** Two-Ply Kevlar Twill Wristlet with Thumbslot and Velcro Closure. Size 10.
- KTW11VC** Two-Ply Kevlar Twill Wristlet with Thumbslot and Velcro Closure. Size 11.
- KTW12VC** Two-Ply Kevlar Twill Wristlet with Thumbslot and Velcro Closure. Size 12.
- KTW113VC** Two-Ply Kevlar Twill Wristlet with Thumbslot and Velcro Closure. Size 13.
- KTW624GR-27** Surgical Style, (Reverse Entry) Gown, 8.5 oz. 100% Kevlar Twill fabric - single ply aluminum eyelets provide ventilation and protection.
- K2426SLVC** 24" x 26", 22 oz. Kevlar Aramid Split-Leg Waist Apron. Snaps to KTW624GR series gown.
- K1816BPVC** 18" x 16" Kevlar Aramid Bellypatch attached with Velcro.

Tuffweld® Protective Welding Clothing

Superior Resistance to Metal Splatter and Pin-Holing

A lightweight blend of Kevlar and Lenzing Rayon FR, this quality line of welding apparel is 20% lighter than FR Cotton and provides superb wicking capability — keeping you cooler and drier, even under extreme conditions. And, this 8 oz. per sq. yd. material delivers superior flame resistance.

- TW8-630** 30" Coat with collar and inside pocket. Available in sizes S-3XL.
 - TW8-601** Cape Sleeve with collar and snaps, without bib. Available in sizes S-3XL.
 - TW8-14** 14" length Bib for Style TW8-601.
 - TW8-20** 20" Bib for Style TW8-601.
 - TW8-36B** Bib Apron, 36" length by 24" width.
 - TW8-18E** 18" Sleeves with elastic both ends.
- Custom styles available, ask your Customer Service Representative.*



Eyelet Ventilated Sleeves

KTW31GR

FR2P31GR CD2P31GR

NEW

KTW9VC Wristlet



NEW



KTW624GR-27 Reverse Entry Gown

K1816BPVC Belly Patch

K2426SLVC Split-Leg Waist Apron



KTW630

KTW23E

KTW36B

Kevlar Knit Sleeves

Made of 100% Kevlar Aramid knit material 2-ply. Cut and burn resistant, has good "memory" and will return to original shape after repeated use. One size fits all (diameter), three lengths available and the thumb slot is optional. Packaged one pair per polybag.

- KK10 10" Sleeves.
- KK14 14" Sleeves.
- KK18TS 18" Sleeves with thumb slot.*

*Thumb slot is available in all styles, add TS to style number.

Chain Saw Chaps

Made from multi-layered Kevlar with Cordura outer shell. Six-ply protection. The inner pad is designed to clog and block cutting chain. Additional protection is provided if pad material is pulled into the drive sprocket which will then become jammed.

- KCN509-28 28" Length Chap.
- KCN509-32 32" Length Chap.
- KCN509-36 36" Length Chap.
- KCN509-40 40" Length Chap.

NOTE: It is the buyers' responsibility to determine if this product will provide adequate protection and is not a substitute for safe operating procedures.



KK10

KK14

KK18TS

Kick-Back Aprons

For protection of stomach, groin and chest. Made from multiple plies of heavy leather, Kevlar and felt materials. This product is not puncture proof.

- LKB1628B 16" x 28" Bib Style, leather and felt.
- LKB1824W 18" x 24" Waist Style, leather and felt.
- LKB1721WT 17" x 21" Waist Style, tapered, leather and felt.



LKB1628B

LKB1824W

LKB1721WT

2-Ply Nylon Cane Mesh Sleeves

Forearm protection from sharp objects. 2-ply protection with Velcro closure. White or black, 7" or 9" length and sized S-XL.

- CMW7VC 7" Length Sleeve in white.
- CMW9VC 9" Length Sleeve in white.
- CMB7VC 7" Length Sleeve in black.
- CMB9VC 9" Length Sleeve in black.
- CMW23ADJ Full arm protection, glass worker's type with 2-ply soft nylon mesh, 23" length with adjustable elastic.

STANCO'S NEW CHAIN SAW CHAPS

Made in accordance with U.S. Forest Service Specification 6170-4. Comes with quick-release thermoplastic fasteners and heavy duty nylon webbing leg ties and belting.



CMW9VC



CMW23ADJ



L2630



L2601-14



L248SL



L224W



L236B

See Detailed Sizing Chart, Page 6



L2505



L223SLV

Leather Clothing

Square foot for square foot, leather is the very best material for welder's protective clothing! It is heat resistant, strong, and resists cuts and abrasion. Stanco Leather Clothing is made only from the garment selection of side split cattlehide. There are **no** imperfections—brand marks, thin spots or “nappy” surfaces...and check the uniformity of the color. Bright bucktan throughout!

Check out these other features:

- Full Cut Patterns
- Kevlar Thread Used Throughout with Double Lock-Stitched Seams
- Riveted Stresspoints
- Heavy-Duty Snap Fasteners
- Aprons Have Cotton Ties; Bib and Split-Leg are Cross Back Style
- Completely Re-Designed Patterns

Cape Sleeves/Jackets

- L2601-14 Cape Sleeve with 14" bib.
 L2601-20 Cape Sleeve with 20" bib.
 L2630 30" Jacket with collar.

Aprons

- L218W 18" x 24" Waist Apron.
 L224W 24" x 24" Waist Apron.
 L230B 24" x 30" Bib Apron.
 L236B 24" x 36" Bib Apron.
 L242B 24" x 42" Bib Apron.
 L248B 24" x 48" Bib Apron.
 L236SL 24" x 36" Split-Leg Style Apron.
 L242SL 24" x 42" Split-Leg Style Apron.
 L248SL 24" x 48" Split-Leg Style Apron.

Sleeves

- L218SLV 18" Sleeves.
 L223SLV 23" Sleeves with adjustable straps (Sleeve extends across the top of the shoulder).

Waist Chaps

- L2505 Waist Chaps, Cowboy Style.

**KEVLAR THREAD
PLUS HEAVY-DUTY
ANTI-FLASH
STEEL SNAPS!**

Gold Band Leather Welder's Clothing

Imported and Made to our Specifications.

- Made from Split Cowhide - Bright Gold Color
- Sewn with Heat and Abrasive Resistant Kevlar Thread
- Stress Points Riveted
- Heavy Duty Black Snap Fasteners
- Packaged One Each Per Clear Polybag

- GB2601** Cape Sleeve, No Bib, Sized S, M, L, XL, 2XL, 3XL.
- GB214** 14" Bib.
- GB220** 20" Bib.
- GB2630** 30" Jacket Sized S, M, L, XL, 2XL, 3XL.
- GB224W** Waist Apron.
- GB236B** 36" Bib Apron.
- GB242B** 42" Bib.
- GB248B** 48" Bib.
- GB242SL** 42" Split Leg Apron.
- GB248SL** 48" Split Leg Apron.
- GB223SLV** 23" Sleeves.
- GB2505** Waist Chap - 40".
- GB275** Rod Bag.
- GB32** 6" Leather Spat.
- GB24** 14" Leather Legging.



GB32 - 6" Leather Spat



GB24 - 14" Leather Legging



Quality Leather Protective Clothing, **NEW** Economically Priced!



GB2601 - Cape Sleeve shown with GB220 - 20" Bib




GB2630 - 30" Jacket



GB242SL - Split Leg Apron



GB2505 - 25" X 40" Waist Chaps



GB236B - 36" Bib Apron



GB224W - Waist Apron

*Maximum Wear!
Long-Lasting!
Durable!*

We pride ourselves on prompt delivery!



GB223SLV - 23" Sleeves

Accessory and Convenience Products

Stanco accessories are a line of products designed for worker comfort, convenience and safety. Special pads, holders and other protectors are made from a variety of materials.

- L25** Knee Length Leather Legging made from heavy split leather with metal reinforcing stays and has hard toe leather flare.
- L25VC** Same as L25 except has Velcro closure.
- L27** Knee Length Leather Legging with deluxe removable spring type.
- LS33** Economy Leather Shoe Spat with Velcro closures.
- LS35** Leather Shoe Spat with elastic top and metal stays.
- LS37** Leather Shoe Spat without elastic top and metal stays.
- LS37VC** Same as LS37 except has Velcro closure.
- LH700** Leather Helmet made from select side split cowhide; is designed to protect the head and face; has adjustable headgear, screen vents on top of helmet and 2"X4" lift front glassholder.
- KB45** Kool-Bac' Fabric Pad is aluminized 6"X8" pad. Two-ply construction is reversible and can be worn on either hand.
- EKB45** Economy style 'Kool-Bac' Glove Pad 5 1/2"X7 1/2".
- HKB45** Same as KB45 except with heavy duty 3-ply construction.
- HHKB45** Extra heavy duty 'Kool Bac' Pad made with two plies of aluminized material and a center ply with 3/8" hi-density insulation, reversible and interchangeable.
- KP55** Split Leather Knee Pad with heavy, thick foam rubber reinforced with elastic straps and Velcro closures. Riveted stress points for longer wear.
- RB75** Soft Leather Rod Pouch made with swivel-hook fastener and riveted seams for longer wear.
- LB80** Leather Helmet Bib is 8 1/2"X8 1/2" and has 3 clips for convenient fastening to welding headgear.
- RB85** Barktan Leather Rod Carrier. Tool pouch leather, heavyweight, wooden bottom and made with heavy duty rivets for longer wear.
- SB95** Soft Leather Sweatband made from grain leather with absorbent sponge strip and noncorrosive snaps. Snaps easily to any helmet suspension unit. Size is 3 1/2"X8 1/2".
- SB99** Better Sweatband/Helmet Pad made of genuine Shearling (sheepskin) and finished with noncorrosive snap fasteners. Finished size is 4 1/2"X7".
- SB99R** Sweatband/Helmet Pad is same as SB99 except has a hole positioned to fit ratchet type headgear.
- CC10** 10' Length Cable Cover made from heat and abrasive resistant material. Closure is heavy duty brass zipper. 2" O.D. (closed).
- CC20** 20' Same as above except in 20' length.
- LC2** Leather Cable Protector is 2" O.D. steel snap closure, 6" centers. Please order by linear feet.
- LC4** Leather Cable Protector is 4" O.D. steel snap closure, 6" centers. Please order by linear feet.



LH700

L25VC

L25

L27



LS33

LS33

LS35

LS37

LS37VC



RB85

RB75

LC2

CC10

LB80

KB45

KP55

SB99

SB95

EKB45

KB45

HKB45

HHKB45



BD2936

BD2942

BD23E

*See
Detailed
Sizing
Chart,
Page 6*



FR9-681

AL14-630

ORFR624VRT

Blue Denim Protective Clothing

- BD23E** 23" Non-FR 100% Cotton, Dark Blue Denim Sleeves with elastic on both ends.
- BD2936** 29"X36" Non-FR 100% Cotton Denim Bib Apron with no pockets.
- BD2942** Same as BD-2936 except 42" in length.

Flame Resistant Knit Hoods


Made from flame resistant knit materials. All stock styles 13" head length, 5" Bib - 18" overall length -Long Style.

- NXL777** Nomex/FR Lenzing Blend. 2-Ply face/head area, single ply bib. *(Photo on Page 16)*
- PBL777** Same as style NXL777 except made with PBI/Lenzing Blend.
- PBL778** 2-Ply PBI/Lenzing FR (20% PBI, 80% Lenzing FR); NFPA 1971-2000 Edition UL Certified; Thermal Protective Performance (TPP): 27 (UL requirement minimum is 20).
- NXL778** 2-Ply Nomex/Lenzing FR (20% Nomex, 80% Lenzing FR); NFPA 1971-2000 Edition UL Certified; Thermal Protective Performance (TPP): 26.9 (UL requirement minimum is 20).
- CK778** 2-Ply Carbon Fiber (50% OPF, 40% Tech, 10% P-84), NFPA 1971-2000 Edition UL Certified; Thermal Protective Performance (TPP) 37.4 (UL Minimum Requirement is 20).

Note: Other styles available - ask your Stanco Customer Service Representative about our extensive offering in this product group.

Other Specialized Clothing

- ORFR624VRT** Flame Resistant Cotton Vest with reflective tape.
- AL14-630** 30" Unlined Coat with collar and inside pocket. Made from 100% treated 14 oz. cotton denim, and designed for protection against molten aluminum splash.
- FR9-681** Contractor's Coverall made from FR9B Vinex blend fabric for protection against molten aluminum splash.



CK778



PBL778

NXL778

Respirator Bags

- VRB774Y** 7"X7"X4" Yellow Vinyl Respirator Bag.
- VRB895YW** 8"X9"X5" Vinyl Respirator Bag with clear window.
- VRB774B** Same as VRB-774Y except color is black.



VRB774Y

VRB895YW

VRB774B

High Temperature Hand & Body Protection

Stanco's Hi-Temp Gloves, Mitts and Protective Clothing have been designed for maximum protection in the most adverse work conditions. Steel mills, foundries and casting operations, to name a few, have job applications that require hand and body protection for temperatures exceeding 2000°F. Special aramid fabrics, heavy linings and full cut patterns in a variety of designs are available in this line. All styles sewn completely with heavy Kevlar Thread.

What Kind of Heat Is It?

It is important to understand the types of heat in order to select the proper gloves and clothing for protection.

Radiant:

Generated by a heat source. An example would be a fireplace or the sun. The materials being struck absorb the heat's rays (it's hotter standing in the sun than in the shade).

Ambient:

The surrounding atmospheric temperature in a particular environment. Example: 72°F in your home; 92°F on the golf course in July; 1800°F in a flaming building.

Conductive:

Direct contact with hot surfaces. Example: touching a hot piece of metal at 800°F or leaning against a heat treating oven at 1,000°F.

How Much Heat Will It Take?

A good and often asked question for hand protection fabrics. The information noted below is to be used as a guide only. The work environment and area of intended use should be checked for: **Weight** of items being handled; **Temperature** (contact) and **Time**. Then, consult our customer service department or your factory sales representative.

Material	Product Prefix	Max. Temp. Range	Abrasion Resistance*
22 Oz. Kevlar blend Terrycloth	K	800° F	3
Kevlar Terrycloth	TK	1,000° F	4
8 Oz. Kevlar Twill, 100% Kevlar	KT	900° F	4
Leather, Cowhide Split	L	450° F	5
Kevlar/PBI blend, 22.0 oz.	KP	1,350° F	3
Kevlar/PBI blend 45.0 oz.	HKP	2,000° F	3
Fiberglass, 36 oz. coated	HG	2,000° F	3
Fiberglass, 30 oz.	G	1,000° F	2

*1—Poor, 2—Moderate, 3—Good, 4—Very Good, 5—Best

Stanco
SAFETY PRODUCTS™

Aluminized Fabric Protective Clothing



Stanco's Aluminized Clothing line provides primary protection to workers exposed to molten metal splash, sparks and radiant heat. We have a variety of aluminized fabrics to offer, depending on work conditions and heat exposure, all provide: abrasion resistance, reflectiveness for extended periods of time, molten metal splash resistance, and generally greater protection.

Prefix	Material	Characteristics
AR	Aluminized PFR Rayon, 16 oz.	Good reflectivity & radiant heat protection, economical, low burn-through resistance.
APB	Aluminized PBI, 8 oz.	Lightweight and good reflectivity, low burn-through resistance.
AK	Aluminized Kevlar, 17 oz.	Moderate burn-through resistance, excellent against most acids, reflects well against radiant heat.
ACK	Aluminized Carbon Kevlar, 17 oz.	Excellent burn-through resistance, lightweight and flexible.

Aprons*

All solid construction (not pieced), leather ties and straps.

AR24W	24"X24" Waist Apron.	AR48B	24"X48" Bib Apron.
AR30B	24"X30" Bib Apron.	AR42SL	24"X42" Split-leg Apron
AR36B	24"X36" Bib Apron.	AR48SL	24"X48" Split-leg Apron.
AR42B	24"X42" Bib Apron.		

**Also made from APB, AK, and ACK.. Please see our current price schedule and specific type of material by prefix when ordering.*

Sleeves/Cape Sleeves*

AR18E	18" Sleeves with elastic at both ends.
AR23E	23" Sleeves with elastic at both ends.
AR601-14	Cape Sleeve with collar, inset sleeves, 14" detachable bib.
AR601-20	Same as AR601-14 except bib is 20" in length.

**Also made from AK, ACK. Please see our current price schedule and specific type of material by prefix when ordering.*

See
Detailed
Sizing
Chart,
Page 6

Jackets/Coats*


Constructed with set-in sleeves, concealed front snap closures with leather pull tabs. Full raglan and half raglan sleeves also available. Check with your Stanco Customer Service Representative. All are lock-stitched, Kevlar sewn and have a stand-up collar.

AR630	30" Coat.
AR640	40" Coat.
AR650	50" Coat.
AR645SG	45" Coat, surgical style, open back, closed front, with sleeves.
APB640RFR	40" Coat made from lightweight, 8 oz. Aluminized Kevlar/P.B.I. Removable snap-out type liner made from 9 oz. FR Green Cotton. Unit weight less then 2.5 lbs!

**Also made from APB, AK, ACK. Please see our current price schedule and specific type of material by prefix when ordering.*

**Stanco Aluminized Clothing
offers Protection & Durability!**

Aluminized Fabric Protective Clothing



AR645SG

AR601-20

AR42SL

AK39 Boot Covers



AR505

AR506

APB640RFR Coat
APB511RFR Pants



AR35



AR27

AK39



AK1329VC



Rear views of Stanco's AR505 Chaps and AR506 Slip-on Leggings

Chaps/Leggings/Spats*

- AR505 24"X39" Chaps, waist style with open back and adjustable belt and leg strap. No-flare.
- AR506 40" Slip-On Leggings are interchangeable for either leg. Has flare and belt fastener.
- AR35 Deluxe Spat with elastic top and metal stays.
- AR37 Standard Spat.
- AR25 Knee Length Legging with side bar type and snap closure.
- AR27 Deluxe Replaceable Spring-Type Legging.

Stanco Aluminized Clothing is available in PFR Rayon, PBI, Kevlar & Carbon Kevlar!

Pants/Bib Overalls/Coveralls*

- AR510 Pants with waist and inseam sizing with snap fly closure.
- APB511RFR Pants made of Aluminized PBI with removable FR cotton liner with Velcro closure (As a set, order APB640RFR coat).
- AR670 Aluminized Rayon Bib Overalls, Sized S-3XL.
- AR680 Aluminized Rayon Full Coveralls, Sized S-3XL.

*Other aluminized materials available.

Hoods, Boot Covers and Accessories

- AK710 Aluminized Kevlar Hood with 7"X11" window with gold lens for full face, head and shoulder protection.
- AK39 Aluminized Kevlar Boot Covers. Designed to slip over work shoes. Insulated and non-skid soles.
- AK1329VC Aluminized Kevlar Shroud for neck and back protection. 13"X29" Velcro attachment.

Winter Lined Clothing

- Flame Resistant Indura Cotton or 6oz. Nomex Fabric Outer Shell
- Modaquilt FR Single and Double Faced Liners
- Brass Zipper Closures
- Styled Like Sportswear - Full cut patterns, featured accessories, 5-thread safety stitch throughout for longer, tougher wear
- Currently Available in Navy Blue Color Only
- Sizes M, L, XL, 2XL, 3XL

FRI624BJNB 'Bomber' Style Jacket, with sewn-in Modaquilt liner. Concealed front zipper closure, Nomex knit wrist, waistband and collar, 24" length, Indura FR Cotton outer shell.

FRI624TMQLNB 'Track' Jacket, 24" Length, concealed front zipper closure, zip-out double faced FR Modaquilt lining, FR Indura Cotton outer shell.

NX6624TMQLNB Same as FRI624TMQLNB except outer shell made from 6oz. Nomex.

FRI636TMQLNB Surcoat, construction same as FRI624TMQLNB except 36" length with snap front.

NX6636TMQLNB Same as FRI636TMQLNB except outer shell made from 6oz. Nomex.

FRI681LNB Full-featured Deluxe Coverall; zipper front closure, 27" zippered leg openings with flap and snap closure, slant breast zipper pockets, side entries, elastic waistband, by-swing back, set-in knit wrist sleeve openings, FR Indura Cotton outer shell, Modaquilt sewn-in lining throughout.

NX6681LNB Same as FRI681LNB except made with 6oz. Nomex.

FRI671LNB Full-featured Deluxe Bib Overall; zipper front closure, 42" zippered leg openings with flap and snap closure, slant breast zipper pockets, side entries, elastic waistband, double-ply knees, Velcro ankle adjustments, adjustable shoulder straps, FR Indura Proban outer shell, Modaquilt FR sewn-in lining throughout.



FRI624TMQLNB
'Track' Jacket



FRI624BJNB
'Bomber' Jacket

Flame Resistant Insulated Clothing for those Cold Winter Days!

Styled Like Sportswear with warm Modaquilt FR Single and Double Faced Liner!
ALSO AVAILABLE IN 6oz. NOMEX.

FRI671LNB
Deluxe Bib
Overalls



FRI681LNB
Deluxe Coveralls



Zippered Leg Openings

See Detailed Sizing Chart, Page 6

BUYER'S CHOICE!



K214WL



K214LWL

All styles are sewn with 100% Kevlar thread!

Many other styles available—ask your Customer Service Representative!

Kevlar Gloves and Mittens

Made from 22 oz. Kevlar blend material, safety yellow color and full wool lined. All styles extra large cut and sewn with 100% Kevlar Thread.

- K214WL** 14" Glove.
- K214LWL** 14" Glove, leather reinforced palm, thumb, and fingers.
- K211WL** 11" Glove.
- K218WL** Same as K214WL except 18" length.
- K223WL** 23" Glove.
- K314WL** 14" Reversible Mitten.
- K514QWL** 14" Reversible Mitten "glasshandler's design", wide cuff opening, quilted palm—5-ply protection.
- K714QWL** 15" Length Reversible Mitten, jumbo pattern, wide cuff opening and 5-ply protection, quilted palm.
- K308GC** Unlined slip-over Glove Cover for extra protection from heat and abrasive wear. Made from 22 oz. Kevlar Blend fabric.



K223WL



K314WL



Wide Cuff Opening

Full Wool Lined

Reversible may be worn on either hand


Quilted Palm

K714QWL



K514QWL

All styles are extra large cut!



K308GC

Fiberglass Gloves and Mittens

Made from heavyweight textured fiberglass material, coated to allow maximum wear and protection. All styles are blue in color, full wool lined and sewn with Kevlar Thread.

- G214WL 14" Glove.
- G218WL 18" Glove.
- G223WL 23" Glove.
- G214LWL 14" Glove, leather reinforced palm, thumb, and fingers.
- G314WL 14" Reversible Mitten.
- HG414SP 13" Reversible Mitten, extra heavy fiberglass palm with Kevlar shell. 3-ply wool and Nomex combination liner, 5-ply protection. **The investment casting mitten!** We recommend Style No. HG310CM slip-over cover mitt for maximum protection.

Cover Mitts

Unlined slip-over 10" Mitts for extra protection from heat and abrasive wear.

- HG310CMJ Heavyweight fiberglass.
- HGCM310CMJ Same as HG310CMJ except made with two plies of stainless steel wire over heavy fiberglass.
- K310CMJ 22 oz. Kevlar.
- KP310CMJ 22 oz. Kevlar/P.B.I.
- K310CM 22 oz. Kevlar (for 314 reversible mitt pattern).

PBI/Kevlar Gloves & Mittens

A 22 oz. ceramic and Kevlar blend material. **The best material for high temperature hand protection.** All styles are fully wool lined, extra large cut and sewn with 100% Kevlar Thread.

- KP214DWL 14" Glove.
- KP218DWL 18" Glove.
- KP223DWL 23" Glove.
- KP314DWL 14" Reversible Mitten, quilted double palm and 4-ply protection.
- HKP214DWL 14" Glove made from 45 oz. Kevlar/PBI material. Protection to 2,000° for short duration, double wool lined, jumbo cut.
- HKP314DWL Same as HKP214DWL except made as a 14" reversible mitten.



G214WL



G314WL



HG414SP



KP310CMJ

HG310CMJ

K310CMJ

HGCM310CMJ



KP214DWL



KP314DWL



HKP214DWL



HKP314DWL

Aluminized and Aluminized Combination Fabric Gloves

Made from heat resistant aluminized fabrics for radiant heat protection. All styles are fully wool lined and sewn with Kevlar Thread.



AR214WL

ACKK214WL

AR214WL 14" Glove made from Aluminized Rayon fabric.

ACKK214WL 14" Glove made from Aluminized Carbon Kevlar fabric.

ACKK214WL 14" Glove, palm and inside cuff made from 22oz. Kevlar Aramid, back of glove, cuff and thumb made of Aluminized Carbon Kevlar fabric.

ACKK218WL Same as ACKK214WL except in 18" length.

ACKK223WL Same as ACKK214WL except in 23" length.



TK214KCWL

TK214DCWL

*A complete line of
Gloves, Mitts and Pads
for High Temperature
Hand Protection!*

Kevlar Terrycloth Gloves and Mitts

Made from 100% heavyweight Kevlar terrycloth material, loop-in. All styles are wool lined. This material is an excellent insulator.

TK214KCWL 14" Glove, woven Kevlar cuff.

TK214DCWL 14" Glove, FR Duck cuff.

TK314KCWL 14" Reversible Mitten, woven Kevlar cuff.

TK214RKCWL 14" Reversible Glove, woven Kevlar cuff.



TK314KCWL

TK214RKCWL

Hand Pads and Guards

Primary protection for the palm and fingers. The back is usually open for most styles. Stanco Hand Pads and Guards are made from a variety of leathers and materials that will withstand both heat and abrasion.

- 79 Heavy Split Leather Hand Pad, 7"x9" single ply and slotted.
- 80 Same as No. 79 except diagonal steel stapled palm.
- 81 Same as No. 79 except made with two outside plies of Kevlar Aramid, and an inside ply of heavy split leather. (3 plies)
- 33 Open Back Hand Pad with thumb slot, single ply heavy split leather, knuckle strap and belt buckle type fastener.
- 34 Same as No. 33 except double ply palm and thumb.
- 35 Same as No. 33 except double ply palm and thumb and solid steel stapled.
- 31 Reversible Split Leather Hand Guard. Designed to slip over a glove for more wear in the palm. Reversible, thumbless and wire sewn.
- 36 Split leather, thumb-type open back to slip over a glove for palm protection.
- K99-3W 9"x9" Non-Slotted Hand Pad. Kevlar Aramid outer shell with 3 plies of wool-felt inner liner. Quilted stitching with Kevlar Thread—5-ply protection. This product provides good protection for investment casting operations.
- LBP39SC Heavy Duty Split Leather Bundler's Pad. Adjustable with snap closure.
- LBP39VC Same as No. LBP39SC except has Velcro closure.
- CO8VC Open Finger Hand Guard made from soft grain cowhide. Has a firm 4" cuff with adjustable Velcro closure. Unlined and sewn with Kevlar Thread.
- CO10 Same as No. CO8VC except in size X-large.
- G21 Open Finger Hand Guard made from soft grain cowhide. No cuff with adjustable wrist closure. Sized M, L & X-large.



LBP39SC

**Stanco
Hand Pads
and
Guards
withstand
both heat
and
abrasion!**



G21



Finger & Thumb Guards

Finger and thumb protection while providing dexterity for special job requirements. Split and Grain leathers available in both closed and open end styles. Applications include: sanding, wire handling, assembly line, and grinding. Standard sizes fit most individuals, smalls (ladies), and extra large sizes are also available.

- | | |
|--|---|
| TSL501-O Thumb Guard, Split Leather, Open End | FSL502-O Finger Guard, Split Leather, Open End |
| TGL501-O Thumb Guard, Grain Leather, Open End | FGL502-O Finger Guard, Grain Leather, Open End |
| TSL501-C Thumb Guard, Split Leather, Closed End | FSL502-C Finger Guard, Split Leather, Closed End |
| TGL501-C Thumb Guard, Grain Leather, Closed End | FGL502-C Finger Guard, Grain Leather, Closed End |

Special Application Gloves & Mitts

Added Reinforcements and Other Standard Features:

- Extra Heavy, Double-Tanned Leather
- Superb Workmanship
- Heavy Flame Resistant Liners, Fully Closed—A Glove Within a Glove!
- Sewn with Heavy 100% Kevlar Thread

These Premium Quality Specialty Gloves Offer:

- More Wear and Abrasion Resistance
- Ultimate Reliability
- Excellent Thermal Protection and Moisture Absorption
- Extended Wear and Protection

G450KW 100% 2-ply Kevlar Knit Wrist material sewn 2" from cuff opening to prevent welding slag and sparks from entering glove. Kevlar Knit Wrist may be attached to all welding glove styles.

TH2XFWL Heavy brown thermoleather, 15" length, clute pattern with a 3/4" thumbstrap and pulse patch. Lining is fully closed and made from heavyweight wool. Sized XL.

TH2XFNL Same as #TH2XFWL except lining is made from Nomex Aramid.

SSTH2XHWL Heavy brown thermoleather, half wool lined. Steel stitched seams for extra wear and abrasion, has reinforcing patches on palm and index finger, rigid cuff, overall length is 15". Sized XL.

SS901WL Steel Stitched Reversible Mitten, wool lined with reinforcing patches.

ARTH7517HWL Aluminized Back and Brown Thermoleather Palm "Scarfing" Glove. Reinforced palm and knuckle strap area, half wool lined, 17" length and flared cuff opening with Velcro closure for extra arm protection. Sized L.



G450KW



TH2XFWL



SS901WL



SSTH2XHWL

All Foundry Gloves are made with Extra Heavy Double-Tanned Leather and Sewn with 100% Kevlar Thread!



ARTH7517HWL HAS A 17 INCH LENGTH AND VELCRO CLOSURES FOR EXTRA ARM PROTECTION!



ARTH7517HWL

Premium Quality Welding Gloves

Our best!

- Top Grade, Select Leathers.
- Full Cut Patterns.

Added Reinforcements and other Standard Features:

- Weltd Seams and Sewn with Kevlar Thread.
- Additional Safety Features.

These premium quality welding gloves offer you:

- Superb Durability.
- Minimum Hand Fatigue.
- Maximum Comfort.
- High Performance.

750 Elkskin Welding Glove. Insulated back, unlined palm, fully welted seams, thumbstrap, rigid cuffs make this one of our finest welding gloves. Sized S-XL.

850 Same as #750 except made from gold elkskin. Sized S-XL.

757 Elkskin Welding Glove with seamless index, reinforced palm and index, unlined for greater dexterity and pulse patch on cowhide cuff. Sized S-XL.

300AR Aluminized Rayon back and thumb, cowhide palm Welding Glove. Designed to reflect radiant heat. Fleece lined and full cut pattern. Sized L.

750AL Elkskin leather palm and aluminized leather back Welding Glove. Wool lined to wrist, thumbstrap and welted seams. Sized L.

950 Pigskin Welding Glove made with reverse grain leather, cowhide cuff, welted seams, cotton/fleece lining, straight thumb and full cut. Sized L.



**Superb Durability!
Maximum Comfort!**



SEAMGARD®



**Excellent
Heat & Cold
Insulation!**

**Actually a
Glove within a
Glove!**



Russet
Select Split
Cowhide

2020

**OUR
BEST
SELLER**

**Kevlar®
Stitching**
for added
strength and
heat resistance

**Straight
Thumb**
for best
gun grip

**Fully Welting
Seams**

**Maximum Wear!
Long-Lasting! Durable!**

*We pride ourselves on prompt delivery!
See our Delivery/Lead-Time Map on Page 40!*

High Quality Welding Gloves

Imported and Made to our Specifications.

- Select Side & Shoulder Split Leathers
- Fully Closed, Cotton/Fleece or Foam Lining

Added Reinforcements and Other Features:

- Welting Seams and Sewn with Kevlar Thread
- Good Heat Resistance
- Maximum Wear, Durable, Long-Lasting
- Actually a "Glove Within a Glove"
- Excellent Heat and Cold Insulation

2001 Quality Gold Welding Glove with pearl inside cuff and welting. Made from select split cowhide. Wide thumbstrap, wing thumb, foam lined, self-hem and sewn with Kevlar Thread. Sized L.

2002 Deluxe Gold Welding Glove. Made from select side split cowhide. Wide thumbstrap, Seamgard® (protects seam at junction of thumb and index finger), straight thumb, pulse patch, foam lined and sewn with Kevlar Thread. Sized L.

2007 Quality Black Welding Glove with gold welting. Made from split cowhide. Wide thumbstrap, wing thumb, foam lined and sewn with Kevlar Thread. Sized L.

2010 Quality Blue Welding Glove with pearl inside cuff and welting. Made from select split cowhide, has wide thumbstrap, wing thumb, foam lined and sewn with Kevlar Thread. Sized L.

2018 Quality Royal Blue Welding Glove made from standard split cowhide. Has wide thumbstrap, wing thumb and welting seams, foam lined and sewn with Kevlar Thread. Sized L.

2020 Our Best Selling Welding Glove! Made from russet select split cowhide. Has straight thumb with 3/4" thumbstrap, cotton/fleece lined, fully welting and sewn with Kevlar Thread. Sized L.

2025 Quality Pearl Grey Welding Glove with black welting. Made from standard split cowhide. Has wing thumb and cotton/fleece lining. Sized L.

General Purpose Welding Gloves and Mittens

Our best!

- Top Grade, Select Leathers
- Full Cut Patterns

Added Reinforcements and other Standard Features:

- Welting Sewn with Kevlar Thread
- Additional Safety Features

These premium quality welding gloves offer you:

- Superb Durability
- Minimum Hand Fatigue
- Maximum Comfort
- High Performance

2012 Ol' Blue The Welder's Best Friend! Made from select side split cowhide—top quality! Has wide thumbstrap, wing thumb and Seamguard® (for protection of seam at junction of thumb and index finger), foam lined and sewn throughout with Kevlar Thread. Sized XL.

2017 Sized for the lady welder and made with blue select split cowhide, fleece/cotton lined, welted vulnerable seams, and winged thumb.

300 Deluxe Welding Glove made from select side split cowhide, bright russet color. Made in our workshop in the U.S.A.! All seams welted, cotton/fleece lined, wing thumb and full cut. Sized L. (Not illustrated)

450 Our Best Value in an American Made Welding Glove! Select split cowhide in a bright russet color, wing thumb, welted seams, cotton/fleece lined. Sized L.

900 Same as #450 except made as a one-finger mitten.

450-18 Same as #450 except 18" length for full forearm and above-elbow protection.

300ARF-3BP Aluminized Rayon Back Welding Glove. Full wool lined, and has snap-on aluminized pad 7¹/₂"X9¹/₂". Five-ply protection with pad. Pad is reversible and interchangeable. Pad may be ordered separately under Style No.3BP. Glove may be ordered separately under Style No.300ARF.



450



SIZED FOR THE LADY WELDER!

2017

All are made with top grade select leathers for superb durability and maximum comfort!

NEW
Select Side Split Cowhide

Foam Lined for added comfort and protection.

Kevlar® Stitching for added strength and heat resistance

Seamguard® for more protection and longer wear

Welted Fingers



900



2012 Ol' Blue

The Welder's Best Friend!



450-18



300ARF-3BP

TIG Gloves

Added Reinforcements and other Standard Features:

- Wide Selection of Grain and Split Leathers
- Sized Patterns
- Reinforcement Patches and Other Safety Features
- Sewn with Kevlar Thread



*Stanco's
TIG Gloves
offer dexterity, snug
yet comfortable
fit, plus extended
wear and protection!*



**OUR
BEST SELLING
TIG GLOVE!**



TIG2102 Made from soft, grain leather doeskin (capeskin), with 4" split leather cuff, gunn pattern, straight thumb, unlined and sewn with Kevlar Thread. Sized S-XL.

TIG2101 Same as TIG2102 except made with a 2" cuff.

TIG2104 Made from soft, deersplit, pearl grey color, with 4" split cowhide cuff, gunn pattern, straight thumb, unlined, sewn with Kevlar Thread. Sized S-XL.

TIG2103 Same as TIG2104 except made with a 2" cuff.

TIG2106 Our best selling TIG Glove! Made from soft, grain pigskin, with 4" firm leather cuff, gunn pattern, straight thumb and sewn with Kevlar Thread. Sized S-XL.

TIG2105 Same as TIG2106 except made a with 2" cuff.

TIG2106FOL Same as TIG2106 except made with a foam insulated back. Sized M, L & XL.

TIG2107 Our newest design TIG Glove! Palm is made from soft doeskin (capeskin) and back and cuff from blue side-split cowhide. This combination of leathers affords an economical product that will last a long time. Sized L.

TIG2070 Imported and made to our specifications. Soft grain pigskin, gunn pattern. Has a straight thumb with 3/4" thumbstrap and pulse patch, 4" split leather cuff, unlined. Sized M & L.

*Check-out our
Delivery/Lead-Time Map
on Page 40!*

Visit Our Website www.stancomfg.com

Quality Work Gloves

Added Reinforcements and other Standard Features:

- Heavyweight Split Cowhide, Chrome Tanned
- Full Cut Patterns
- Reinforcement Patches and Other Safety Features

2036 "Back to Basics" leather palm, pearl split cowhide, white drill back, rubberized 2 1/2" safety cuff. Has a full leather index, wing thumb, and knuckle strap. Sized L.

2037 Same as 2036 except made with 4 1/2" gauntlet.

2040 Leather Palm Work Glove with 2 1/2" safety cuff. Made from pearl split cowhide, blue/grey back and cuff, knuckle strap and tips, full leather index finger. Sized L.

2040X Our Very Best Value in a Work Glove—pearl split cowhide, striped back and cuff, full cut pattern.

2041 Same as #2040 except made with 4 1/2" gauntlet.

2042 Deluxe Leather Palm Work Glove with 2 1/2" cuff. Made from US leather garment off-falls. Pieced palm, knuckle strap and tips, full leather index and sewn with Kevlar Thread. Sized L.

2046 Deluxe Side Split Cowhide Work Glove. Full leather back, rubberized safety cuff, and sewn with Kevlar Thread. Sized L.

2047 Same as #2046 except made with 4 1/2" gauntlet.

2048 Heavy Duty Leather Palm Work Glove made from side split cowhide, 3/4" back, double-ply palm and fingers—"Plywood Glove" safety cuff and sewn with Kevlar Thread. Sized L.

2049 Same as #2048 except made with 4 1/2" gauntlet.

2050 Winter Work Glove. Made from grain pigskin, gunn pattern with knuckle strap and tips, reinforcing thumb/seam patch, fleece/insulated liner. Sized L.

2058 Grain pigskin leather palm, saddle color. Made with white drill back rubberized 2 1/2" safety cuff. Full leather index, wing thumb and knuckle strap. Sized L.



NEW



BEST SELLER

2040

Our work gloves are made with reinforcement patches and other safety features!



NEW

2040X



2042



2046



2048

Durability! Value! Comfort and Dexterity!



2050



NEW

2058

Extended Wear and Protection!

Driver's Gloves



S20D



S20G



S20P



S20S



S20E



2054



2055



**Stanco
Driver's Gloves offer:
Dexterity! Comfort!
Longer Wear!**

Standard Features:

- Wide Selection of Grain and Split Leathers
- Sized Patterns

These Premium Quality Driver's Gloves Offer You:

- Dexterity, Feel and Longer Wear
- Snug and Comfortable Fit

- S20C** Soft, grain doeskin (capeskin). Sized S-XL.
- S20D** Soft, deersplit, pearl grey color. Sized S-XL.
- S20G** Grain cowhide, bucko color. Sized S-XL.
- S20P** Grain pigskin, saddle color. Sized S-XL.
- S20S** Russet split cowhide. Sized S-XL.
- S20E** Top grain, gold elkskin, keystone thumb. Sized M & L.
- 2054** Grain cowhide, keystone thumb. Sized M & L.
- 2054F** Same as #2054 except lined. Sized M & L.
- 2055** Grain pigskin, keystone thumb. Sized M & L.
- 2055F** Same as #2055 except lined. Sized M & L.



Welding Blankets, Covers & Roll Goods



Roll stock, blankets and curtains are available in a variety of flame and heat resistant materials to suit a variety of needs. Our blankets have 3/8" I.D. 2-piece brass plated grommets on 24" centers. We stock blankets in the most popular materials in stock sizes of 6' x 6' and 6' x 8'. Custom sizes are available with quick turnaround times. All blankets are individually packaged for retail display.

<u>SERIES</u>	<u>SO.YD.</u> <u>WEIGHT</u>	<u>MATERIAL</u>	<u>CHARACTERISTICS</u>	<u>ROLL</u> <u>WIDTH</u>
G1600S	16 oz.	Neoprene Coated Fiberglass	Protection from Abrasion & Liquids	36" & 60"
G1800W	18 oz.	White Fiberglass	General Purpose Protection	40" & 60"
K2200Y	22 oz.	Kevlar Blend	Abrasion and Heat 900° Melt Temp.	40" & 60"
G2800BK	28 oz.	Black Fiberglass	Coated for Abrasion 1200° Melt Temp.	40" & 60"
G3000Y	30 oz.	Yellow Fiberglass	Coated for Abrasion 1000° Melt Temp.	40" & 60"
G3200OR	32 oz.	Orange Fiberglass	Coated for Abrasion 1200° Melt Temp.	40" & 60"
SI1800B	18 oz.	Bronze Silica/Ceramic	Coated for Abrasion 3000° Melt Temp.	36"
CF1700B	17 oz.	Carbon Felt	Protects to 3000°, Scratch Resistant, Excellent Insulator.	60"
D1200	12 oz.	Duck	Fire, Water & Mildew Resistant, Light Duty	30"
L3200C	32 oz.	Chrome Tanned Leather	Pieced, Good Abrasion	Custom Only

How to Order:

Example: to order a 6' x 6' 18-oz. White fiberglass welding blanket, use the following formula:

Material Type	Material Weight	Blanket Size	Color
G	18	66	W

The resulting style number is: **G1866W**

A complete list of our standard style numbers can be found in our price schedule.

*Don't see the exact product you need?
Call Stanco...we want to be your single source supplier!*

Merchandising

Stanco offers complete retail packaging and private labeling services.

Our embossing and heat transfer equipment, embroidered sew-on labels and patches produces handsome, sharp logos in a variety of single and multi-color combinations.

Stanco can also supply you with:

- Rotating Glove Racks
- Counter Top Displays
- Custom Size Wall Racks & Displays
- Sturdy Header Cards
- Custom Packaging & Labeling
- UPC Approved Bar Coding

Ask your Stanco Customer Service Representative about these effective ways to promote Stanco products or your own private labeled products.

If you print your own catalogue and wish to include Stanco products shown in this catalogue, call Customer Service Department for assistance in obtaining the photos or art you require.

Reflective Tape

Sew-On Reflective Tape for high visibility is available for all garments. Available in a variety of colors and sizes (widths). Reflective Tape is sewn directly to the garment in almost any position. Minimum ordering quantity will apply.



Reflective Tape

Sew-On Labels

Quality embroidered or embossed labels and patches are available on all garments. A variety of sizes and colors available. Minimum ordering quantities will apply.



Rotating Glove Racks



Counter Top Displays



Header Cards and Special Packaging



Retail Displays




Sew-On Labels








Logo/Private Label Application

Prompt Shipment Nationwide from Atlanta, Texas, USA



We suggest you place orders
by **FAX: (903) 796-9237.**

It is our intention to ship your order as quickly as possible. Always state the urgency of your order and you will receive full cooperation from your Customer Service Representative. And, we will always commit to firm shipping dates.

UPS Guaranteed		1 DAY
Ground Time		2 DAYS
Day Delivery Schedule		3 DAYS
<i>For Shipments Originating from Atlanta, Texas 75551, USA</i>		4 DAYS
		5 DAYS



DISTRIBUTED BY:



SAFETY PRODUCTS™

STANCO MANUFACTURING, INC.
P.O. Box 1148 • 2004 W. Main St. • Atlanta TX 75551

903/796-7936 • 1-800-348-1148

FAX: 903/796-9237

Website: www.stancomfg.com

Catalogue No.109R 2009 110810M